



Specialist Products & Solutions

SUPPLY SYSTEMS |
DRAINAGE SYSTEMS | VALVES |
FIXINGS & SUPPORTS



Welcome to Brymec

Delivering product assurance and project confidence to the building services industry.

We're more than just a manufacturer and supplier; we're your trusted, indispensable partner, delivering turnkey solutions and exceptional service to ensure every project is completed on time and within budget.

MANUFACTURED TO LAST

We manufacture and supply our M&E solutions with quality at the heart. When specifying and installing Brymec, you can do so with peace of mind knowing our ranges are rigorously tested to esteemed accreditations and come with industry-leading warranties.

SEAMLESS CUSTOMER EXPERIENCE AND TECHNICAL SUPPORT

Supporting our quality products is our in-house customer experience and technical teams. All based in the UK, we act as an extension to your team, supporting your project with unbiased technical advice and resources, easy procurement through our MyBrymec Portal and on-site training and CPDs.

THE BRYMEC STOCK PROMISE

With an impressive £14 million stock holding at our central distribution centre, a stock promise on over 1,000 product lines, and our innovative Brymec Breeze model, we've transformed the supply chain. By cutting out the middlemen, we've become a trusted standard for reliability, ensuring the right products reach your project exactly when and where they're needed.

UK-WIDE DELIVERY NETWORK

Integral to our end-to-end solutions is our in-house transport and distribution network. Orders placed by 5 pm arrive the next day within a precise 2-hour time slot, with full order tracking and a single point of contact, ensuring projects stay on schedule.

BUILT FOR TOMORROW

Our business model and products are designed to support a greener future for the building services industry. With carbon-reduced certification, ISO 14001 accreditation, and ongoing EPD development, we help specifiers and contractors meet their sustainability goals.



**Drainage Systems.
Supply Systems.
Valves.
Plantroom Equipment.
Fixings & Supports.**

Complete system solutions

Your all-in-one destination for high-quality M&E products, expert technical support and seamless service.



MyBrymec – Your online procurement solution and technical database.

Brymec.com is the home of our industry-leading MyBrymec Portal, designed with our customers to make ordering products faster, easier, and simpler, taking the ordeal out of the procurement process.

PRODUCT ORDERING

- › View tailored pricing online
- › Browse products with images, descriptions and technical data sheets available at the click of a button
- › Export product lists as a PDF or CSV to easily share
- › Upload product lists in CSV format directly into your basket
- › Create favourites and place quick orders for your most popular items
- › Place and manage project 'call-off' orders online
- › View your latest items ordered off and online for easy repeat ordering
- › Review and manage any quotes

ACCOUNT MANAGEMENT

- › Access detailed spending reports with various breakdown options
- › Add your projects to the system to manage ordering and spending against budgets
- › Download all technical data for your project in one place
- › Search through previous invoices
- › View Proof Of Delivery
- › Manage your users, delivery addresses and projects
- › View your account balance due and pay invoices using card
- › Manage your purchasing structure online, setting up requisition and approval sequences, therefore, becoming your e-procurement solution



**READY TO IMPROVE
YOUR ORDER EFFICIENCY?**

Register for your MyBrymec today



**LOOKING TO GET MORE OUT
OF THE PORTAL?**

Book a web-demo

Brymec Breeze

In becoming a manufacturer and cutting out all middlemen between factories and building sites, we have transformed the entire process for the procurement and delivery of M&E products. Brymec Breeze brings the building services industry new levels of efficiency, certainty, and much more.

RELIABLE

- › £14 million of UK stock holding
- › Order by 5pm for guaranteed next day delivery
- › In-house technical department for expert guidance and quality testing

EFFICIENT

- › A single point of contact from enquiry to delivery
- › Maximum 2-hour quote turnaround
- › Independent ordering via MyBrymec Portal

ACCURATE

- › 2-hour delivery slots with full order tracking
- › Delivery within 3 metres using What3Words
- › Box-by-box shipment summaries



BIM - Building with Foresight

Greater demands and accountability now face the building services industry which can complicate projects, however, BIM technology can help us design and build smarter.

At Brymec, we've fully embraced BIM technology to empower designers, architects, and specifiers with smarter, more efficient project planning.

Our BIM objects provide detailed technical drawings, visuals, and specifications that integrate seamlessly into your design software, enabling precise, clash-free virtual models.

With instant downloads available from our website, we make it easy to incorporate high-quality, reliable data into your workflow, helping you reduce risk, save time, and deliver better outcomes.

Look for the BIM-ready icon at brymec.com and start downloading today!



Technical Expertise at your Fingertips

As a manufacturer, we understand just how crucial technical information is - whether you're specifying a project, installing products, or commissioning a system.

Through our in-house technical department, we've produced a suite of technical resources for our products, including:

- › Technical brochures
- › Datasheets
- › Installation guides
- › BIM files

Access all of these on demand via the Learn section of our website or through the QR codes on our range hero pages throughout this catalogue.

Additionally, our technical team also provide on-site training sessions and CPD's - just contact us via our website to book.

Scan the code to access our product literature zone.



Built for Tomorrow

Our products and business model are designed with the future in mind, and we're committed to supporting our industry in delivering sustainable projects. That's why we're working to be the greenest, most environmentally friendly manufacturer and supplier in the building services industry.

OUR JOURNEY TOWARDS CARBON NEUTRAL

As part of our journey, we achieved carbon-reduced status in 2022* and in 2024, we achieved our ISO 14001 certification - an internationally recognised standard that underscores our dedication to a greener future. Today, our sustainability team are working towards the development of TM65s and EPDs.

Here are just a few of the initiatives we've implemented on our journey to carbon neutrality:

- Installed electric charging points in the car park for staff and visitors
- Added energy-efficient air source heat pumps
- Increased thermal insulation by 50% at our Gatwick warehouse
- Launched a full plastic reduction scheme across all products
- Switched to automatic LED lighting throughout our facilities
- Enhanced the manufacturing process of our branded products to reduce emissions, waste, and water consumption

LOOK OUT FOR OUR FSC® CERTIFIED PRODUCTS



CO₂e
Reduced
Organisation



*Offsetting Scope 1, 2 and 3.6.



About Us

Brymec is a trusted, family-owned business established in 1974, specialising in providing high-quality products and services to the building services industry.

Based in the UK, we are an award-winning manufacturer and supplier, offering industry-leading solutions for specifiers and contractors. With decades of experience and a commitment to excellence, we pride ourselves on delivering quality products, exceptional service, and expertise with innovative solutions for the modern industry.

NEED ASSISTANCE?

Here are the key contact channels for our Brymec team:

SALES

Orders, Quotes, Sales Enquiries
sales@brymec.com
020 8676 2797

CUSTOMER CARE

Delivery queries, Returns, After-Sales Care
customercare@brymec.com
020 8676 2798

CREDIT CONTROL

Credit Queries, Payments, Invoices
creditcontrol@brymec.com
020 8676 2796



COURAGE



EXCELLENCE



COLLABORATION




INTEGRITY



Main Contents

SUPPLY SYSTEMS	20	Valve Insulation Jackets	173
Malleable Iron	22	Electric Water Heaters	174
Heavy Duty Steel Press	40	Flexible Tap Connectors	176
Steel Butt Weld	46	VALVES	178
Grooved Steel	58	Ductile Iron Butterfly Valves	182
Gaskets	65	Ball Valves	184
Copper Tube, Capillary And Compression Fittings	66	Miniball Isolation Valves	188
Brassware Accessories	91	Gate Valves	189
Copper Press	94	Stop Cocks & Bib Taps	191
Copper Press Gas	104	Check Valves	192
Stainless Steel Press	110	Strainers	194
Stainless Press Gas	121	Pressure Reducing Valves	195
Multi-Layer Press	124	Safety & Pressure Relief Valves	196
Polybutylene Push-Fit	132	Thermostatic Mixing Valves	197
Mdpe	138	Balancing and Commissioning Valves	198
Corrugated Stainless Steel Tube	140	Drain Cocks & Venting	202
Pipe Insulation	144	Solenoid Valves	204
		Motorised Valves	204
PLANT ROOM EQUIPMENT	154	Backflow Prevention	205
Plate Heat Exchangers	158	DRAINAGE SYSTEMS	206
Booster Sets	159	Cast Iron Drainage	210
Circulation Pumps	159	HDPE Drainage	220
Air & Dirt Separators	161	VOX Silent Waste & Drainage	230
Low Loss Headers	162	PVC-U Soil & Waste	238
Dosing Pots	163	FIXINGS & SUPPORTS	262
In Line and Side Stream Filtration	164	Duraframe Rooftop Support Systems	264
Water Treatment & Chemicals	165	Channel Support Systems	270
Expansion Vessels & Accessories	166	Fixings & Supports	282
Expansion Bellows	167	Cable Tray & Basket	300
Gauges	169	Pipe Clamps	301
Cold Water Meters	171		
Tundishes	172		

TOOLS & ACCESSORIES	330
Fire Stop Products	332
Cutting & Drilling	333
Plumbing Tools	340
General Hand Tools	342
Sealants & Adhesives	342
Paints & Markers	343
Adhesive Tapes	344
First Aid & Fire Prevention	345
Temporary Protection	346
Site Security	346
Site Safety	347
Other Consumables	348



Sub-Contents

SUPPLY SYSTEMS

MALLEABLE IRON

Threaded Steel Tube	24
Malleable Iron Fittings	25
Galvanised Threaded Steel Tube	34
Galvanised Malleable Iron Fittings	35
Tools & Accessories to suit	38

HEAVY DUTY STEEL PRESS

Heavy Duty Steel Tube	42
Heavy Duty Steel Press Fittings	42

STEEL BUTT WELD

Steel Weld Tube	48
Steel Weld Fittings	48
Steel Weld Flanges	51
Tools & Accessories to suit	56

GROOVED STEEL

Grooved Red Steel Tube	60
Grooved Red Steel Fittings	61

GASKETS

65

COPPER TUBE, CAPILLARY AND COMPRESSION FITTINGS

Copper Tube	68
Tools & Accessories to suit	69
End Feed Fittings	70
Bronze End Feed Fittings	77
Solder Ring Fittings	78
Tools & Accessories to suit	81
Brass Compression Fittings	83
DZR Compression Fittings	88
Chrome Plated Copper Tube	89
Chrome Plated Compression Fitting	90

BRASSWARE ACCESSORIES

91

COPPER PRESS

Copper Press Fittings	96
-----------------------	----

COPPER PRESS GAS

Copper Press Gas Fittings	106
---------------------------	-----

STAINLESS STEEL PRESS

Stainless Steel Tube	112
Stainless Steel Press Fittings	113

Stainless Steel Threaded Fittings	119
-----------------------------------	-----

STAINLESS PRESS GAS

Stainless Press Gas Fittings	121
------------------------------	-----

MULTI-LAYER PRESS

Multi-Layer Press-Fit Pipe & Fittings	126
Distribution Manifolds	130

POLYBUTYLENE PUSH-FIT

Polybutylene Push-Fit Pipe	134
Polybutylene Push-Fit Fittings	136

MDPE

MDPE Pipe	138
MDPE Fittings	139

CORRUGATED STAINLESS STEEL TUBE

Corrugated Stainless Steel Tube	142
Corrugated Stainless Steel Fittings	142

PIPE INSULATION

Polyethylene Insulation	146
Nitrile Insulation	147
Phenolic Insulation	150
Mineral Wool Insulation	152

PLANT ROOM EQUIPMENT

PLATE HEAT EXCHANGERS

158

BOOSTER SETS

159

CIRCULATION PUMPS

159

AIR & DIRT SEPARATORS

FxF Air & Dirt Separators	161
Flanged Air & Dirt Separators	161

LOW LOSS HEADERS

162

DOSING POTS

163

IN LINE AND SIDE STREAM FILTRATION

164

WATER TREATMENT & CHEMICALS

Scale Inhibitors	165
Catalytic Conditioners	165

EXPANSION VESSELS & ACCESSORIES

Potable Water Expansion Vessels	166
Heating Expansion Vessels	166
Accessories	166

EXPANSION BELLOWS

Mxm Stainless Pump Connectors	167
Screwed Flexible Connectors	167
Flanged Flexible Connectors	167
Tied Flanged Flexible Connectors	167
Mxm Axial Expansion Bellows	168
Stainless Flange Tied Pump Connectors	168
Flanged Axial Expansion Bellows	168

GAUGES

Pressure Gauges	169
Temperature Gauge	170
Altitude Gauges	170
Gauge Accessories	170

COLD WATER METERS

Pulsed Water Meters	171
Non Pulsed Water Meters	171
Water Meter Assemblies	171

TUNDISHES

Straight Tundishes	172
Angled Tundishes	172

VALVE INSULATION COVERS

173

ELECTRIC WATER HEATERS

Water Heaters	174
Accessory Kits	174

FLEXIBLE TAP CONNECTORS

Flexible Tap Connectors	176
Filling Loops	176
Flexible Tap Connectors with Isolating Valve	176
Mixer Flexible Connectors	177

VALVES

DUCTILE IRON BUTTERFLY VALVES

Lugged & Tapped Butterfly Valves	182
Gear Operated Butterfly Valves	182
Wafer Butterfly Valves	182
Gas Lugged & Tapped Butterfly Valves	183
Gearboxes	183
Accessories	183

BALL VALVES

Compression Lever Ball Valves	184
Press Fit Lever Ball Valves	184
Threaded Lever Ball Valves	185
Extended Spindle Valves	185
Butterfly Handle Valves	186
Gas Lever Ball Valves	187
Filter Ball Valves	187

MINIBALL ISOLATION VALVES

Isolating Valves	188
Service Valves	188
Washing Machine Valves	188

GATE VALVES

Wheelhead Gate Valves	189
Lockshield Gate Valves	189
Ductile Iron Gate Valves	190

STOP COCKS & BIB TAPS

Stop Cocks	191
Bib Taps	191

CHECK VALVES

Single Check Valves	192
Double Check Valves	192
Flanged Double Check Valves	193

STRAINERS

Compression Strainers	194
FxF Strainers	194
Press Fit Strainers	194
Ductile Iron Strainers	194

PRESSURE REDUCING VALVES

MxM Valves	195
Compression Valves	195
Flanged Valves	195

SAFETY & PRESSURE RELIEF VALVES

Safety Valves	196
Bypass Valves	196
Pressure Relief Valves	196
Temperature & Pressure Relief Valves	196

THERMOSTATIC MIXING VALVES

Thermostatic Mixing Valves	197
----------------------------	-----

BALANCING AND COMMISSIONING VALVES

Thermal Balancing Valves	197
Threaded Commissioning Valves	198
Threaded Double Regulating Valves	198
Brass Metering Stations	198
Ductile Iron Double Regulating Valves	199
Stainless Steel Metering Stations	199
Press Fit Commissioning Valves	198
Press Fit Double Regulating Valves	199
Monolink Assemblies	199
Pressure Independent Control Valves	200
Binder Test Points	200
Miniflushes	200
Differential Pressure Control Valves	201

DRAIN COCKS & VENTING

Drain Off Cocks	202
Butterfly Drain Off Cocks	202
Automatic Air Vents	202
Manual Air Vents	202
Radiator Air Vents	202
Surge Protection & Anti Vac AAV	202

SOLENOID VALVES

WRAS Solenoids	204
Gas Solenoids	204

MOTORISED VALVES

Zone Heating Valves	204
Commercial Ball Zone Valves	204
3 Way Rotary Mixing / Diverting Valves	204
Actuators	205

BACKFLOW PREVENTION

RPZ Valves	205
------------	-----

DRAINAGE SYSTEMS

CAST IRON DRAINAGE

Cast Iron Pipe	210
Cast Iron Fittings	210

HDPE DRAINAGE

HDPE Pipe	222
HDPE Fittings	222

VOX SILENT WASTE & DRAINAGE

VOX Pipe	232
VOX Fittings	232

PVC-U SOIL & WASTE

Solvent Weld Soil & Vent	240
Ring Seal Soil & Vent	243
Soil & Waste Accessories	245
Boss Adaptors	246
Rubber Waste Adaptors	247
Pan Connectors	248
Solvent Weld Waste	249
Solvent Weld Overflow	255
Compression Waste	257
Waste Traps	259
Solvent Waste Consumables	261

FIXINGS & SUPPORTS

DURAFRAME ROOFTOP SUPPORT SYSTEMS

Duraframe Kits	266
Duraframe Components	266
Vibromats	267

CHANNEL SUPPORT SYSTEMS

Channel	272
Channel Nuts	273
Square Plates	274
Channel Brackets	275
Cantilever Arms	278
Channel Accessories	279
Rapid Rail	279
Studding	280
Studding Accessories	281

FIXINGS & SUPPORTS

Nuts, Bolts & Washers	284
Screws & Plugs	287
Plasterboard Fixings	290
Fixing Band and Box Brackets	290
Anchor Fixings	291
ETA Anchor Fixings	293
Decking Fixings	295
Purlin Clips	297
Wire Suspension Systems	297
Beam Clamps	298

CABLE TRAY & BASKET

Cable Tray and Accessories	298
Cable Basket and Accessories	300

PIPE CLAMPS & SUPPORTS

Pipe Clamps	301
Insulated Pipe Clamps	304
Munsen & Pipe Rings	307
Backplates	307
Plastic Pipe Clips	309
Saddle Clamps	310
U Bolts	311
Phenolic Blocks	312
Mineral Wool Blocks	318
Hardwood Blocks	322

TOOLS & ACCESSORIES

Fire Stop Products	332
Cutting & Drilling	333
Plumbing Tools	340
General Hand Tools	342
Sealants & Adhesives	342
Paints & Markers	343
Adhesive Tapes	344
First Aid & Fire Prevention	345
Temporary Protection	346
Site Security	346
Site Safety	347
Other Consumables	348

Supply Systems

Our comprehensive range of supply systems includes both traditional and modern installation methods, using a variety of materials to meet the demands of today's projects.

Designed for performance, reliability, and ease of installation, our systems are manufactured to the highest standards and deliver the right solution for every application.



Malleable Iron

Brymec's Malleable Iron system is ideal for heating, cooling, fire control systems, compressed air, natural gas, and LPG supplies in all building types.

Available in natural, or hot-dipped galvanised finish for enhanced corrosion resistance, Malleable Iron can be applied in virtually every environment. Capable of pressures up to 25 Bar (5 Bar for gas), and temperatures of up to 300°C, Malleable Iron is one of the most robust pipe materials used in the construction industry.

Connections are made using strong threaded connections to recognised international standards, or by simple flange adapters to standardised patterns.



- **FIRE SAFETY** – Malleable Iron material is classified A1 to BS EN13501-1
- **QUALITY** – Manufactured to ISO 49 & BS EN10242
- **CORROSION RESISTANT** – Galvanised option for greater corrosion protection
- **COMPATIBILITY** – Standardised BSPP and BSPT threads for simple connections to all other systems

FEATURES

- Size ½" – 4"
- High strength material - EN-GJMB-350-10
- Pipe to BS EN 10217-Part 2 – CE marked
- PED compliant system
- Comprehensive range of fittings

SCAN TO DOWNLOAD THE
BRYMEC MALLEABLE IRON
TECHNICAL MANUAL



THREADED STEEL TUBE

Our steel tubes, finished with a durable red primer, are manufactured to the highest standards and are dual certified to both BS EN10255 and BS EN10217 part 2. For complete peace of mind, all tubes are batch marked and fully traceable.

Part 2 - Hot Finished, Heavy Red Steel Tube

► Compliant with Pressure Equipment (safety) Regulation and the PED.



STOCK NO.	SIZE	NOMINAL LENGTH
400242	1/2"	3.25m
400252	3/4"	3.25m
400262	1"	3.25m
400272	1 1/4"	3.25m
400282	1 1/2"	3.25m
400292	2"	3.25m
400302	2 1/2"	3.25m
400312	3"	3.25m
400322	4"	3.25m
400342	1/2"	6.5m
400352	3/4"	6.5m
400362	1"	6.5m
400372	1 1/4"	6.5m
400382	1 1/2"	6.5m
400392	2"	6.5m
400402	2 1/2"	6.5m
400412	3"	6.5m
400422	4"	6.5m

MALLEABLE IRON FITTINGS

Equal Socket

► 177/270/M2



STOCK NO.	SIZE
420000	1/2"
420001	3/4"
420002	1"
420003	1 1/4"
420004	1 1/2"
420005	2"
420006	2 1/2"
420007	3"
420008	4"

Concentric Reducing Socket

► 179/240/M2



STOCK NO.	SIZE
420023	1/2" x 3/8"
420024	3/4" x 3/8"
420025	3/4" x 1/2"
420026	1" x 1/2"
420027	1" x 3/4"
420386	1 1/4" x 1/2"
420029	1 1/4" x 3/4"
420030	1 1/4" x 1"
420031	1 1/2" x 1/2"
420032	1 1/2" x 3/4"
420033	1 1/2" x 1"
420034	1 1/2" x 1 1/4"
420035	2" x 1/2"
420036	2" x 3/4"
420037	2" x 1"
420038	2" x 1 1/4"
420039	2" x 1 1/2"
420387	2 1/2" x 1 1/2"
420388	2 1/2" x 2"
420042	3" x 2"
420043	3" x 2 1/2"

MALLEABLE IRON FITTINGS

Eccentric Reducing Socket

➤ 180/260/M3



STOCK NO.	SIZE
420372	3/4" x 1/2"
420373	1" x 1/2"
420374	1" x 3/4"
420375	1 1/4" x 1/2"
420376	1 1/4" x 3/4"
420377	1 1/4" x 1"
420378	1 1/2" x 3/4"
420379	1 1/2" x 1"
420380	1 1/2" x 1 1/4"
420381	2" x 1/2"
420382	2" x 3/4"
420383	2" x 1"
420384	2" x 1 1/4"
420385	2" x 1 1/2"

FxF 45° Elbow

➤ 155/120/A1-45



STOCK NO.	SIZE
420077	1/2"
420078	3/4"
420079	1"
420080	1 1/4"
420081	1 1/2"
420082	2"
420083	2 1/2"
420084	3"

FxF 90° Elbow

➤ 151/90/A1



STOCK NO.	SIZE
420060	1/2"
420061	3/4"
420062	1"
420063	1 1/4"
420064	1 1/2"
420065	2"
420066	2 1/2"
420067	3"
420068	4"

MxF 90° Elbow

➤ 152/92/A4



STOCK NO.	SIZE
420350	1/2"
420351	3/4"
420352	1"
420353	1 1/4"
420354	1 1/2"
420355	2"
420356	2 1/2"
420357	3"
420358	4"

MALLEABLE IRON FITTINGS

MxF 45° Elbow

➤ 156/121/A4-45



STOCK NO.	SIZE
420360	1/2"
420361	3/4"
420362	1"
420363	1 1/4"
420364	1 1/2"
420365	2"

MxF Short Bend

➤ 192/1A/D4



STOCK NO.	SIZE
420052	1/2"
420053	3/4"
420054	1"
420055	1 1/4"
420056	1 1/2"
420057	2"
420389	2 1/2"
420390	3"

FxF Short Bend

➤ 193/2A/D1



STOCK NO.	SIZE
420044	1/2"
420045	3/4"
420046	1"
420047	1 1/4"
420048	1 1/2"
420049	2"
420050	2 1/2"
420051	3"

MxF 90° Swept Bend

➤ -1/G4



STOCK NO.	SIZE
420069	1/2"
420070	3/4"
420071	1"
420072	1 1/4"
420073	1 1/2"
420074	2"
420391	3"

MALLEABLE IRON FITTINGS

Mx°F 45° Swept Bend

➤ /40/G4



STOCK NO.	SIZE
420085	1/2"
420086	3/4"
420087	1"
420088	1 1/4"
420089	1 1/2"
420090	2"
420392	2 1/2"
420393	3"

90° Equal Tee

➤ 161/130/B1



STOCK NO.	SIZE
420093	1/2"
420094	3/4"
420095	1"
420096	1 1/4"
420097	1 1/2"
420098	2"
420099	2 1/2"
420100	3"
420101	4"

90° Reducing Tee

➤ 161/130/B1



STOCK NO.	SIZE (END X CENTRE)
420102	3/4" x 1/2"
420125	3/4" x 1/2" x 1/2" (E x E x C)
420401	3/4" x 1/2" x 3/4" (E x E x C)
420103	1" x 1/2"
420104	1" x 3/4"
420402	1" x 1/2" x 1" (E x E x C)
420403	1" x 3/4" x 1/2" (E x E x C)
420129	1" x 3/4" x 3/4" (E x E x C)
420105	1 1/4" x 1/2"
420404	1 1/4" x 1/2" x 1 1/4" (E x E x C)
420106	1 1/4" x 3/4"
420107	1 1/4" x 1"
420108	1 1/2" x 1/2"
420109	1 1/2" x 3/4"
420110	1 1/2" x 1"
420111	1 1/2" x 1 1/4"
420112	2" x 1/2"
420405	2" x 1/2" x 2" (E x E x C)
420113	2" x 3/4"
420114	2" x 1"
420115	2" x 1 1/4"
420116	2" x 1 1/2"
420394	2 1/2" x 1/2"
420395	2 1/2" x 1"
420396	2 1/2" x 1 1/4"
420397	2 1/2" x 1 1/2"
420398	3" x 1/2"
420399	3" x 1 1/4"
420400	3" x 1 1/2"
420124	3" x 2"

MALLEABLE IRON FITTINGS

Equal Pitcher Tee

➤ 199/131/E1



STOCK NO.	SIZE
420132	1/2"
420133	3/4"
420134	1"
420406	1 1/4"
420407	1 1/2"
420137	2"
420408	2 1/2"

FxF Union Cone Seat

➤ 256/340/U11



STOCK NO.	SIZE
420160	1/2"
420161	3/4"
420162	1"
420163	1 1/4"
420164	1 1/2"
420165	2"
420166	2 1/2"
420167	3"
420168	4"

Reducing Pitcher Tee

➤ 199/131/E1



STOCK NO.	SIZE (END X CENTRE)
420371	3/4" x 1/2" x 1/2" (E x E x C)
420409	3/4" x 1/2"
420410	1" x 1/2"
420411	1" x 3/4"
420412	1 1/4" x 1/2"
420413	1 1/4" x 3/4"
420414	1 1/4" x 1"
420415	1 1/2" x 1/2"
420416	1 1/2" x 3/4"
420417	1" x 3/4" x 3/4" (E x E x C)
420418	1 1/2" x 1"
420419	1 1/2" x 1 1/4"
420420	2" x 1/2"
420421	2" x 3/4"
420422	2" x 1"
420423	2" x 1 1/4"
420438	2" x 1 1/2"

FxF Twin 90° Elbow

➤ 197



STOCK NO.	SIZE
420424	1/2"
420425	3/4"
420426	1"
420427	1 1/4"
420428	1 1/2"
420429	2"

MALLEABLE IRON FITTINGS

MxF Union Cone Seat Iron x Iron



➤ 257/341/U12

STOCK NO.	SIZE
420175	1/2"
420176	3/4"
420177	1"
420178	1 1/4"
420179	1 1/2"
420180	2"
420181	2 1/2"
420182	3"

FxF 2BS Union Brass Seat



➤ 289/342A/U11

STOCK NO.	SIZE
420430	1/2"
420431	3/4"
420432	1"
420433	1 1/4"
420434	1 1/2"
420435	2"

Close Taper Nipple



➤ BS EN 10241

STOCK NO.	SIZE
420206	1/2"
420207	3/4"
420208	1"
420209	1 1/4"
420210	1 1/2"
420211	2"
420212	2 1/2"

Heavy Barrel Nipple



➤ BS EN 10241

STOCK NO.	SIZE
420198	1/2"
420199	3/4"
420200	1"
420201	1 1/4"
420202	1 1/2"
420203	2"
420204	2 1/2"
420205	3"

MALLEABLE IRON FITTINGS

Hex Reducing Bush



➤ 140/241/N4

STOCK NO.	SIZE
420221	1/2" x 1/8"
420222	1/2" x 1/4"
420223	1/2" x 3/8"
420224	3/4" x 1/4"
420225	3/4" x 3/8"
420226	3/4" x 1/2"
420227	1" x 1/4"
420228	1" x 3/8"
420229	1" x 1/2"
420230	1" x 3/4"
420231	1 1/4" x 3/8"
420232	1 1/4" x 1/2"
420233	1 1/4" x 3/4"
420234	1 1/4" x 1"
420235	1 1/2" x 3/8"
420236	1 1/2" x 1/2"
420237	1 1/2" x 3/4"
420238	1 1/2" x 1"
420239	1 1/2" x 1 1/4"
420240	2" x 1/2"
420241	2" x 3/4"
420242	2" x 1"
420243	2" x 1 1/4"
420244	2" x 1 1/2"
420245	2 1/2" x 1/2"

Hex Reducing Bush (cont.)



STOCK NO.	SIZE
420246	2 1/2" x 1"
420247	2 1/2" x 1 1/4"
420248	2 1/2" x 1 1/2"
420249	2 1/2" x 2"
420250	3" x 1"
420370	3" x 2"
420251	3" x 2 1/2"
420252	4" x 3"

Hex Nipple



➤ 144/280/N8

STOCK NO.	SIZE
420213	1/2"
420214	3/4"
420215	1"
420216	1 1/4"
420217	1 1/2"
420218	2"
420219	2 1/2"
420220	3"

MALLEABLE IRON FITTINGS

Back Nut

➤ 150/310/P4



STOCK NO.	SIZE
420253	1/2"
420254	3/4"
420255	1"
420256	1 1/4"
420257	1 1/2"
420436	2"
420259	2 1/2"
420437	3"

Plain Plug

➤ 147/290/T8



STOCK NO.	SIZE
420183	1/2"
420184	3/4"
420185	1"
420186	1 1/4"
420187	1 1/2"
420188	2"
420189	2 1/2"
420190	3"

Cap Nut

➤ 185/300/T2



STOCK NO.	SIZE
420191	1/2"
420192	3/4"
420193	1"
420194	1 1/4"
420195	1 1/2"
420196	2"
420197	2 1/2"

MALLEABLE IRON FITTINGS

Black Screwed Flange PN16 Type 113 (16/4)



STOCK NO	SIZE	BOLT SIZE	NUTS	WASHERS	GASKET
405150	1"	11384 (M12 x 65) x 4	11747	11806	38782
405160	1 1/4"	11443 (M16 x 55) x 4	11748	11807	38783
405170	1 1/2"	11443 (M16 x 55) x 4	11748	11807	38784
405180	2"	11455 (M16 x 60) x 4	11748	11807	38785
405190	2 1/2"	11455 (M16 x 60) x 4	11748	11807	38786
405200	3"	11456 (M16 x 65) x 4	11748	11807	38787
405210	4"	11457 (M16 x 70) x 8	11748	11807	38788

Black Screwed Flange PN6 Type 13 (6/4)



STOCK NO.	SIZE	BOLT SIZE	NUTS	WASHERS	GASKET
405220	1"	11427 (M10 x 50) x 4	11746	11805	38718
405221	1 1/4"	11436 (M12 x 50) x 4	11747	11806	38719
405222	1 1/2"	11436 (M12 x 50) x 4	11747	11806	38720
405223	2"	11436 (M12 x 50) x 4	11747	11806	38721
405224	2 1/2"	11436 (M12 x 50) x 4	11747	11806	38722
405225	3"	11443 (M16 x 55) x 8	11748	11807	38723
405226	4"	11443 (M16 x 55) x 8	11748	11807	38724
405227	5"	11455 (M16 x 60) x 8	11748	11807	38725
405228	6"	11455 (M16 x 60) x 8	11748	11807	38726

GALVANISED THREADED STEEL TUBE


Our steel tubes are produced to the highest standards and are dual-certified to BS EN 10255 and BS EN 10217-2. Each batch is fully traceable, giving installers confidence in the reliability and performance of the pipework system. Supplied in half random lengths with screwed and socketed ends as standard. Custom lengths are available upon request, **please contact our sales team for more information.**

Part 2 - Hot Finished, Heavy Galvanised Steel Tube

► Compliant with Pressure Equipment (Safety) Regulation and the PED.



STOCK NO.	SIZE	LENGTH
406040	1/2"	3.25m
406050	3/4"	3.25m
406060	1"	3.25m
406070	1 1/4"	3.25m
406080	1 1/2"	3.25m
406090	2"	3.25m



GALVANISED MALLEABLE IRON FITTINGS

Our malleable iron fittings are produced to the highest quality standards and fully comply with BS EN 10242 specifications. For added peace of mind, each fitting carries the BSI Kitemark, assuring installers of top-tier performance and reliability in every pipework system.

Equal Socket

► 177/270/M2



STOCK NO.	SIZE
420261	1/2"
420262	3/4"
420263	1"
420264	1 1/4"
420265	1 1/2"
420266	2"

FxF 90° Elbow

► 151/90/A1



STOCK NO.	SIZE
420274	1/2"
420275	3/4"
420276	1"
420277	1 1/4"
420278	1 1/2"
420279	2"

FxF Short Bend

► 193/2A/D1



STOCK NO.	SIZE
420267	1/2"
420268	3/4"
420269	1"
420270	1 1/4"
420271	1 1/2"
420272	2"
420273	3"

90° Equal Tee

► 161/130/B1



STOCK NO.	SIZE
420283	1/2"
420284	3/4"
420285	1"
420286	1 1/4"
420287	1 1/2"
420288	2"

FxF 45° Elbow

► 155/120/A1-45



STOCK NO.	SIZE
420280	1 1/2"
420281	2"
420282	3"

90° Reducing Tee

► 161/130/E1



STOCK NO.	SIZE (END X END X CENTRE)
420289	1" x 1" x 1/2"
420290	2" x 2" x 1/2"
420291	2" x 2" x 3/4"

GALVANISED MALLEABLE IRON FITTINGS

Galvanised Screwed Flange - PN16

➤ BS EN 1092-1



STOCK NO.	SIZE	BOLT SIZE	NUTS	WASHERS	GASKET
410340	1"	11384 (M12 x 65) x 4	11747	11806	38782
410350	1 1/4"	11443 (M16 x 55) x 4	11748	11807	38783
410360	1 1/2"	11443 (M16 x 55) x 4	11748	11807	38784
410370	2"	11455 (M16 x 60) x 4	11748	11807	38785
410380	2 1/2"	11455 (M16 x 60) x 4	11748	11807	38786
410390	3"	11456 (M16 x 65) x 8	11748	11807	38787
410400	4"	11457 (M16 x 70) x 8	11748	11807	38788

FxF Union Cone Seat

➤ 256/340/U11



STOCK NO.	SIZE
420326	1/2"
420327	3/4"
420328	1"
420329	1 1/4"
420330	1 1/2"
420331	2"

Plain Plug

- Solid - 148 / 290 / T8
- Hollow - 147 / 291 / T8
- BSP tapered thread



STOCK NO.	SIZE
420292	1/2"
420293	3/4"
420294	1"
420295	1 1/4"
420296	1 1/2"
420297	2"

GALVANISED MALLEABLE IRON FITTINGS

Heavy Barrel Nipple

➤ BS EN 10241



STOCK NO.	SIZE
420313	1/2"
420314	3/4"
420315	1"
420316	1 1/4"
420317	1 1/2"
420318	2"
420319	2 1/2"

Hex Nipple

➤ 144/280/N8



STOCK NO.	SIZE
420320	1/2"
420321	3/4"
420322	1"
420323	1 1/4"
420324	1 1/2"
420325	2"

Reducing Hex Bush

➤ 140/241/N4



STOCK NO.	SIZE
420298	1/2" x 1/4"
420299	1/2" x 3/8"
420300	3/4" x 1/2"
420301	1" x 1/2"
420302	1" x 3/4"
420303	1 1/4" x 1"
420304	1 1/2" x 1/2"
420305	1 1/2" x 1"
420306	1 1/2" x 1 1/4"
420307	2" x 1/2"
420308	2" x 3/4"
420309	2" x 1"
420310	2" x 1 1/4"
420311	2" x 1 1/2"
420312	2 1/2" x 2"

TOOLS & ACCESSORIES

La-Co Slic-tite



STOCK NO.	SIZE
32020	120ml Thread Seal Paste with PTFE
32021	240ml Thread Seal Paste with PTFE

Liquid Threadseal B577



STOCK NO.	SIZE
32043	50ml high viscosity

Hemp



STOCK NO.	SIZE
32059	80g - Dispenser
32060	100g Hank

Ferrox Hawk White



STOCK NO.	SIZE
32004	400g

PTFE Tapes



STOCK NO.	SIZE
32052	12mm x 5m (Water)
32046	12mm x 5m (Gas)

Brymec Ultra Tight Threadseal Cord - 160m



STOCK NO.	TYPE
32041	Brymec Ultra Tight

Paint Brushes



STOCK NO.	SIZE
16581	1/2"
16582	1"
16584	2"
16586	3"

Wire Brush



STOCK NO.	SIZE
16588	12"

Plumbers Mait



STOCK NO.	SIZE
32010	750g

Boss White Jointing Compound



STOCK NO.	SIZE
32034	400g

Paints



STOCK NO	DESCRIPTION	SIZE
08611	Bright Galv Paint (Aerosol)	400ml
08612	Cold Galv Paint (Aerosol)	400ml
08614	Cold Galv Paint (Can)	800ml
08616	Black Gloss Paint for metal	2.5ltr
08618	Yellow Ochre Paint for gas marking	2.5ltr
08621	Red Oxide Aerosol Anti Rust Primer	500ml
08623	Red Oxide Anti Rust Primer	2.5ltr
08624	Red Oxide Anti Rust Primer	5ltr

Ultra Blue Sealant



STOCK NO.	SIZE
32029	500g

Anti Corrosion Tape



STOCK NO.	SIZE
32058	2" (50mm) x 10m

Gas ID Tape



STOCK NO.	SIZE
32055	38mm x 33m

Heavy Duty Steel Press

Our Brymec Heavy Duty Steel Press System is a highly durable press-fit system for connecting heating and cooling systems, and for fire control, within multi-residential, commercial, industrial, education, and healthcare applications.

Manufactured using SPHC Carbon Steel, Brymec Heavy Duty Steel Press offers maximum protection from mechanical damage in installations where other metal press systems may be compromised by external forces.



FOR COMPLETE PEACE OF MIND, EACH CONNECTION IS ASSURED BY THE BRYMEC 4-STEP PRESS PROCESS:

- **FRICTION FIT** – Once pipe and fitting are assembled ready for pressing, the special design will maintain the correct pipe position within the socket of the fitting
- **UN-PRESSED, UN-TIGHT** – Unpressed connections are designed to weep when the system is filled. Once pressed, the O-ring seals to provide a strong, durable, watertight connection
- **PRESS INDICATOR FOIL** – The colour coded press indicator foil is designed to automatically detach from the fitting following the completed pressing process
- **PRESS-TIGHT VALIDATION** – Once pressed, the final stage is to validate the quality connection using the procedures presented within the Brymec press fit-training

FEATURES

- Unique Stainless-Steel Anchor ring for extra stability
- Zinc Nickel coating for corrosion resistance
- Size ½" - 2"
- 16 Bar, up to 120°C
- Heavy steel pipe to BS EN10217-2
- Safe, flame-free connections
- Highest level of impact resistance
- Brymec 4-step press process



HEAVY DUTY STEEL PRESS

Heavy Steel Tube

- BS EN 10217-2
Hot Finished, Plain End,
Heavy Red Steel Tube



STOCK NO.	SIZE	LENGTH
28290	1/2"	3.2m
28291	3/4"	3.2m
28292	1"	3.2m
28293	1 1/4"	3.2m
28294	1 1/2"	3.2m
28295	2"	3.2m

Extended Slip Coupler



STOCK NO.	SIZE
28599	1/2"
28600	3/4"
28601	1"
28602	1 1/4"
28603	1 1/2"
28604	2"

MxF Reducer



STOCK NO.	SIZE
28526	3/4" x 1/2"
28527	1" x 3/4"
28528	1" x 1/2"
28529	1 1/4" x 1"
28532	1 1/2" x 1 1/4"
28537	2" x 1 1/2"
28538	2" x 1 1/4"

Coupler



STOCK NO.	SIZE
28508	1/2"
28509	3/4"
28510	1"
28511	1 1/4"
28512	1 1/2"
28513	2"

Slip Coupler



STOCK NO.	SIZE
28517	1/2"
28518	3/4"
28519	1"
28520	1 1/4"
28521	1 1/2"
28522	2"

Reducing Coupler



STOCK NO.	SIZE
28563	3/4" x 1/2"
28564	1" x 3/4"
28565	1" x 1/2"
28566	1 1/4" x 1"
28569	1 1/2" x 1 1/4"
28573	2" x 1 1/2"
28574	2" x 1 1/4"

HEAVY DUTY STEEL PRESS

FxF 90° Bend



STOCK NO.	SIZE
28300	1/2"
28301	3/4"
28302	1"
28303	1 1/4"
28304	1 1/2"
28305	2"

MxF 90° Bend



STOCK NO.	SIZE
28309	1/2"
28310	3/4"
28311	1"
28312	1 1/4"
28313	1 1/2"
28314	2"

Equal Tee



STOCK NO.	SIZE
28336	1/2"
28337	3/4"
28338	1"
28339	1 1/4"
28340	1 1/2"
28341	2"

MxF 45° Bend



STOCK NO.	SIZE
28327	1/2"
28328	3/4"
28329	1"
28330	1 1/4"
28331	1 1/2"
28332	2"

FxF 45° Bend



STOCK NO.	SIZE
28318	1/2"
28319	3/4"
28320	1"
28321	1 1/4"
28322	1 1/2"
28323	2"

HEAVY DUTY STEEL PRESS

Reducing Tee



STOCK NO.	SIZE (END X END X CENTRE)
28345	3/4" x 3/4" x 1/2"
28346	1" x 1" x 3/4"
28347	1" x 1" x 1/2"
28348	1 1/4" x 1 1/4" x 1"
28349	1 1/4" x 1 1/4" x 3/4"
28350	1 1/4" x 1 1/4" x 1/2"
28351	1 1/2" x 1 1/2" x 1 1/4"
28352	1 1/2" x 1 1/2" x 1"
28353	1 1/2" x 1 1/2" x 3/4"
28354	1 1/2" x 1 1/2" x 1/2"
28355	2" x 2" x 1 1/2"
28356	2" x 2" x 1 1/4"
28357	2" x 2" x 1"
28358	2" x 2" x 3/4"
28359	2" x 2" x 1/2"

End Cap



STOCK NO.	SIZE
28481	1/2"
28482	3/4"
28483	1"
28484	1 1/4"
28485	1 1/2"
28486	2"

Female Thread Tee



STOCK NO.	SIZE (END X CENTRE)
28381	3/4" x 3/4"
28382	3/4" x 1/2"
28383	1" x 3/4"
28384	1" x 1/2"
28385	1 1/4" x 1"
28386	1 1/4" x 3/4"
28387	1 1/4" x 1/2"
28388	1 1/2" x 1 1/4"
28389	1 1/2" x 1"
28390	1 1/2" x 3/4"
28391	1 1/2" x 1/2"
28392	2" x 1 1/2"
28393	2" x 1 1/4"
28394	2" x 1"
28395	2" x 3/4"
28396	2" x 1/2"

Flange Adaptor PN10/16



STOCK NO.	SIZE
28472	1/2"
28473	3/4"
28474	1"
28475	1 1/4"
28476	1 1/2"
28477	2"

HEAVY DUTY STEEL PRESS

Male Adaptor



STOCK NO.	SIZE (PIPE X THREAD)
28418	1/2" x 1/2"
28419	3/4" x 3/4"
28420	1" x 1"
28421	1 1/4" x 1 1/4"
28422	1 1/2" x 1 1/2"
28423	2" x 2"

Female Adaptor



STOCK NO.	SIZE (PIPE X THREAD)
28427	1/2" x 1/2"
28428	3/4" x 3/4"
28429	3/4" x 1/2"
28430	1" x 1"
28431	1" x 3/4"
28432	1" x 1/2"
28433	1 1/4" x 1 1/4"
28434	1 1/4" x 1"
28435	1 1/4" x 3/4"
28436	1 1/4" x 1/2"
28437	1 1/2" x 1 1/2"
28438	1 1/2" x 1 1/4"
28439	1 1/2" x 1"
28440	1 1/2" x 3/4"
28441	1 1/2" x 1/2"
28442	2" x 2"
28443	2" x 1 1/2"
28444	2" x 1 1/4"

Female Adaptor (cont.)



STOCK NO.	SIZE (PIPE X THREAD)
28445	2" x 1"
28446	2" x 3/4"
28447	2" x 1/2"

Union



STOCK NO.	SIZE
28490	1/2"
28491	3/4"
28492	1"
28493	1 1/4"
28494	1 1/2"
28495	2"

Male Flat Sealing Union



STOCK NO.	SIZE (PIPE X THREAD)
28499	1/2" x 1/2"
28500	3/4" x 3/4"
28501	1" x 1"
28502	1 1/4" x 1 1/4"
28503	1 1/2" x 1 1/2"
28504	2" x 2"

Steel Butt Weld

Forged to meet the demanding needs of a pipe system used in the some of the most severe conditions, our range of Steel Butt Weld pipes and fittings has been engineered to ensure the highest possible quality for your system.

Supplied in natural self-colour steel, our comprehensive ranges of elbows, bends, tees, reducers and flanges, are manufactured to meet the precise requirements of both British and European standards.

Our heavy-weight, plain end steel pipes are manufactured to the demanding BS EN 10217-2, and are available with either a thick coating of protective red-oxide, or in a natural self-colour which are lacquered to prevent corrosion. Each pipe has been hot finished to ensure they are perfect for all high pressure, high temperature applications as covered under the Pressure Equipment (safety) Regulation and the Pressure Equipment Directive.

FEATURES

- Size ½" – 12"
- -20°C – 300°C max
- Fittings to EN10253-2
- Pipes to EN10217-2 (EN10255)
- GH class pipes



Cert. 45990/0224



Cert. 288347018



Cert. 1313072



SCAN TO DOWNLOAD THE STEEL BUTT WELD MANUAL AND TECHNICAL DATA SHEETS.



Introducing the Brymec Steel Welded range

Brymec's high quality butt weld fittings, flanges and tube range will guarantee you a complete system, long lasting piping system. This range of extremely durable carbon steel fittings can withstand site handling and is established as one of the most robust, tried and tested piping systems for industrial installations. Our comprehensive range of fittings are available from ½" / 14mm up to 12" / 3048mm. Larger sizes are available upon request. Please call 01333 00 00 55.

The Range

Stock No.	Size inch	Size mm	Description
10004	2 1/2"	63	Red Heavy Plain End Steel Tube 3.2mm EN10253-2
10009	3"	76	Red Heavy Plain End Steel Tube 3.2mm EN10253-2
10008	4"	102	Red Heavy Plain End Steel Tube 3.2mm EN10253-2
10009	5"	127	Red Heavy Plain End Steel Tube 3.2mm EN10253-2
10010	6"	152	Red Heavy Plain End Steel Tube 3.2mm EN10253-2
10021	2 1/2"	63	Red Heavy Plain End Steel Tube 6.3mm EN10253-2
10022	3"	76	Red Heavy Plain End Steel Tube 6.3mm EN10253-2
10023	4"	102	Red Heavy Plain End Steel Tube 6.3mm EN10253-2
10024	5"	127	Red Heavy Plain End Steel Tube 6.3mm EN10253-2
10025	6"	152	Red Heavy Plain End Steel Tube 6.3mm EN10253-2
10026	8"	203	SCarbon Plain End Steel Tube
10027	10"	254	SCarbon Plain End Steel Tube
10028	12"	305	SCarbon Plain End Steel Tube
10029	14"	356	SCarbon Plain End Steel Tube
10030	16"	407	SCarbon Plain End Steel Tube
10031	18"	457	SCarbon Plain End Steel Tube

STEEL WELD TUBE

Heavyweight, Plain End, Red Steel Tube

- BS EN 10255 / BS EN 10217-2
- Suitable for use in systems covered by the Pressure Equipment (safety) Regulation and the Pressure Equipment Directive.



STOCK NO.	SIZE	LENGTH
50026	2 1/2"	3.2m
50027	3"	3.2m
50028	4"	3.2m
50029	5"	3.2m
50030	6"	3.2m
50001	2 1/2"	6.5m
50002	3"	6.5m
50003	4"	6.5m
50004	5"	6.5m
50005	6"	6.5m

Sch20 Plain End Steel Tube, Self Colour



- API 5L PSL1 to ASTM A53 B

STOCK NO.	SIZE	LENGTH
50012	8" S/Colour	3m
50013	10" S/Colour	3m
50014	12" S/Colour	3m
50015**	8" S/Colour	6m
50016**	10" S/Colour	6m
50017**	12" S/Colour	6m

** ADDITIONAL LEAD TIMES MAY APPLY

STEEL WELD FITTINGS

Socket

- Threaded Weld-on Socket
BS EN10253 / BS1965



STOCK NO.	SIZE
50207	1/2"
50208	3/4"
50209	1"
50210	1 1/4"
50211	1 1/2"
50212	2"

Concentric Reducer

- BS EN10253 / BS1965



STOCK NO.	SIZE
50068	2 1/2" x 1 1/4"
50069	2 1/2" x 1 1/2"
50070	2 1/2" x 2"
50074	3" x 2"
50075	3" x 2 1/2"
50079	4" x 2"
50080	4" x 2 1/2"
50081	4" x 3"
50083	5" x 2 1/2"
50084	5" x 3"
50085	5" x 4"
50086	6" x 2"
50087	6" x 2 1/2"
50088	6" x 3"
50089	6" x 4"
50090	6" x 5"
50091	8" x 6"
50092	10" x 8" ASTM A234 WPB

STEEL WELD FITTINGS

Eccentric Reducer

- BS EN10253 / BS1965



STOCK NO.	SIZE
50115	2 1/2" x 1 1/4"
50116	2 1/2" x 1 1/2"
50093	2 1/2"x2"
50120	3" x 1 1/2"
50094	3"x 2"
50095	3"x 2 1/2"
50096	4"x 2"
50097	4"x 2 1/2"
50098	4" x 3"
50131	5" x 3"
50132	5" x 4"
50099	6" x 3"
50100	6" x 4"
50101	6" x 5"
50102	8" x 6"

90° Elbow

- BS EN10253 / BS 1965



STOCK NO.	SIZE
50060	2 1/2"
50061	3"
50062	4"
50063	5"
50064	6"
50065	8" ASTM A234 WPB
50066	10" ASTM A234 WPB
50067	12" ASTM A234 WPB

90° Long Radius Bend

- BS EN10253 / BS1965



STOCK NO.	SIZE
50031	2"
50032	2 1/2"
50033	3"
50034	4"
50035	5"
50036	6"
50037	8" ASTM A234 WPB
50038	10" ASTM A234 WPB
50039	12" ASTM A234 WPB

45° Long Radius Elbow

- BS EN10253



STOCK NO.	SIZE
50045	2 1/2"
50046	3"
50047	4"
50053	5"
50049	6"
50050	8" ASTM A234 WPB
50051	10" ASTM A234 WPB
50052	12" ASTM A234 WPB

STEEL WELD FITTINGS

Equal Tee

➤ BS EN10253 / BS1965



STOCK NO.	SIZE
50151	2 1/2"
50159	3"
50153	4"
50154	5"
50155	6"
50156	8" ASTM A234 WPB
50157	10" ASTM A234 WPB
50158	12" ASTM A234 WPB

Reducing Branch Tee

➤ BS EN10253 / BS1965



STOCK NO.	SIZE
50177	2 1/2" x 2"
50178	3" x 1"
50179	3" x 1 1/4"
50181	3" x 2"
50182	3" x 2 1/2"
50183	4" x 1 1/2"
50184	4" x 2"
50185	4" x 3"
50187	6" x 4"

Weld On Shoe Branch Bend



STOCK NO.	SIZE	TUBE SIZE
50191	1/2"	2 1/2"
50192	3/4"	2 1/2"
50193	1"	2 1/2"
50194	1 1/4"	2 1/2"
50195	1 1/2"	2 1/2"
50196	2"	2 1/2"
50197	2 1/2"	2 1/2"
50160	3/4"	3"
50161	1"	3"
50162	1 1/4"	3"
50163	1 1/2"	3"
50164	2"	3"
50165	2 1/2"	3"
50166	3"	3"
50174	1"	4"
50175	1 1/4"	4"
50176	1 1/2"	4"
50198	2"	4"
50190	2 1/2"	4"
50199	3"	4"
50189	4"	4"
50167	1 1/4"	5"
50168	1 1/2"	5"
50169	2"	5"
50170	2 1/2"	5"
50171	3"	5"
50172	4"	5"
50173	5"	5"

STEEL WELD FITTINGS

Weld On Shoe Branch Bends (cont.)



STOCK NO.	SIZE	TUBE SIZE
50203	1 1/2"	6"
50204	2"	6"
50205	2 1/2"	6"
50200	3"	6"
50201	4"	6"
50206	5"	6"
50202	6"	6"

End Cap



STOCK NO.	SIZE
50215	2 1/2"
50216	3"
50217	4"
50218	5"
50219	6"

STEEL WELD FLANGES

PN16 Weld Neck Flange

➤ PN16 Type 11 (16/2)
➤ BS EN1092-1



STOCK NO.	SIZE	BOLTS	NUTS	WASHERS	GASKET
50237	2 1/2"	11455 (M16 x 60) x 4	11748	11807	38786
50238	3"	11456 (M16 x 65) x 8	11748	11807	38787
50239	4"	11457 (M16 x 70) x 8	11748	11807	38788
50240	5"	11457 (M16 x 70) x 8	11748	11807	38790
50241	6"	11397 (M20 x 75) x 8	11749	11808	38789

STEEL WELD FLANGES

PN16 Slip On Flange

- PN16 Type 01 (16/3)
- BS EN1092-1



STOCK NO.	SIZE	BOLTS	NUTS	WASHERS	GASKET
50223	2"	11455 (M16 x 60) x 4	11748	11807	38785
50224	2 1/2"	11455 (M16 x 60) x 4	11748	11807	38786
50225	3"	11456 (M16 x 65) x 8	11748	11807	38787
50226	4"	11457 (M16 x 70) x 8	11748	11807	38788
50227	5"	11457 (M16 x 70) x 8	11748	11807	38790
50228	6"	11397 (M20 x 75) x 8	11749	11808	38789
50229	8"	11397 (M20 x 75) x 12	11749	11808	38730
50230	10"	11472 (M24 x 90) x 12	11750	11809	38731
50231	12"	11472 (M24 x 90) x 12	11750	11809	38732

PN16 Bossed Slip On Flange

- PN16 Type 112 (16/5)
- BS EN1092-1



STOCK NO.	SIZE	BOLTS	NUTS	WASHERS	GASKET
50261	2"	11455 (M16 x 60) x 4	11748	11807	38785
50262	2 1/2"	11455 (M16 x 60) x 4	11748	11807	38786
50263	3"	11456 (M16 x 65) x 8	11748	11807	38787
50264	4"	11457 (M16 x 70) x 8	11748	11807	38788
50265	5"	11457 (M16 x 70) x 8	11748	11807	38790
50266	6"	11397 (M20 x 75) x 8	11749	11808	38789
50267	8"	11397 (M20 x 75) x 12	11749	11808	38730
50268	10"	11472 (M24 x 90) x 12	11750	11809	38731
50269	12"	11472 (M24 x 90) x 12	11750	11809	38732

STEEL WELD FLANGES

PN16 Blanking Plate Flange

- PN16 Type 05 (16/8)
- BS EN1092-1



STOCK NO.	SIZE	BOLTS	NUTS	WASHERS	GASKET
50249	2"	11455 (M16 x 60) x 4	11748	11807	38785
50250	2 1/2"	11455 (M16 x 60) x 4	11748	11807	38786
50251	3"	11456 (M16 x 65) x 8	11748	11807	38787
50252	4"	11457 (M16 x 70) x 8	11748	11807	38788
50253	5"	11457 (M16 x 70) x 8	11748	11807	38790
50254	6"	11397 (M20 x 75) x 8	11749	11808	38789
50255	8"	11397 (M20 x 75) x 12	11749	11808	38730
50256	10"	11472 (M24 x 90) x 12	11750	11809	38731
50257	12"	11472 (M24 x 90) x 12	11750	11809	38732

PN40 Bossed Slip On Flange (40/5)

- PN40 Type 12 (40/5)
- BS EN1092-1



STOCK NO.	SIZE	BOLTS	NUTS	WASHERS	GASKET
50310	2 1/2"	11457 (M16 x 70)	11748	11807	38722
50311	3"	11457 (M16 x 70)	11748	11807	38723
50312	4"	11474 (M20 x 80)	11749	11808	38724
50313	5"	11470 (M24 x 80)	11750	11809	38725
50314	6"	11472 (M24 x 90)	11750	11809	38726

STEEL WELD FLANGES

PN6 Weld Slip On Plate Flange (6/3)

- PN6 Type 01 (6/3)
- BS EN1092-1



STOCK NO.	SIZE	BOLTS SIE	NUTS	WASHERS	GASKET
50270	1"	11427 (M10 x 50) x 4	11746	11805	38718
50271	1 1/4"	11436 (M12 x 50) x 4	11747	11806	38719
50272	1 1/2"	11436 (M12 x 50) x 4	11747	11806	38720
50273	2"	11436 (M12 x 50) x 4	11747	11806	38721
50274	2 1/2"	11436 (M12 x 50) x 4	11747	11806	38722
50275	3"	11443 (M16 x 55) x 4	11748	11807	38723
50276	4"	11443 (M16 x 55) x 4	11748	11807	38724
50277	5"	11455 (M16 x 60) x 8	11748	11807	38725
50278	6"	11455 (M16 x 60) x 8	11748	11807	38726

PN6 Blanking Plate Flange (6/8)

- PN6 Type 06 (6/8)
- BS EN1092-1



STOCK NO.	SIZE	BOLTS SIE	NUTS	WASHERS	GASKET
50296	1"	11427 (M10 x 50)	11746	11805	38718
50297	1 1/4"	11436 (M12 x 50)	11747	11806	38719
50298	1 1/2"	11436 (M12 x 50)	11747	11806	38720
50299	2"	11436 (M12 x 50)	11747	11806	38721
50300	2 1/2"	11436 (M12 x 50)	11747	11806	38722
50301	3"	11443 (M16 x 55)	11748	11807	38723
50302	4"	11443 (M16 x 55)	11748	11807	38724
50303	5"	11455 (M16 x 60)	11748	11807	38725
50304	6"	11455 (M16 x 60)	11748	11807	38726

STEEL WELD FLANGES

PN6 Bossed Slip On Flange (6/5)

- PN6 Type 12 (6/5)
- BS EN1092-1



STOCK NO.	SIZE	BOLTS	NUTS	WASHERS	GASKET
50283	1"	11427 (M10 x 50) x 4	11746	11805	38718
50284	1 1/4"	11436 (M12 x 50) x 4	11747	11806	38719
50285	1 1/2"	11436 (M12 x 50) x 4	11747	11806	38720
50286	2"	11436 (M12 x 50) x 4	11747	11806	38721
50287	2 1/2"	11436 (M12 x 50) x 4	11747	11806	38722
50288	3"	11443 (M16 x 55) x 4	11748	11807	38723
50289	4"	11443 (M16 x 55) x 4	11748	11807	38724
50290	5"	11455 (M16 x 60) x 8	11748	11807	38725
50291	6"	11455 (M16 x 60) x 8	11748	11807	38726

TOOLS & ACCESSORIES

La-Co Slic-tite



STOCK NO.	SIZE
32020	120ml Thread Seal Paste with PTFE
32021	240ml Thread Seal Paste with PTFE

Liquid Threadseal B577



STOCK NO.	SIZE
32043	50ml high viscosity

Hemp



STOCK NO.	SIZE
32059	80g - Dispenser
32060	100g Hank

Fernox Hawk White



STOCK NO.	SIZE
32004	400g

PTFE Tapes



STOCK NO.	SIZE
32052	12mm x 5m (Water)
32046	12mm x 5m (Gas)

Brymec Ultra Tight Threadseal Cord - 160m



STOCK NO.	TYPE
32041	Brymec Ultra Tight

Paint Brushes



STOCK NO.	SIZE
16581	1/2"
16582	1"
16584	2"
16586	3"

Wire Brush



STOCK NO.	SIZE
16588	12"

Plumbers Mait



STOCK NO.	SIZE
32010	750g

Boss White Jointing Compound



STOCK NO.	SIZE
32034	400g

Paints



STOCK NO	DESCRIPTION	SIZE
08611	Bright Galv Paint (Aerosol)	400ml
08612	Cold Galv Paint (Aerosol)	400ml
08614	Cold Galv Paint (Can)	800ml
08616	Black Gloss Paint for metal	2.5ltr
08618	Yellow Ochre Paint for gas marking	2.5ltr
08621	Red Oxide Aerosol Anti Rust Primer	500ml
08623	Red Oxide Anti Rust Primer	2.5ltr
08624	Red Oxide Anti Rust Primer	5ltr

Ultra Blue Sealant



STOCK NO.	SIZE
32029	500g

Anti Corrosion Tape



STOCK NO.	SIZE
32058	2" (50mm) x 10m

Gas ID Tape



STOCK NO.	SIZE
32055	38mm x 33m

Arc Welding Rod



STOCK NO.	SIZE
32103	2.50mm 6013 Arc Weld Electrode 5kg pack
32104	3.25mm 6013 Arc Weld Electrode 5kg pack
32105	4.00mm 6013 Arc Weld Electrode 5kg pack

Grooved Steel

Our grooved steel system has been designed to meet the demanding needs for modern building services. Assembly of the system is flame-free, safe, and fast. The wide range of fittings, couplers, and valves provides many options to suit almost every design.

Once you've selected the appropriate coupler, connections are made by simply applying the pipe, or fitting, to either side and then tightening the simple fixings to create a sturdy, long-lasting water-tight seal.

We offer two ranges of grooved steel systems. The standard system comes protected with a durable red-oxide finish for use where the installation is dry and protected. For Dry Risers or for installations in more challenging environments, you may choose to use the hot-dipped galvanised range for enhanced corrosion protection.

FEATURES

- › Size DN32 – DN150
- › -20°C – 120°C max
- › Maximum 68.9 Bar (depending on couplings)
- › Fittings to BS EN 10253-2
- › GH Pipe to BS EN 10217-2 (BS EN 10255)
- › Red oxide, or galvanised finish



Cert. 1313072



Assessing the Construction

GROOVED RED STEEL TUBE

High quality, heavy weight, red oxide, grooved end steel tube to BS EN 10255 and BS EN 10217-2 – hot finished.



Red Heavy Grooved Steel Tube

STOCK NO.	SIZE	LENGTH
50392	2"	3.2m
50393	2 1/2"	3.2m
50394	3"	3.2m
50395	4"	3.2m
50396	5"	3.2m
50397	6"	3.2m

Coupler

- 34.5 Bar EPDM
- Type 774



STOCK NO.	SIZE
50418	1 1/4"
50419	1 1/2"
50420	2"
50421	2 1/2"
50422	3"
50423	4"
50424	5"
50425	6"

Flexible Coupler

- 34.5 Bar EPDM
- Type 705



STOCK NO.	SIZE
50438	2"
50439	2 1/2"
50440	3"
50441	4"
50442	5"
50443	6"

GROOVED RED STEEL FITTINGS

90° Bend

- Type 210



STOCK NO.	SIZE
50451	1 1/4"
50452	1 1/2"
50453	2"
50454	2 1/2"
50455	3"
50456	4"
50457	5"
50458	6"

45° Bend

- Type 201



STOCK NO.	SIZE
50460	1 1/4"
50461	1 1/2"
50462	2"
50463	2 1/2"
50464	3"
50465	4"
50466	5"
50467	6"

Concentric Reducer

- Type 250



STOCK NO.	SIZE
50558	1 1/2" x 1 1/4"
50559	2" x 1 1/4"
50560	2" x 1 1/2"
50561	2 1/2" x 1 1/4"
50562	2 1/2" x 1 1/2"
50563	2 1/2" x 2"
50565	3" x 1 1/2"
50566	3" x 2"
50567	3" x 2 1/2"
50568	4" x 2"
50569	4" x 2 1/2"
50570	4" x 3"
50571	5" x 4"
50572	5" x 3"
50573	6" x 3"
50574	6" x 4"
50575	6" x 5"

22.5° Bend

- Type 212



STOCK NO.	SIZE
50471	2"
50472	2 1/2"
50473	3"
50474	4"
50475	5"
50476	6"

GROOVED RED STEEL FITTINGS

90° Equal Tee



› Type 219

STOCK NO.	SIZE
50487	1 1/4"
50488	1 1/2"
50489	2"
50490	2 1/2"
50491	3"
50492	4"
50493	5"
50494	6"

Reducing Tee



› Type 221

STOCK NO.	SIZE
50710	4" x 2"
50711	3" x 2 1/2"
50712	4" x 2 1/2"
50713	4" x 3"
50714	2" x 1 1/2"
50715	2 1/2" x 1 1/2"
50716	2 1/2" x 2"
50717	3" x 1 1/2"
50718	3" x 2"
50719	5" x 3"
50720	5" x 4"
50721	6" x 3"
50722	6" x 4"

Threaded Branch Outlet



› Type 730

STOCK NO.	SIZE
50496	2" x 1/2"
50498	2" x 1"
50499	2" x 1 1/4"
50500	2" x 1 1/2"
50501	2 1/2" x 1/2"
50503	2 1/2" x 1"
50504	2 1/2" x 1 1/4"
50505	2 1/2" x 1 1/2"
50506	2 1/2" x 2"
50508	3" x 1/2"
50509	3" x 1"
50510	3" x 1 1/4"
50511	3 x 1 1/2"
50512	3" x 2"
50513	4" x 1/2"
50515	4" x 1"
50516	4" x 1 1/4"
50517	4" x 1 1/2"
50518	4" x 2"
50519	4" x 2 1/2"
50526	6" x 2"

GROOVED RED STEEL FITTINGS

End Cap



› Type 260

STOCK NO.	SIZE
50620	2"
50621	2 1/2"
50622	3"
50623	4"
50624	5"
50625	6"

Grooved Neck Flange



› PN10/PN16
› Type 343

STOCK NO.	SIZE
50596	2"
50597	2 1/2"
50598	3"
50599	4"
50600	5"
50601	6"

Flange Coupler



› PN16 EPDM
› Type 71

STOCK NO.	SIZE
50603	2"
50604	2 1/2"
50605	3"
50606	4"
50607	5"
50608	6"

Stainless Steel Flange Insert



› PN16

STOCK NO.	SIZE
50610	2"
50611	2 1/2"
50612	3"
50613	4"
50614	5"
50615	6"

Threaded End Cap Outlet



› Type 364

STOCK NO.	SIZE
50630	2 1/2" x 1"
50631	2 1/2" x 1 1/4"
50632	2 1/2" x 1 1/2"
50633	3" x 1"
50634	3" x 1 1/4"
50635	3" x 1 1/2"
50636	3" x 2"
50637	2 1/2" x 2"
50638	4" x 1"
50642	4" x 1 1/4"
50643	4" x 1 1/2"
50644	4" x 2"
50647	5" x 1 1/2"
50648	5" x 2"
50653	6" x 2"

GROOVED RED STEEL FITTINGS

Grooved Butterfly Valve



➤ 16 Bar EPDM

STOCK NO.	SIZE
50665	2"
50666	2 1/2"
50667	3"
50668	4"
50669	5"
50670	6"

Grooved Y-Strainer

➤ Type 760



STOCK NO.	SIZE	DESCRIPTION
50672	2"	20 Bar, 4.0mm Mesh
50673	2 1/2"	20 Bar, 4.0mm Mesh
50674	3"	20 Bar, 5.0mm Mesh
50675	4"	320 Bar, 5.0mm Mesh
50676	5"	20 Bar, 6.0mm Mesh
50677	6"	20 Bar, 6.3mm Mesh

Grooved Swing Check Valve



➤ 20 Bar
➤ Type CV-1

STOCK NO.	SIZE
50679	2"
50680	2 1/2"
50681	3"
50682	4"
50683	5"
50684	6"

Male Nipple Adaptor



➤ Type 304

STOCK NO.	SIZE
50660	1 1/4"
50661	1 1/2"
50662	2"
50663	2 1/2"
50664	3"

GASKETS

IBC Ring Gaskets - suits PN16 Flange

➤ Fibre gasket suitable for water and gas. BS 7531



STOCK NO.	SIZE
38780	1/2"
38781	3/4"
38782	1"
38783	1 1/4"
38784	1 1/2"
38785	2"
38786	2 1/2"
38787	3"
38788	4"
38790	5"
38789	6"
38730	8"
38731	10"
38732	12"

IBC Ring Gaskets - suits PN6 Flange



STOCK NO.	SIZE
38718	1"
38719	1 1/4"
38720	1 1/2"
38721	2"
38722	2 1/2"
38723	3"
38724	4"
38725	5"
38726	6"

Copper Tube, Capillary and Compression Fittings

Designed for use with BS EN 1057 Copper Tubes, our fittings range includes simple compression fittings and reliable capillary options such as End Feed and Integral Solder Ring (ISR).

Described by many as the 'traditional' method of connecting tubes, soldered capillary connections remain a trusted method, offering versatility with hundreds of fitting types.

Whether you simply use the standard copper End Feed, or if the application needs a more robust Brass or Bronze threaded fitting, our comprehensive range will ensure total confidence in the completed installation.



- **RELIABLE** – Connections proven to last for decades of service
- **VERSATILE** – Hundreds of options to give complete design freedom
- **STRONG** – Robust Brass or Bronze threaded fittings available
- **SIMPLE** – No special tooling or preparation required

FEATURES

- End-feed 15-108mm
- ISR 15-54mm
- Compression sizes 10-54mm
- DZR compression range
- Chrome Compression range
- BSP threaded connections

SCAN TO DOWNLOAD THE
SOLDER RING FITTINGS
MANUAL AND TECHNICAL
DATA SHEETS.



Cert. #1090012014

Cert. 286342016

Cert. 1315471

COPPER TUBE

Our high-quality copper tube conforms to BS EN 1057 standards for reliable performance.

Copper Tube - Table X

BSI Kitemark 



STOCK NO.	SIZE	LENGTH
30000	15mm	3m
30001	22mm	3m
30002	28mm	3m
33020	35mm	3m
33021	42mm	3m
33022	54mm	3m
30006	67mm	3m
30007	76mm	3m
30009	108mm	3m
30010	133mm	3m
30011	159mm	3m
33023	15mm	6m
33024	22mm	6m
33025	28mm	6m
33035	35mm	6m
33036	42mm	6m
33037	54mm	6m
33029	67mm	6m
33030	76mm	6m
33032	108mm	6m

Yellow PVC Coated Copper Tube



STOCK NO.	SIZE	LENGTH
33010	15mm	3m
33011	22mm	3m
33012	28mm	3m

White PVC Coated Copper Tube



STOCK NO.	SIZE	LENGTH
33055	15mm	3m
33056	22mm	3m
33057	28mm	3m
33058	35mm	3m
33059	42mm	3m
33060	54mm	3m
33061	67mm	3m
33062	76mm	3m
33063	108mm	3m
33064	50mm x 50m Pipe Wrap Tape - WHITE	

Copper Tube - Soft Coil Table W (Microbore)



STOCK NO.	SIZE	LENGTH
33040	6mm	25m
33041	8mm	25m
33042	10mm	25m

TOOLS & ACCESSORIES

Tube Benders



STOCK NO.	DESCRIPTION	SIZE
16450	Hilmor Pipe Bender GLM	15-22 mm
16463	Bender Guide	15mm
16465	Bender Guide	22mm

Auto Tube Slice - for Plumbing Copper



STOCK NO.	SIZE
30938	15mm
30939	22mm
30940	28mm
30937	Cutting Wheel replacement for Pro Autoslice Pipe Cutters 15-28mm (Pk2)

Rotary Tube Cutter



STOCK NO.	SIZE
19947	Pro Tube Cutter 3-35mm
20770	Rothenberger Automatic Cutter 6-67mm
30041	REMS RAS CU 8-64mm
30044	REMS RAS CU 8-42mm
30039	REMS Spare Cutting Wheels

White Cotton Rags



STOCK NO.	SIZE
18226	10kg

Tube Deburring Tools



STOCK NO.	SIZE
19940	ITE Pencil Type Tube Deburrer
20773	Internal/External Reamer 6-35mm

Steel Wool



STOCK NO.	SIZE
32084	450g
32089	Medium Grade Steel Wool Pads

Abrasive Pad



STOCK NO.	SIZE
21883	Medium

Silicone Carbide Abrasive Mesh



STOCK NO.	SIZE
32077	35mm x 5m
32078	Silicone Carbide Abrasive Open Mesh (10 Strips per Card)

Ultra Blue Sealant



STOCK NO.	SIZE
32029	500g

END FEED FITTINGS

Brymec's end-feed capillary fittings are designed for joining copper tubing in both domestic and commercial pipework systems. Manufactured to the highest standards and conforming to BS EN1254-1:1998, our fittings offer the building services industry confidence in long-term system performance. For sizes 67mm and above, brazing with appropriate rods is recommended.

Coupler



STOCK NO.	SIZE	PACK QTY
30014	15mm	25
30015	22mm	25
30016	28mm	20
30017	35mm	1
30018	42mm	1
30019	54mm	1
30020	67mm	1
30021	76mm	1
30022	108mm	1
33105	133mm	1
33106	159mm	1

Imperial To Metric Coupler



STOCK NO.	SIZE	PACK QTY
30152	15mm x 1/2"	25
30153	22mm x 3/4"	25
30154	28mm x 1"	25
30156	35mm x 1 1/4"	10

Slip Coupler



STOCK NO.	SIZE	PACK QTY
30275	15mm	25
30276	22mm	25
30277	28mm	20
30278	35mm	10
30279	42mm	5
30280	54mm	5

Fitting Reducer



STOCK NO.	SIZE (F x C)	PACK QTY
30095	15mm x 10mm	30
30097	22mm x 15mm	25
30098	28mm x 15mm	25
30099	28mm x 22mm	25
30100	35mm x 15mm	1
30101	35mm x 22mm	1
30102	35mm x 28mm	1
30107	42mm x 15mm	1
30108	42mm x 22mm	1
30103	42mm x 28mm	1
30104	42mm x 35mm	1
30109	54mm x 15mm	1
30110	54mm x 22mm	1

Continued on next page...

END FEED FITTINGS

Fitting Reducer (cont.)



STOCK NO.	SIZE (F x C)	PACK QTY
30111	54mm x 28mm	1
30105	54mm x 35mm	1
30106	54mm x 42mm	1
30023	67mm x 28mm	1
30024	67mm x 35mm	1
30025	67mm x 42mm	1
30114	67mm x 54mm	1
30026	76mm x 35mm	1
30027	76mm x 42mm	1
30088	76mm x 54mm	1
30089	76mm x 67mm	1
30090	108mm x 42mm	1
30091	108mm x 54mm	1
30092	108mm x 67mm	1
30093	108mm x 76mm	1
33111	133mm x 67mm	1
33112	133mm x 76mm	1
33113	133mm x 108mm	1
33115	159mm x 108mm	1
33116	159mm x 133mm	1

Long Tail Reducer



STOCK NO.	SIZE	PACK QTY
30113	15mm x 10mm	25

Reducing Coupler



STOCK NO.	SIZE	PACK QTY
30122	22mm x 15mm	25
30123	28mm x 22mm	25
30116	28mm x 15mm	25
30117	35mm x 15mm	1
30118	35mm x 22mm	1
30124	35mm x 28mm	1
30125	42mm x 22mm	1
30126	42mm x 28mm	1
30127	42mm x 35mm	1
30128	54mm x 35mm	1
30132	54mm x 42mm	1

90° Elbow



STOCK NO.	SIZE	PACK QTY
30030	15mm	25
30031	22mm	25
30032	28mm	20
30033	35mm	1
30034	42mm	1
30035	54mm	1
30036	67mm	1
30037	76mm	1
30038	108mm	1
30142	133mm	1
30143	159mm	1

END FEED FITTINGS

45° Elbow



STOCK NO.	SIZE	PACK QTY
30063	15mm	25
30064	22mm	25
30065	28mm	20
30066	35mm	1
30067	42mm	1
30068	54mm	1
30069	67mm	1
30070	76mm	1
30071	108mm	1
33107	133mm	1
33108	159mm	1

90° Street Elbow



STOCK NO.	SIZE	PACK QTY
30129	15mm	25
30130	22mm	25
30131	28mm	20
30133	35mm	1
30134	42mm	1
30135	54mm	1

90° Street Elbow Long Radius



STOCK NO.	SIZE	PACK QTY
30137	15mm	25
30138	22mm	25

45° Street Elbow



STOCK NO.	SIZE	PACK QTY
30144	15mm	25
30145	22mm	25
30146	28mm	25
30147	35mm	1
30148	42mm	1
30149	54mm	1
30150	67mm	1
30151	76mm	1

Equal Tee



STOCK NO.	SIZE	PACK QTY
30047	15mm	25
30048	22mm	25
30049	28mm	20
30050	35mm	1
30051	42mm	1
30052	54mm	1
30053	67mm	1
30054	76mm	1
30055	108mm	1
33109	133mm	1
33110	159mm	1

END FEED FITTINGS

Reducing Tee



STOCK NO.	SIZE (END X END X CENTRE)	PACK QTY
30203	15mm x 15mm x 10mm	25
30204	15mm x 15mm x 22mm	25
30205	22mm x 15mm x 15mm	25
30206	22mm x 15mm x 22mm	25
30207	22mm x 22mm x 15mm	25
30197	22mm x 22mm x 28mm	10
30198	28mm x 15mm x 15mm	25
30219	28mm x 15mm x 22mm	25
30209	28mm x 15mm x 28mm	25
30220	28mm x 22mm x 15mm	25
30208	28mm x 22mm x 22mm	25
30210	28mm x 22mm x 28mm	20
30211	28mm x 28mm x 15mm	10
30212	28mm x 28mm x 22mm	10
30221	28mm x 28mm x 35mm	25
30222	35mm x 15mm x 35mm	25
30225	35mm x 22mm x 22mm	25
30228	35mm x 22mm x 35mm	25
30226	35mm x 28mm x 22mm	25
30227	35mm x 28mm x 28mm	25
30232	35mm x 28mm x 35mm	25
30223	35mm x 35mm x 15mm	25
30213	35mm x 35mm x 22mm	5
30229	35mm x 35mm x 28mm	5
30233	42mm x 15mm x 42mm	5
30234	42mm x 22mm x 42mm	5
30235	42mm x 28mm x 28mm	5

STOCK NO.	SIZE (END X END X CENTRE)	PACK QTY
30236	42mm x 28mm x 42mm	5
30239	42mm x 35mm x 28mm	5
30240	42mm x 35mm x 35mm	5
30241	42mm x 35mm x 42mm	5
30242	42mm x 42mm x 15mm	5
30214	42mm x 42mm x 22mm	5
30243	42mm x 42mm x 28mm	5
30215	42mm x 42mm x 35mm	5
30247	54mm x 42mm x 42mm	5
30253	54mm x 54mm x 15mm	5
30254	54mm x 54mm x 22mm	5
30246	54mm x 54mm x 28mm	5
30216	54mm x 54mm x 35mm	5
30217	54mm x 54mm x 42mm	5
30248	67mm x 67mm x 28mm	1
30255	67mm x 67mm x 35mm	1
30256	67mm x 67mm x 42mm	1
30218	67mm x 67mm x 54mm	1
30257	76mm x 76mm x 28mm	1
30262	76mm x 76mm x 35mm	1
30263	76mm x 76mm x 42mm	1
30264	76mm x 76mm x 54mm	1
30265	76mm x 76mm x 67mm	1
30266	108mm x 108mm x 35mm	1
30270	108mm x 108mm x 42mm	1
30271	108mm x 108mm x 54mm	1
30272	108mm x 108mm x 67mm	1

END FEED FITTINGS

Reducing Tee (cont.)



STOCK NO.	SIZE (END X END X CENTRE)	PACK QTY
30273	108mm x 108mm x 76mm	1
33117	159mm x 159mm x 76mm	1
33118	159mm x 159mm x 108mm	1
33119	159mm x 159mm x 133mm	1

Female Iron Tee



STOCK NO.	SIZE (END X END X CENTRE)	PACK QTY
30188	15mm x 1/2" x 15mm	25
30193	15mm x 15mm x 1/2"	25
30189	22mm x 1/2" x 22mm	25
30190	22mm x 22mm x 1/2"	25
30191	22mm x 3/4" x 22mm	25
30192	22mm x 22mm x 3/4"	25
30194	28mm x 28mm x 1/2"	5
30195	28mm x 28mm x 3/4"	5
30196	28mm x 28mm x 1"	5

Male Iron Coupler - Parallel Thread



STOCK NO.	SIZE	PACK QTY
30177	15mm x 1/2"	25
30178	22mm x 3/4"	25
30179	28mm x 1"	25
30180	35mm x 1 1/4"	1
30181	42mm x 1 1/2"	1
30182	54mm x 2"	1
30183	67mm x 2 1/2"	1
33101	76mm x 3"	1

Male Iron Coupler - Taper Thread



STOCK NO.	SIZE
30200	15mm x 1/2"
30201	22mm x 3/4"
30202	28mm x 1"
30284	35mm x 1 1/4"
30285	42mm x 1 1/2"
30286	54mm x 2"

END FEED FITTINGS

Female Iron Coupler



STOCK NO.	SIZE	PACK QTY
30160	15mm x 1/4"	10
30161	15mm x 1/2"	10
30162	22mm x 3/4"	10
30163	28mm x 1"	10
30164	35mm x 1 1/4"	1
30165	42mm x 1 1/2"	1
30166	54mm x 2"	1
30167	67mm x 2 1/2"	1

Male Iron Elbow



STOCK NO.	SIZE	PACK QTY
30185	15mm x 1/2"	25
30186	22mm x 3/4"	25
30187	28mm x 1"	25

Female Iron Elbow



STOCK NO.	SIZE	PACK QTY
30169	15mm x 1/2"	10
30170	22mm x 3/4"	10
30171	28mm x 1"	10

Wall Plate Elbow



STOCK NO.	SIZE	PACK QTY
30224	15mm x 1/2"	25

Copper Tail Wallplate



STOCK NO.	SIZE
30864	1/2" with 15mm tail x 350mm

End Cap



STOCK NO.	SIZE	PACK QTY
30079	15mm	25
30080	22mm	25
30081	28mm	20
30082	35mm	1
30083	42mm	1
30084	54mm	1
30085	67mm	1
30086	76mm	1
30087	108mm	1

Full Cross Over



STOCK NO.	SIZE	PACK QTY
30230	15mm	10
30231	22mm	10

END FEED FITTINGS

Part Cross Over



STOCK NO.	SIZE	PACK QTY
30237	15mm	10
30238	22mm	10

Straight Tap Connector



STOCK NO.	SIZE	PACK QTY
30258	15mm x 1/2"	25
30259	15mm x 3/4"	25
30260	22mm x 3/4"	25
30261	28mm x 1"	25

Bent Tap Connector



STOCK NO.	SIZE	PACK QTY
30267	15mm x 1/2"	25
30268	15mm x 3/4"	25
30269	22mm x 3/4"	25

Bent Cylinder Union



STOCK NO.	SIZE	PACK QTY
30251	22mm x 1"	10
30252	28mm x 1"	10

Straight Cylinder Union



STOCK NO.	SIZE	PACK QTY
30244	22mm x 1"	10
30245	28mm x 1"	10

Bi-Metal Copper Stub Flange

➤ PN16



STOCK NO.	SIZE	BOLT SIZE
33121	42mm x 1 1/2"	M12 x 65 (4)
33122	54mm x 2"	M16 x 60 (4)
33126	67mm x 2 1/2"	M16 x 60 (4)
33124	76mm x 2 1/2"	M16 x 65 (8)
33123	76mm x 3"	M16 x 60 (4)
33125	108mm x 4"	M16 x 70 (8)

Bi-Metal Bronze Brazing Flange

- BS EN 1092-3
- PN16
- BS4504 Type 07



STOCK NO.	SIZE	BOLT SIZE
33130	35mm x 1 1/4"	M12 x 65 (4)
33131	42mm x 1 1/2"	M12 x 65 (4)
33132	54mm x 2"	M16 x 60 (4)
33133	67mm x 2 1/2"	M16 x 60 (4)
33134	76mm x 3"	M16 x 65 (8)
33135	108mm x 4"	M16 x 70 (8)
33136	133mm x 5"	M16 x 70 (8)
33137	159mm x 6"	M27 x 75 (8)

END FEED FITTINGS

Male Unions - Flat Faced Seal



STOCK NO.	SIZE
33140	15mm x 1/2"
33141	22mm x 3/4"
33142	28mm x 1"
33143	35mm x 1 1/4"
33144	42mm x 1 1/2"
33145	54mm x 2"

Female Unions - Flat Faced Seal



STOCK NO.	SIZE
33146	15mm x 1/2"
33147	22mm x 3/4"
33148	28mm x 1"
33149	35mm x 1 1/4"
33150	42mm x 1 1/2"
33151	54mm x 2"

BRONZE END FEED FITTINGS

Male Iron Adaptor



STOCK NO.	SIZE
33370	15mm x 1/2"
33371	15mm x 3/4"
33372	22mm x 1/2"
33373	22mm x 3/4"
33374	28mm x 1"
33375	35mm x 1 1/4"
33376	42mm x 1 1/2"
33377	54mm x 2"
33378	67mm x 2 1/2"

Female Iron Adaptor



STOCK NO.	SIZE
33384	15mm x 1/2"
33386	22mm x 3/4"
33387	28mm x 1"
33388	35mm x 1 1/4"
33389	42mm x 1 1/2"
33390	54mm x 2"
33391	67mm x 2 1/2"

Male Iron Elbow



STOCK NO.	SIZE
33381	15mm x 1/2"
33382	22mm x 3/4"

Female Iron Elbow



STOCK NO.	SIZE
33393	15mm x 1/2"

SOLDER RING FITTINGS

Pre-soldered copper fittings to BS EN 1254-1:1998 for potable water, heating / cooling circulation systems and gas / oil supply using BS EN 1057 copper pipe.

Coupler



STOCK NO.	SIZE	PACK QTY
30289	15mm	25
30290	22mm	25
30291	28mm	10
30292	35mm	5
30293	42mm	5
30294	54mm	1
30295	67mm	1

Fitting Reducer



STOCK NO.	SIZE	PACK QTY
30374	22mm x 15mm	25
30375	28mm x 15mm	10
30376	28mm x 22mm	10
30377	35mm x 15mm	5
30378	35mm x 22mm	5
30379	35mm x 28mm	5
30380	42mm x 15mm	5
30381	42mm x 22mm	5
30382	42mm x 28mm	5
30383	42mm x 35mm	1
30384	54mm x 22mm	1
30385	54mm x 28mm	1
30386	54mm x 35mm	1
30387	54mm x 42mm	1

Reducing Coupler (CxC)



STOCK NO.	SIZE	PACK QTY
30390	22mm x 15mm	25

90° Elbow



STOCK NO.	SIZE	PACK QTY
30320	15mm	25
30321	22mm	25
30322	28mm	10
30323	35mm	10
30324	42mm	5
30325	54mm	1
30326	67mm	1

45° Elbow



STOCK NO.	SIZE	PACK QTY
30331	15mm	25
30332	22mm	25
30333	28mm	10
30334	35mm	10
30335	42mm	5
30336	54mm	1

SOLDER RING FITTINGS

90° Street Elbow



STOCK NO.	SIZE
30393	15mm
30394	22mm
30395	28mm

Equal Tee



STOCK NO.	SIZE	PACK QTY
30345	15mm	25
30346	22mm	25
30347	28mm	10
30348	35mm	5
30349	42mm	2
30350	54mm	1
30351	67mm	1

End Cap



STOCK NO.	SIZE
30359	15mm
30360	22mm
30361	28mm
30362	35mm
30363	42mm
30364	54mm

Reducing Tee



STOCK NO.	SIZE (END X END X CENTRE)	PACK QTY
30423	15mm x 15mm x 22mm	10
30424	22mm x 15mm x 15mm	10
30425	22mm x 15mm x 22mm	10
30426	22mm x 22mm x 15mm	5
30427	22mm x 22mm x 28mm	10
30429	28mm x 15mm x 15mm	10
30430	28mm x 15mm x 28mm	10
30431	28mm x 22mm x 15mm	10
30432	28mm x 22mm x 22mm	10
30433	28mm x 22mm x 28mm	10
30434	28mm x 28mm x 15mm	10
30435	28mm x 28mm x 22mm	10
30436	35mm x 35mm x 15mm	5
30437	35mm x 35mm x 22mm	5
30438	35mm x 35mm x 28mm	5
30439	42mm x 42mm x 15mm	5
30440	42mm x 42mm x 22mm	5
30441	42mm x 42mm x 28mm	5
30442	42mm x 42mm x 35mm	5
30443	54mm x 54mm x 22mm	5
30446	54mm x 54mm x 28mm	5
30447	54mm x 54mm x 35mm	5
30448	54mm x 54mm x 42mm	5
30449	54mm x 54mm x 15mm	5

SOLDER RING FITTINGS

Male Iron Coupler



STOCK NO.	SIZE
30297	15mm x 1/2"
30312	22mm x 3/4"
30313	28mm x 1"
30314	35mm x 1 1/4"
30315	42mm x 1 1/2"
30316	54mm x 2"

Female Iron Coupler



STOCK NO.	SIZE
53748	15mm x 1/2"
53749	22mm x 3/4"
53750	28mm x 1"
53751	35mm x 1 1/4"
53752	42mm x 1 1/2"
53753	54mm x 2"

Male Iron Elbow



STOCK NO.	SIZE
53723	15mm x 1/2"

Wallplate Straight



STOCK NO.	SIZE
30413	15mm x 1/2"

Straight Tap Connector



STOCK NO.	SIZE
30415	15mm x 1/2"
30416	15mm x 3/4"
30417	22mm x 3/4"

Bent Tap Connector



STOCK NO.	SIZE
30408	15mm x 1/2"
30409	22mm x 3/4"

Pipe Cowl



STOCK NO.	SIZE
30282	15mm
30283	22mm

SOLDER RING FITTINGS

Male Iron Union - Flat Faced Seal



STOCK NO.	SIZE
53880	15mm x 1/2"
53881	22mm x 3/4"
53882	28mm x 1"
53883	35mm x 1 1/4"
53884	42mm x 1 1/2"
53885	54mm x 2"

Female Iron Union - Flat Faced Seal



STOCK NO.	SIZE
53888	15mm x 1/2"
53889	22mm x 3/4"
53890	28mm x 1"
53891	35mm x 1 1/4"
53892	42mm x 1 1/2"
53893	54mm x 2"

TOOLS & ACCESSORIES

Woven Glass Fabric Heat Mat



STOCK NO.	SIZE
32149	12" x 12"

Brazing Rods



STOCK NO.	SIZE
19900	0.2% Silver, 2mm x 500mm x 1kg
19901	2% Silver, 2mm x 500mm x 1kg
19902	5% Silver 2mm x 500mm x 1kg
19903	40% Silver 1.5mm x 500mm x 5 rods
19904	40% Silver - Flux Coated, 1.5mm x 500mm x 5 rods

Powerflow Flux



STOCK NO.	SIZE
32007	350g

La-Co Flux



STOCK NO.	SIZE
32002	113g (brush in cap)
32001	475g

Copper-Mate Flux



STOCK NO.	SIZE
32005	453g

TOOLS & ACCESSORIES

Flux Brush



STOCK NO.	DESCRIPTION
32014	Black horse hair in tin handle

Everflux



STOCK NO.	SIZE
32008	250ml

Lead Bearing Solder



STOCK NO.	SIZE
32113	3mm x 1/2Kg

Lead Free Solder



STOCK NO.	SIZE
32107	3mm x 1/2Kg

Mini Brazing Kit



STOCK NO.	DESCRIPTION
19911	Turbo Kit
19915	Oxygen for Turbo Kit
19916	Maxigas for turbo kit

Fernox Water Hawk



STOCK NO.	SIZE
32003	400g

Map-Pro Gas Cylinder



STOCK NO.	SIZE
32119	400g

Propane Gas Cylinder



STOCK NO.	SIZE
32125	400g

Flame Tech Pro



STOCK NO.	DESCRIPTION
19907	Flame tech kit

Plumbers Mait



STOCK NO.	SIZE
32010	750g

TOOLS & ACCESSORIES

Boss White Jointing Compound



STOCK NO.	SIZE
32034	400g

Brazing Torches



STOCK NO.	SIZE
32143	Turbo Brazing Torch
19913	Turbo Double Barrel Brazing Torch

La-Co Slic-tite



STOCK NO.	SIZE
32020	120ml
32021	240ml

BRASS COMPRESSION FITTINGS

Brymec supplies high-quality brass compression fittings manufactured to BS EN 1254-2:1998, suitable for BS EN 1057 copper tube or polybutylene pipe with stiffeners. Designed for use in water, natural gas, and LPG systems, these fittings are equipped with soft copper olives.

Coupler



STOCK NO.	SIZE	PACK QTY
30453	10mm	10
30454	15mm	10
30455	22mm	10
30456	28mm	5
30457	35mm	1
30458	42mm	1
30459	54mm	1

Reducing Coupler



STOCK NO.	SIZE	PACK QTY
30513	15mm x 10mm	10
30514	15mm x 12mm	10
30515	22mm x 15mm	10
30516	28mm x 15mm	5
30517	28mm x 22mm	5

BRASS COMPRESSION FITTINGS

90° Elbow



STOCK NO.	SIZE	PACK QTY
30467	15mm	10
30468	22mm	10
30469	28mm	5
30470	35mm	1
30471	42mm	1
30472	54mm	1

Reducing 90° Elbow



STOCK NO.	SIZE
30508	22mm x 15mm

Reducing Tee



STOCK NO.	SIZE (END X END X CENTRE)	PACK QTY
30669	22mm x 15mm x 22mm	5
30670	22mm x 22mm x 15mm	5
30671	28mm x 22mm x 15mm	5
30673	28mm x 28mm x 15mm	5
30674	28mm x 28mm x 22mm	5

Equal Tee



STOCK NO.	SIZE	PACK QTY
30480	15mm	10
30481	22mm	5
30482	28mm	5
30483	35mm	1
30484	42mm	1
30485	54mm	1

Female Iron Tee



STOCK NO.	SIZE
30658	15mm x 15mm x 1/2"
30659	22mm x 22mm x 1/2"
30660	22mm x 22mm x 3/4"
30661	28mm x 28mm x 1/2"

BRASS COMPRESSION FITTINGS

Male Iron Coupler



STOCK NO.	SIZE	PACK QTY
30523	6mm x 1/4"	50
30524	8mm x 1/4"	50
30525	8mm x 3/8"	10
30526	8mm x 1/2"	10
30527	10mm x 1/4"	10
30528	10mm x 3/8"	10
30529	10mm x 1/2"	10
30530	15mm x 1/4"	10
30531	15mm x 3/8"	10
30532	15mm x 1/2"	10
30533	15mm x 3/4"	10
30534	22mm x 1/2"	10
30535	22mm x 3/4"	10
30536	22mm x 1"	10
30537	28mm x 3/4"	10
30538	28mm x 1"	5
30539	35mm x 1 1/4"	5
30540	42mm x 1 1/2"	1
30541	54mm x 2"	1

Brass Tap Extension



STOCK NO.	SIZE
30586	1/2" (22mm long)

Female Iron Coupler



STOCK NO.	SIZE	PACK QTY
30546	6mm x 1/4"	10
30547	8mm x 1/4"	10
30548	8mm x 3/8"	10
30549	10mm x 1/4"	10
30550	10mm x 3/8"	10
30551	10mm x 1/2"	10
30552	15mm x 1/4"	10
30553	15mm x 3/8"	10
30554	15mm x 1/2"	10
30555	15mm x 3/4"	10
30556	22mm x 1/2"	10
30557	22mm x 3/4"	10
30558	22mm x 1"	6
30559	28mm x 3/4"	5
30560	28mm x 1"	5
30561	35mm x 1 1/4"	5
30562	42mm x 1 1/2"	1
30563	54mm x 2"	1

Wall Plate Elbow



STOCK NO.	SIZE	PACK QTY
30607	15mm x 1/2"	10
30608	22mm x 3/4"	5

BRASS COMPRESSION FITTINGS

Male Iron Elbow



STOCK NO.	SIZE	PACK QTY
30592	15mm x 3/8"	10
30593	15mm x 1/2"	10
30594	15mm x 3/4"	10
30595	22mm x 3/4"	10
30596	22mm x 1"	10
30597	22mm x 1/2"	10
30598	28mm x 1"	5
30599	35mm x 1 1/4"	5
30600	42mm x 1 1/2"	2
30601	54mm x 2"	2

Female Iron Elbow



STOCK NO.	SIZE	PACK QTY
30573	15mm x 1/2"	10
30574	15mm x 3/4"	10
30575	22mm x 1/2"	10
30576	22mm x 3/4"	10
30577	22mm x 1"	5
30578	28mm x 1"	5
30579	35mm x 1 1/4"	5
30580	42mm x 1 1/2"	1
30581	54mm x 2"	1

End Cap



STOCK NO.	SIZE	PACK QTY
30493	15mm	10
30494	22mm	10
30495	28mm	10
30496	35mm	5
30497	42mm	1
30498	54mm	1

Straight Tap Connector



STOCK NO.	SIZE	PACK QTY
30642	15mm x 1/2"	10
30643	15mm x 3/4"	10
30644	22mm x 3/4"	10

Bent Tap Connector



STOCK NO.	SIZE	PACK QTY
30504	15mm x 1/2"	10
30505	22mm x 3/4"	5

BRASS COMPRESSION FITTINGS

Tank Connector with Seal



STOCK NO.	SIZE	PACK QTY
30650	15mm	10
30651	22mm	5
30652	28mm	5
30653	35mm	5
30654	42mm	1
30655	54mm	1

Copper Olive



STOCK NO.	SIZE
30604	15mm
30605	22mm
30606	28mm
30609	35mm
30610	42mm
30611	54mm

Brass Olive



STOCK NO.	SIZE
30616	15mm
30617	22mm
30618	28mm
30619	35mm
30620	42mm
30621	54mm
30622	3/4"

Single Part Reducer



STOCK NO.	SIZE	PACK QTY
30627	15mm x 10mm	10

Reducing Set



STOCK NO.	SIZE
30630	15mm x 10mm
30631	22mm x 15mm
30632	28mm x 22mm
30633	35mm x 15mm
30634	35mm x 22mm
30635	35mm x 28mm
30636	42mm x 35mm

Blanking Disc



STOCK NO.	SIZE
30444	15mm
30445	22mm

DZR COMPRESSION FITTINGS

Brymec supplies high-quality DZR brass compression fittings manufactured to BS 1254-2:1988, designed for use with metric tube in water, natural gas, and LPG systems.

Coupler



STOCK NO.	SIZE
33301	15mm
33302	22mm
33303	28mm

90° Elbow



STOCK NO.	SIZE
33306	15mm
33307	22mm
33308	28mm

Equal Tee



STOCK NO.	SIZE
33311	15mm
33312	22mm
33313	28mm

End Cap



STOCK NO.	SIZE
33316	15mm
33317	22mm
33318	28mm

Reducing Tee



STOCK NO.	SIZE (END X END X CENTRE)
33361	22mm x 15mm x 22mm
33362	22mm x 22mm x 15mm

Female Iron Tee



STOCK NO.	SIZE
33355	15mm x 15mm x 1/2"
33356	22mm x 22mm x 3/4"

Male Iron Coupler



STOCK NO.	SIZE
33325	15mm x 1/2"
33326	22mm x 3/4"
33327	28mm x 1"

Female Iron Coupler



STOCK NO.	SIZE
33330	15mm x 1/2"
33331	22mm x 3/4"
33332	28mm X 1"

DZR COMPRESSION FITTINGS

Male Iron Elbow



STOCK NO.	SIZE
33335	15mm x 1/2"
33336	22mm x 3/4"
33337	28mm x 1"

Female Iron Elbow



STOCK NO.	SIZE
33340	15mm X 1/2"
33341	22mm x 3/4"
33342	28mm x 1"
33345	15mm x 1/2"

Straight Tap Connector



STOCK NO.	SIZE
33347	15mm x 1/2"
33348	22mm x 3/4"

Bent Tap Connector



STOCK NO.	SIZE
33321	15mm x 1/2"

CHROME PLATED COPPER TUBE

Chrome plated copper tube manufactured to BS EN 1057. All chrome tubes are supplied individually wrapped to provide complete protection prior to installation.

Chrome Plated Copper Tube



STOCK NO.	SIZE	LENGTH
33003	15mm	3m
33005	22mm	3m
33006	28mm	3m
33007	35mm	3m
33008	42mm	3m

CHROME COMPRESSION FITTINGS

Chrome compression fittings to BS EN 1254-2, suitable for use with either copper, or chrome plated copper tubes, manufactured to BE EN 1057.

Coupler



STOCK NO.	SIZE	PACK QTY
30680	15mm	10
30681	22mm	10

Reducing Coupler



STOCK NO.	SIZE	PACK QTY
30698	22mm x 15mm	10

90° Elbow



STOCK NO.	SIZE	PACK QTY
30687	15mm	10
30688	22mm	10

Male Iron Elbow



STOCK NO.	SIZE	PACK QTY
30715	15mm x 1/2"	10

Wall Plate Elbow



STOCK NO.	SIZE	PACK QTY
30722	15mm x 1/2"	10

Female Iron Elbow



STOCK NO.	SIZE	PACK QTY
30708	15mm x 1/2"	10
30709	22mm x 3/4"	10
30710	22mm x 1"	10

Female Iron Coupler



STOCK NO.	SIZE	PACK QTY
30684	15mm x 1/2"	10

Male Iron Coupler



STOCK NO.	SIZE	PACK QTY
30685	15mm x 1/2"	10
30682	22mm x 3/4"	10

Drain Off Cock



STOCK NO.	SIZE	PACK QTY
30790	15mm	10

CHROME COMPRESSION FITTINGS



Reducing Tee

STOCK NO.	SIZE (END X END X CENTRE)	PACK QTY
30729	22mm x 15mm x 15mm	10
30730	22mm x 22mm x 15mm	10



Equal Tee

STOCK NO.	SIZE	PACK QTY
30694	15mm	10
30695	22mm	10

BRASSWARE ACCESSORIES

Brass Socket



STOCK NO.	SIZE
30690	1/4"
30691	3/8"
30692	1/2"
30693	3/4"
30696	1"
30697	1 1/4"

Brass Barrel Nipple



STOCK NO.	SIZE
30403	1/8"
30404	1/4"
30405	3/8"
30406	1/2"
30407	3/4"
30410	1"
30411	1 1/4"
30412	1 1/2"

BRASSWARE ACCESSORIES

Brass Running Nipple



STOCK NO.	SIZE
30664	1/2"

Brass Hex Nipple



STOCK NO.	SIZE
30808	1/8"
30809	3/8"
30810	1/4"
30811	1/2"
30874	3/4"
30812	1"
30819	1 1/4"
30996	1 1/2"
30820	2"

Gas Pressure Test Nipple



STOCK NO.	SIZE
30941	1/8"

Brass Plug



STOCK NO.	SIZE
30638	1/4"
30639	3/8"
30640	1/2"
30641	3/4"
30859	1"
30645	1 1/4"
30646	1 1/2"
30647	2"

Brass Backnut



STOCK NO.	SIZE
30675	1/2"
30676	3/4"
30677	1"
30678	1 1/4"
30679	1 1/2"

Brass Cap



STOCK NO.	SIZE
30824	1/4"
30825	3/8"
30857	1/2"
30858	3/4"
30826	1"
30827	1 1/4"
30828	1 1/2"

BRASSWARE ACCESSORIES

Brass Hex Reducing Bush



STOCK NO.	SIZE
30521	1/4" x 1/8"
30522	3/8" x 1/8"
30542	3/8" x 1/4"
30543	1/2" x 1/8"
30544	1/2" x 1/4"
30545	1/2" x 3/8"
30872	3/4" x 1/2"
30873	1" x 1/2"
30564	1" x 3/4"
30565	1 1/4" x 1/2"
30566	1 1/4" x 3/4"
30567	1 1/4" x 1"
30582	1 1/2" x 1/2"
30583	1 1/2" x 3/4"
30584	1 1/2" x 1"
30585	1 1/2" x 1 1/4"
30623	2" x 1"
30624	2" x 1 1/4"
30625	2" x 1 1/2"

Rubber Washer



STOCK NO.	SIZE
30803	1/2"
30804	3/4"

Fibre Washer



STOCK NO.	SIZE
31166	1/2" (Thin Type)
30866	1/2"
30867	3/4"
31160	1"
31161	1 1/4"
31162	1 1/2"

Gas Compression Isolation Valve



STOCK NO.	SIZE
30856	15mm

Compression Sludge Cock



STOCK NO.	SIZE
30868	15mm

Gas Meter Union



STOCK NO.	SIZE
30844	22mm x 1"

Copper Press

The Brymec Copper Press System offers a reliable press-fit solution, ideal for supplying hygienic drinking water, or for connecting heating and cooling systems used in commercial, industrial, healthcare, and domestic applications.

At Brymec, we recognise the critical importance of maintaining a hygienic supply of potable water. That's why every fitting in our Copper Press range is manufactured from solid copper, free from harmful alloying elements such as lead and arsenic. Our fittings are also 100% zinc-free, eliminating the risk of dezincification and ensuring long-term system integrity.



FOR COMPLETE PEACE OF MIND, EACH CONNECTION IS ASSURED BY THE BRYMEC 4-STEP PRESS SYSTEM:

- **FRICITION FIT** – Once pipe and fitting are assembled ready for pressing, the special design will maintain the correct pipe position within the socket of the fitting
- **UN-PRESSED, UN-TIGHT** – Unpressed water connections are designed to weep when the system is filled. Once pressed, the O-ring seals to provide a strong, durable, watertight connection
- **PRESS INDICATOR FOIL** – The colour coded press indicator foil is designed to automatically detach from the fitting following the completed pressing process
- **PRESS-TIGHT VALIDATION** – Once pressed, the final stage is to validate the quality connection to the procedures presented within the Brymec press-fit training

FEATURES

- Size 15-108mm
- 16 Bar, up to 120°C
- Highest level of hygiene
- Lead-free, zinc free
- 4-step press process
- Safe, flame-free connections

SCAN TO DOWNLOAD THE BRYMEC COPPER PRESS MANUAL AND TECHNICAL DATA SHEETS.



Cert. 45199020316

Cert. 288347018

Cert. 1313873

COPPER PRESS FITTINGS

Coupler



STOCK NO.	SIZE	PACK QTY
27940	15mm	10
27941	22mm	10
27942	28mm	5
27943	35mm	5
27944	42mm	5
27945	54mm	5
27946	67mm	1
27947	76mm	1
27949	108mm	1

Slip Coupler



STOCK NO.	SIZE	PACK QTY
27950	15mm	10
27951	22mm	10
27952	28mm	5
27953	35mm	5
27954	42mm	5
27955	54mm	5
27956	67mm	1
27957	76mm	1

Fitting Reducer



STOCK NO.	SIZE	PACK QTY
27915	22mm x 15mm	10
27916	28mm x 15mm	5
27917	28mm x 22mm	5
27918	35mm x 22mm	5
27919	35mm x 28mm	5
27920	42mm x 22mm	5
27921	42mm x 28mm	5
27922	42mm x 35mm	5
27932	54mm x 28mm	5
27923	54mm x 35mm	5
27924	54mm x 42mm	5
28231	67mm x 28mm	1
28232	67mm x 35mm	1
28233	67mm x 42mm	1
27925	67mm x 54mm	1
28234	76mm x 35mm	1
27926	76mm x 54mm	1
28236	76mm x 67mm	1
28237	108mm x 42mm	1
27929	108mm x 54mm	1
28238	108mm x 67mm	1
27930	108mm x 76mm	1

COPPER PRESS FITTINGS

Reducing Coupler



STOCK NO.	SIZE	PACK QTY
27900	22mm x 15mm	10
27901	28mm x 15mm	5
27902	28mm x 22mm	5
27903	35mm x 22mm	5
27904	35mm x 28mm	5
27905	42mm x 22mm	5
27906	42mm x 28mm	5
27907	42mm x 35mm	5
27908	54mm x 28mm	5
27909	54mm x 35mm	5
27910	54mm x 42mm	5

Multiport Coupler



STOCK NO.	SIZE
27911	67mm x 1/2" - 2 Port
27912	76mm x 1/2" - 2 Port
27913	108mm x 3/4" - 4 Port

In keeping with our drive to provide the most hygienic Copper Press system on the market, we have worked hard to develop the Brymec Multiport Coupler to be made from solid copper, eliminating all harmful alloying elements found in many brass alloys used by some manufacturers.

FxF 90° Elbow



STOCK NO.	SIZE	PACK QTY
27810	15mm	10
27811	22mm	10
27812	28mm	5
27813	35mm	5
27814	42mm	5
27815	54mm	5
27816	67mm	1
27817	76mm	1
27819	108mm	1

FxF 45° Elbow



STOCK NO.	SIZE	PACK QTY
27830	15mm	10
27831	22mm	10
27832	28mm	5
27833	35mm	5
27834	42mm	5
27835	54mm	5
27836	67mm	1
27837	76mm	1
27839	108mm	1

COPPER PRESS FITTINGS

MxF 90° Elbow



STOCK NO.	SIZE	SIZE
27800	15mm	10
27801	22mm	10
27802	28mm	5
27803	35mm	5
27804	42mm	5
27805	54mm	5
27806	67mm	1
27807	76mm	1
27809	108mm	1

MxF 45° Elbow



STOCK NO.	SIZE	PACK QTY
27820	15mm	10
27821	22mm	10
27822	28mm	5
27823	35mm	5
27824	42mm	5
27825	54mm	5
27826	67mm	1
27827	76mm	1
27829	108mm	1

Equal Tee



STOCK NO.	SIZE	PACK QTY
27850	15mm	10
27851	22mm	10
27852	28mm	5
27853	35mm	5
27854	42mm	5
27855	54mm	5
27856	67mm	1
27857	76mm	1
27859	108mm	1

Reducing Tee



STOCK NO.	SIZE (END X CENTRE X END)	PACK QTY
27860	15mm x 22mm x 15mm	10
27861	22mm x 15mm x 15mm	10
27862	22mm x 15mm x 22mm	10
27863	22mm x 22mm x 15mm	10
27865	28mm x 15mm x 22mm	5
27866	28mm x 15mm x 28mm	5
27867	28mm x 22mm x 22mm	5
27868	28mm x 22mm x 28mm	5
27869	28mm x 28mm x 15mm	5
27870	28mm x 28mm x 22mm	5
27872	35mm x 15mm x 35mm	5
27874	35mm x 22mm x 28mm	5

COPPER PRESS FITTINGS

Reducing Tee (cont.)



STOCK NO.	SIZE (END X CENTRE X END)	PACK QTY
27875	35mm x 22mm x 35mm	5
27876	35mm x 28mm x 28mm	5
27877	35mm x 28mm x 35mm	5
27880	42mm x 15mm x 42mm	5
27881	42mm x 22mm x 42mm	5
27882	42mm x 28mm x 42mm	5
27884	42mm x 35mm x 42mm	5
27896	42mm x 42mm x 35mm	5
27885	54mm x 22mm x 54mm	5
27886	54mm x 28mm x 54mm	5
27887	54mm x 35mm x 54mm	5
27888	54mm x 42mm x 54mm	5
28255	67mm x 28mm x 67mm	1
27889	67mm x 54mm x 67mm	1
28260	76mm x 35mm x 76mm	1
27890	76mm x 54mm x 76mm	1
27893	108mm x 54mm x 108mm	1

Extended Spigot Manifold Tee



FULL PATENT: GB2602979

STOCK NO.	SIZE (END X CENTRE X END)
27897	54mm x 22mm x 54mm
27898	54mm x 28mm x 54mm

Female Iron Tee



STOCK NO.	SIZE	QTY PACK
28101	15mm x 1/2" x 15mm	10
28102	22mm x 1/2" x 22mm	10
28104	28mm x 1/2" x 28mm	5
28106	35mm x 1/2" x 35mm	5
28108	42mm x 1/2" x 42mm	5
28110	54mm x 1/2" x 54mm	5

Female Iron Coupler



STOCK NO.	SIZE	PACK QTY
28151	15mm x 1/2"	10
28153	22mm x 1/2"	10
28154	22mm x 3/4"	10
28157	28mm x 1"	5
28160	35mm x 1 1/4"	5
28163	42mm x 1 1/2"	5
28165	54mm x 2"	5
28166	67mm x 2 1/2"	1
28169	76mm x 3"	1

COPPER PRESS FITTINGS

Male Iron Coupler



STOCK NO.	SIZE	PACK QTY
28115	15mm x 3/8"	10
28116	15mm x 1/2"	10
28117	15mm x 3/4"	10
28118	22mm x 1/2"	10
28119	22mm x 3/4"	10
28120	22mm x 1"	10
28121	28mm x 3/4"	5
28122	28mm x 1"	5
28125	35mm x 1 1/4"	5
28128	42mm x 1 1/2"	5
28130	54mm x 2"	5
28131	67mm x 2 1/2"	1
28133	76mm x 3"	1
28134	108mm x 4"	1

Male Iron Elbow



STOCK NO.	SIZE	PACK QTY
28081	15mm x 1/2"	10

Female Iron Elbow



STOCK NO.	SIZE	PACK QTY
28071	15mm x 1/2"	10
28074	22mm x 3/4"	10

Male Plug-In Adapter



STOCK NO.	SIZE	PACK QTY
28171	15mm x 1/2"	10
28173	22mm x 3/4"	10

Female Plug-In Adapter



STOCK NO.	SIZE	PACK QTY
28141	15mm x 1/2"	10
28142	22mm x 1/2"	10
28143	22mm x 3/4"	10
28145	28mm x 1"	5
28149	35mm x 1"	5
28148	54mm x 2"	5

End Cap



STOCK NO.	SIZE	PACK QTY
27960	15mm	10
27961	22mm	10
27962	28mm	5
27963	35mm	5
27964	42mm	5
27965	54mm	5
27966	67mm	1
27967	76mm	1

COPPER PRESS FITTINGS

Female Backplate Elbow



STOCK NO.	SIZE	PACK QTY
28225	15mm x 1/2"	10

Crimping Flange

PN10/16



STOCK NO.	SIZE	BOLT SIZE
28241	42mm x 1 1/2"	M12 x 65 (4)
28242	54mm x 2"	M16 x 60 (4)
28243	67mm x 2 1/2"	M16 x 60 (4)
28244	76mm x 3"	M16 x 65 (8)
28246	108mm x 4"	M16 x 70 (8)

Male Unions - Conical Seat



STOCK NO.	SIZE	PACK QTY
28200	15mm x 1/2"	10
28203	22mm x 3/4"	10
28206	28mm x 1"	5
28207	35mm x 1 1/4"	5
28208	42mm x 1 1/2"	5
28209	54mm x 2"	5

Full Cross Over



STOCK NO.	SIZE	PACK QTY
27840	15mm	10
27841	22mm	10

Part Cross Over



STOCK NO.	SIZE	PACK QTY
27845	15mm	10
27846	22mm	10

Female Unions - Conical Seat



STOCK NO.	SIZE	PACK QTY
28190	15mm x 1/2"	10
28192	22mm x 3/4"	10
28195	28mm x 1"	5
28196	35mm x 1 1/4"	5
28197	42mm x 1 1/2"	5
28198	54mm x 2"	5

TOOLS AND ACCESSORIES

Depth Gauge




STOCK NO.	SIZE
28253	15-54mm

Permanent Markers



STOCK NO.	SIZE
08646	Fine Tip
08647	Wide Tip



HAVE YOU TRIED OUR

Manifold Tee?

**Invented by Brymec.
Exclusive to Brymec.**



Granted a full patent in 2025, the Brymec Manifold Tee epitomises Brymec's core value of innovation.

Invented by our R&D department following customer feedback, the Brymec Manifold Tee was developed as a solution to quickly fabricate water distribution manifolds on site.

It's the only fitting in the industry that enables rapid assembly of water distribution manifolds to pre-set dimensions, whilst avoiding the need to cut numerous short lengths of copper tube, saving time and resources.

PATENTED: GB2602979



SCAN TO DOWNLOAD
THE BRYMEC COPPER
PRESS GAS MANUAL AND
TECHNICAL DATA SHEETS.



Copper Press Gas

The Brymec Copper Press Gas system offers a fast, safe, flame-free solution for gas system installations.

It significantly reduces installation time compared to traditional jointing methods. Each fitting features a unique yellow film that detaches upon pressing, offering a clear visual indicator that the joint has been securely pressed.



TECHNICAL DATA

- Max Working Pressure 5 Bar (External) / 1 Bar (Internal) at 70°C
- "M" profile press jaws or slings
- Approved tools include Novapress, REMS, Rothenberger and Ridgid
- Suitable for above ground 2nd and 3rd family gases to BS EN 437

APPLICABLE STANDARDS

- For use with TX Copper tube manufactured to BS EN 1057

WARRANTY

We offer a 25 year warranty across our Copper Press Gas range.




Cert. 459902024



Cert. 248342016



Cert. 1313072



COPPER PRESS GAS FITTINGS

Coupler



STOCK NO.	SIZE
29702	15mm
29703	22mm
29704	28mm
29705	35mm
29706	42mm
29707	54mm
29708	67mm
29709	76mm
29710	108mm

Fitting Reducer



STOCK NO.	SIZE (F X C)
29679	22mm x 15mm
29680	28mm x 15mm
29681	28mm x 22mm
29682	35mm x 22mm
29683	35mm x 28mm
29685	42mm x 28mm
29686	42mm x 35mm
29687	54mm x 28mm
29688	54mm x 35mm
29689	54mm x 42mm
29692	67mm x 42mm
29693	67mm x 54mm
29696	76mm x 54mm
29697	76mm x 67mm
29699	108m x 54mm
29701	108mm x 76mm

FxF 90° Elbow



STOCK NO.	SIZE
29609	15mm
29610	22mm
29611	28mm
29612	35mm
29613	42mm
29614	54mm
29615	67mm
29616	76mm
29617	108mm

MxF 90° Elbow



STOCK NO.	SIZE
29600	15mm
29601	22mm
29602	28mm
29603	35mm
29604	42mm
29605	54mm
29606	67mm
29607	76mm
29608	108mm

COPPER PRESS GAS FITTINGS

FxF 45° Elbow



STOCK NO.	SIZE
29627	15mm
29628	22mm
29629	28mm
29630	35mm
29631	42mm
29632	54mm
29633	67mm
29634	76mm
29635	108mm

Equal Tee



STOCK NO.	SIZE
29636	15mm
29637	22mm
29638	28mm
29639	35mm
29640	42mm
29641	54mm
29642	67mm
29643	76mm
29644	108mm

MxF 45° Elbow



STOCK NO.	SIZE
29618	15mm
29619	22mm
29620	28mm
29621	35mm
29622	42mm
29623	54mm
29624	67mm
29625	76mm
29626	108mm

Female Iron Tee



STOCK NO.	SIZE (END X CENTRE X END)
29744	15mm x 1/2" x 15mm
29745	22mm x 1/2" x 22mm
29747	28mm x 1/2" x 28mm
29749	35mm x 1/2" x 35mm
29750	42mm x 1/2" x 42mm
29751	54mm x 1/2" x 54mm

COPPER PRESS GAS FITTINGS

Male Iron Coupler



STOCK NO.	SIZE
29753	15mm x 1/2"
29756	22mm x 3/4"
29759	28mm x 1"
29762	35mm x 1 1/4"
29764	42mm x 1 1/2"
29765	54mm x 2"
29766	67mm x 2 1/2"
29767	76mm x 2 1/2"
29768	108mm x 4"

Female Iron Coupler



STOCK NO.	SIZE
29771	15mm x 1/2"
29774	22mm x 3/4"
29777	28mm x 1"
29780	35mm x 1 1/4"
29782	42mm x 1 1/2"
29783	54mm x 2"

Crimping Flange

➤ PN10/16



STOCK NO.	SIZE	BOLT SIZE
29806	67mm x 2 1/2"	M16 x 60 (4)
29807	76mm x 3"	M16 x 65 (8)
29808	108mm x 4"	M16 x 70 (8)

Union



STOCK NO.	SIZE
29810	15mm
29811	22mm
29812	28mm
29813	35mm
29814	42mm
29815	54mm

End Cap




STOCK NO.	SIZE
29720	15mm
29721	22mm
29722	28mm
29723	35mm
29724	42mm
29725	54mm

Gas ID Tape



STOCK NO.	SIZE
32055	38mm x 33m



Stainless Steel Press

The Brymec Stainless Steel Press System offers a reliable press-fit solution, ideal for supplying hygienic drinking water, or for connecting heating and cooling systems used in commercial, industrial, laboratory, and healthcare applications.

Manufactured using high grade 316L corrosion resistant material, Brymec Stainless Steel Press is intended for use in installations that require ultimate system performance, even in applications where the pipe work may be exposed to conditions that would be considered too aggressive for other pipe materials.



FOR COMPLETE PEACE OF MIND, EACH CONNECTION IS ASSURED BY THE BRYMEC 4-STEP PRESS SYSTEM:

- **FRICTION FIT** – Once pipe and fitting are assembled ready for pressing, the special design will maintain the correct pipe position within the socket of the fitting
- **UN-PRESSED, UN-TIGHT** – Unpressed connections are designed to weep when the system is filled. Once pressed, the O-ring seals to provide a strong, durable, watertight connection
- **PRESS INDICATOR FOIL** – The colour coded press indicator foil is designed to automatically detach from the fitting following the completed pressing process
- **PRESS-TIGHT VALIDATION** – Once pressed, the final stage is to validate the quality connection to the procedures presented within the Brymec press-fit training

FEATURES

- Size 15-108mm
- 16 Bar, up to 120°C
- Premium levels of corrosion resistance
- Architecturally desirable
- Brymec 4-step press process
- Safe, flame-free connections

SCAN TO DOWNLOAD THE BRYMEC STAINLESS STEEL PRESS MANUAL AND TECHNICAL DATA SHEETS.



Cert. 4519020316

Cert. 288347018

Cert. 1313873

STAINLESS STEEL TUBE

Stainless Steel Tube

➤ 1.4404 (AISI 316L) to BS EN 10217-7:2021 (BS EN 10088)



STOCK NO.	SIZE	LENGTH	WALL THICKNESS
39300	15mm	3m	0.6mm
39301	22mm	3m	0.7mm
39302	28mm	3m	0.8mm
39303	35mm	3m	1.0mm
39304	42mm	3m	1.1mm
39305	54mm	3m	1.2mm
39306	76mm	3m	1.5mm
39359	89mm	3m	2.0mm
39307	108mm	3m	2.0mm
39100	15mm	6m	0.6mm
39101	22mm	6m	0.7mm
39102	28mm	6m	0.8mm
39103	35mm	6m	1.0mm
39104	42mm	6m	1.2mm
39105	54mm	6m	1.2mm
39106	76mm	6m	1.5mm
39109	89mm	6m	2.0mm
39107	108mm	6m	2.0mm

Heavy Duty Rotary Tube Cutter



STOCK NO.	SIZE
14057	REMS Cu-Inox 6-64mm
14058	REMS Cu-Inox 64-120mm

STAINLESS STEEL PRESS FITTINGS

Coupler



STOCK NO.	SIZE
29439	15mm
29440	22mm
29441	28mm
29442	35mm
29443	42mm
29444	54mm
29445	76mm
29446	89mm
29447	108mm

Slip Coupler



STOCK NO.	SIZE
29448	15mm
29449	22mm
29450	28mm
29451	35mm
29452	42mm
29453	54mm
29454	76mm
29455	89mm
29456	108mm

Multiport Coupler



STOCK NO.	SIZE
29557	76mm x 1/2" - 2 Port
29558	89mm x 1/2" - 3 Port
29559	108mm x 3/4" - 4 Port

Fitting Reducer



STOCK NO.	SIZE
29459	22mm x 15mm
29460	28mm x 15mm
29461	28mm x 22mm
29462	35mm x 22mm
29463	35mm x 28mm
29464	42mm x 22mm
29465	42mm x 28mm
29466	42mm x 35mm
29467	54mm x 28mm
29468	54mm x 35mm
29469	54mm x 42mm
29470	76mm x 54mm
29471	89mm x 54mm
29472	89mm x 76mm
29473	108mm x 54mm
29474	108mm x 76mm
29475	108mm x 89mm

STAINLESS STEEL PRESS FITTINGS

FxF 90° Elbow



STOCK NO.	SIZE
29317	15mm
29318	22mm
29319	28mm
29320	35mm
29321	42mm
29322	54mm
29323	76mm
29324	89mm
29325	108mm

FxF 45° Elbow



STOCK NO.	SIZE
29346	15mm
29347	22mm
29348	28mm
29349	35mm
29350	42mm
29351	54mm
29353	76mm
29354	89mm
29355	108mm

MxF 90° Elbow



STOCK NO.	SIZE
29308	15mm
29309	22mm
29310	28mm
29311	35mm
29312	42mm
29313	54mm
29314	76mm
29315	89mm
29316	108mm

MxF 45° Elbow



STOCK NO.	SIZE
29336	15mm
29337	22mm
29338	28mm
29339	35mm
29340	42mm
29341	54mm
29343	76mm
29344	89mm
29345	108mm

STAINLESS STEEL PRESS FITTINGS

Equal Tee



STOCK NO.	SIZE
29376	15mm
29377	22mm
29378	28mm
29379	35mm
29380	42mm
29381	54mm
29382	76mm
29383	89mm
29384	108mm

Reducing Tee



STOCK NO.	SIZE (END X CENTRE X END)
29385	22mm x 15mm x 15mm
29386	22mm x 15mm x 22mm
29387	28mm x 15mm x 28mm
29388	28mm x 22mm x 22mm
29389	28mm x 22mm x 28mm
29390	35mm x 15mm x 35mm
29391	35mm x 22mm x 35mm
29392	35mm x 28mm x 35mm
29393	42mm x 22mm x 42mm
29394	42mm x 28mm x 42mm
29395	42mm x 35mm x 42mm
29396	54mm x 22mm x 54mm
29397	54mm x 28mm x 54mm

Reducing Tee (cont.)



STOCK NO.	SIZE (END X CENTRE X END)
29398	54mm x 35mm x 54mm
29399	54mm x 42mm x 54mm
29400	76mm x 22mm x 76mm
29401	76mm x 28mm x 76mm
29402	76mm x 35mm x 76mm
29403	76mm x 42mm x 76mm
29404	76mm x 54mm x 76mm
29405	89mm x 22mm x 89mm
29406	89mm x 28mm x 89mm
29407	89mm x 35mm x 89mm
29408	89mm x 42mm x 89mm
29409	89mm x 54mm x 89mm
29410	89mm x 76mm x 89mm
29411	108mm x 22mm x 108mm
29412	108mm x 28mm x 108mm
29413	108mm x 35mm x 108mm
29414	108mm x 42mm x 108mm
29415	108mm x 54mm x 108mm
29416	108mm x 76mm x 108mm
29417	108mm x 89mm x 108mm

STAINLESS STEEL PRESS FITTINGS



Female Iron Tee

STOCK NO.	SIZE (END X CENTRE X END)	WRAS
29418	15mm x 1/2" x 15mm	Yes
29419	22mm x 1/2" x 22mm	Yes
29420	22mm x 3/4" x 22mm	Yes
29421	28mm x 1/2" x 28mm	Yes
29422	28mm x 3/4" x 28mm	Yes
29423	28mm x 1" x 28mm	Yes
29424	35mm x 1/2" x 35mm	Yes
29425	35mm x 3/4" x 35mm	Yes
29426	35mm x 1 1/4" x 35mm	Yes
29427	42mm x 1/2" x 42mm	No
29428	42mm x 3/4" x 42mm	No
29429	42mm x 1 1/2" x 42	No
29430	54mm x 1/2" x 54mm	No
29431	54mm x 3/4" x 54mm	Yes
29432	54mm x 2" x 54mm	Yes
29433	76mm x 3/4" x 76mm	Yes
29434	76mm x 2" x 76mm	Yes
29435	89mm x 3/4" x 89mm	Yes
29436	89mm x 2" x 89mm	Yes
29437	108mm x 3/4" x 108mm	Yes
29438	108mm x 2" x 108mm	Yes

Male Iron Elbow



STOCK NO.	SIZE
29370	15mm x 1/2"
29371	22mm x 3/4"
29372	28mm x 1"
29373	35mm x 1 1/4"
29374	42mm x 1 1/2"
29375	54mm x 2"

Female Iron Elbow



STOCK NO.	SIZE
29362	15mm x 1/2"
29363	22mm x 3/4"
29365	28mm x 3/4"
29366	28mm x 1"
29369	35mm x 1 1/4"

Wall Plate Elbow



STOCK NO.	SIZE
29530	15mm x 1/2" - Insulated
29531	15mm x 1/2"
29532	22mm x 3/4"

STAINLESS STEEL PRESS FITTINGS

Male Plug-In Adapter



STOCK NO.	SIZE
29259	15mm x 1/2"
29260	22mm x 1/2"
29261	22mm x 3/4"
29262	28mm x 1"

Female Plug-In Adapter



STOCK NO.	SIZE
29245	15mm x 1/2"
29246	22mm x 1/2"
29247	22mm x 3/4"
29248	28mm x 3/4"

Male Iron Coupler



STOCK NO.	SIZE
29476	15mm x 3/8"
29477	15mm x 1/2"
29478	15mm x 3/4"
29479	22mm x 1/2"
29480	22mm x 3/4"
29481	22mm x 1"
29482	28mm x 3/4"
29483	28mm x 1"
29484	35mm x 1"
29485	35mm x 1 1/4"
29486	42mm x 1 1/2"
29487	54mm x 2"
29488	76mm x 2 1/2"
29489	89mm x 3"
29490	108mm x 4"

Female Iron Coupler



STOCK NO.	SIZE
29491	15mm x 1/2"
29492	15mm x 3/4"
29493	22mm x 1/2"
29494	22mm x 3/4"
29495	22mm x 1"
29496	28mm x 3/4"
29497	28mm x 1"
29498	35mm x 1 1/4"
29499	42mm x 1 1/2"
29500	54mm x 2"

STAINLESS STEEL PRESS FITTINGS

Full Cross Over (Plain End)



STOCK NO.	SIZE
29356	15mm
29357	22mm
29358	28mm

Union Coupler - Flat Faced Seal



STOCK NO.	SIZE
29508	15mm
29509	22mm
29510	28mm
29511	35mm
29512	42mm
29513	54mm

End Cap



STOCK NO.	SIZE
29533	15mm
29534	22mm
29535	28mm
29536	35mm
29537	42mm
29538	54mm

Male Union - Flat Faced Seal



STOCK NO.	SIZE
29523	15mm x 1/2"
29524	15mm x 3/4"
29525	22mm x 3/4"
29526	28mm x 1"
29527	35mm x 1 1/4"
29528	42mm x 1 1/2"
29529	54mm x 2"

Female Union - Flat Faced Seal



STOCK NO.	SIZE
29514	15mm x 1/2"
29515	15mm x 3/4"
29516	22mm x 3/4"
29517	22mm x 1"
29518	28mm x 3/4"
29519	28mm x 1"
29520	35mm x 1 1/4"
29521	42mm x 1 1/2"
29522	54mm x 2"

STAINLESS STEEL PRESS FITTINGS

Crimping Flange

➤ 156/121/A4-45



STOCK NO.	SIZE	BOLT SIZE
29548	15mm x 1/2"	M12 x 50 (4)
29549	22mm x 3/4"	M12 x 65 (4)
29550	28mm x 1"	M12 x 65 (4)
29551	35mm x 1 1/4"	M12 x 65 (4)
29552	42mm x 1 1/2"	M12 x 65 (4)
29553	54mm x 2"	M16 x 60 (4)
29554	76mm x 2 1/2"	M16 x 60 (4)
29555	89mm x 3"	M16 x 65 (8)
29556	108mm x 4"	M16 x 70 (8)

STAINLESS STEEL THREADED FITTINGS

Hex Reducing Bush



STOCK NO.	SIZE
39611	1/4" x 1/8"
39612	3/8" x 1/4"
39613	1/2" x 1/4"
39614	1/2" x 3/8"
39615	3/4" x 1/2"
39616	1" x 1/2"
39617	1" x 3/4"
39618	1 1/4" x 1/2"
39619	1 1/4" x 1"
39620	1 1/2" x 1"
39621	1 1/2" x 1 1/4"
39622	2" x 1"
39623	2" x 1 1/4"
39682	1 1/4" x 3/4"
39683	1 1/2" x 1/2"
39684	1 1/2" x 3/4"
39685	2" x 1/2"
39686	2" x 3/4"
39687	2" x 1 1/2"

Plain Plug



STOCK NO.	SIZE
39624	1/2"
39625	3/4"
39626	1"
39627	1 1/4"
39628	1 1/2"
39629	2"

STAINLESS STEEL THREADED FITTINGS

Socket



STOCK NO.	SIZE
39652	1/2"
39653	3/4"
39654	1"
39655	1 1/4"
39656	1 1/2"
39657	2"

Hex Nipple



STOCK NO.	SIZE
39600	1/4"
39601	3/8"
39602	1/2"
39603	3/4"
39604	1"
39605	1 1/4"
39606	1 1/2"
39607	2"

90° Elbow



STOCK NO.	SIZE
39632	1/2"
39633	3/4"
39634	1"
39635	1 1/4"
39636	1 1/2"
39637	2"

Barrel Nipple



STOCK NO.	SIZE
39672	1/2"
39673	3/4"
39674	1"
39675	1 1/4"
39676	1 1/2"
39677	2"

Equal Tee



STOCK NO.	SIZE
39642	1/2"
39643	3/4"
39644	1"
39645	1 1/4"
39646	1 1/2"
39647	2"

Union



STOCK NO.	SIZE
39662	1/2"
39663	3/4"
39664	1"
39665	1 1/4"
39666	1 1/2"
39667	2"

STAINLESS PRESS GAS FITTINGS

Coupler



STOCK NO.	SIZE
39183	15mm
39184	22mm
39185	28mm
39186	35mm
39187	42mm
39188	54mm
39189	76mm
39190	108mm

Fitting Reducer



STOCK NO.	SIZE
39169	22mm x 15mm
39170	28mm x 15mm
39171	28mm x 22mm
39172	35mm x 22mm
39173	35mm x 28mm
39175	42mm x 28mm
39176	42mm x 35mm
39177	54mm x 28mm
39178	54mm x 35mm
39179	54mm x 42mm
39180	76mm x 54mm
39181	108mm x 54mm
39182	108mm x 76mm

FxF 90° Elbow



STOCK NO.	SIZE
39116	15mm
39117	22mm
39118	28mm
39119	35mm
39120	42mm
39121	54mm
39122	76mm
39123	108mm

FxF 45° Elbow



STOCK NO.	SIZE
39132	15mm
39133	22mm
39134	28mm
39135	35mm
39136	42mm
39137	54mm
39138	76mm
39139	108mm

MxF 90° Elbow



STOCK NO.	SIZE
39114	76mm
39115	108mm

STAINLESS PRESS GAS FITTINGS

MxF 45° Elbow



STOCK NO.	SIZE
39131	108mm x 4"

Equal Tee



STOCK NO.	SIZE
39140	15mm
39141	22mm
39142	28mm
39143	35mm
39144	42mm
39145	54mm
39146	76mm
39147	108mm

Reducing Tee



STOCK NO.	SIZE (END X CENTRE X END)
39163	76mm x 54mm x 76mm
39168	108mm x 76mm x 108mm

Female Iron Tee



STOCK NO.	SIZE
39212	15mm x 1/2" x 15mm
39213	22mm x 1/2" x 22mm
39215	28mm x 1/2" x 28mm
39218	35mm x 1/2" x 35mm
39222	42mm x 3/4" x 42mm
39225	54mm x 3/4" x 54mm
39227	76mm x 3/4" x 76mm
39229	108mm x 3/4" x 108mm

Male Iron Coupler



STOCK NO.	SIZE
39232	15mm x 1/2"
39235	22mm x 3/4"
39238	28mm x 1"
39239	35mm x 1"
39240	35mm x 1 1/4"
39241	42mm x 1 1/2"
39242	54mm x 2"
39243	76mm x 2 1/2"
39244	108mm x 4"

Female Iron Coupler



STOCK NO.	SIZE
39249	15mm x 1/2"
39252	22mm x 3/4"
39255	28mm x 1"
39256	35mm x 1 1/4"
39257	42mm x 1 1/2"
39258	54mm x 2"

Stainless Gas Crimping Flange



STOCK NO.	SIZE
39125	76mm x 2 1/2"
39127	108mm x 4"



Multi-Layer Press

The Brymec Multi-layer Composite Press-fit system offers a reliable solution, ideal for supplying hygienic drinking water, or for connecting heating and cooling systems for residential, commercial, industrial, and healthcare applications.

The Multi-layer Composite Pipe system brings together the benefits of both plastic and metal pipes, whilst removing the weaknesses inherent in each of the two materials.

The flexible pipe adapts easily to the twists, turns, and contours of any building design, eliminating the need for additional fittings at every change in direction. Fewer fittings mean reduced installation time and cost, while also enhancing overall system security.



- **REACTION TO FIRE** – Market leading fire performance of C-s2, d0 to BS EN13501-1
- **FAST INSTALLATION** – Just 4 simple steps to a guaranteed, watertight connection
- **PIPE DEPTH WINDOWS** – 4 observation windows to check the correct depth of the pipe, visible from any position, even when the jaws are located onto the fitting
- **PRE-INSULATED COILS** - Huge saving of time and money, whilst providing a high-performance system
- **UN-PRESSED, UN-TIGHT** – Unpressed connections are designed to weep when the system is filled. Once pressed, double O-ring seals provide a strong, durable, watertight connection
- **TRAINING** - Included in the Brymec press fit training session

FEATURES

- Pipe sizes 16-90mm
- Reaction to fire C-s2, d0 to BS EN13501-1
- Manufactured to BS EN 21003
- WRAS approved
- Safe, flame free connections
- Pre-insulated coils - BI-s1, d0 to BS EN13501-1
- Suitable for DHW recirculating systems

SCAN TO DOWNLOAD THE BRYMEC MULTILAYER PRESS TECHNICAL MANUAL AND DATA SHEETS.



MULTI-LAYER PRESS-FIT PIPE & FITTINGS

Straight Pipe



STOCK NO.	SIZE	LENGTH
51006	16mm	5m
51007	20mm	5m
51005	25mm	5m
51009	32mm	5m
51010	40mm	5m
51011	50mm	5m
51012	63mm	5m
51013	75mm	5m
51014	90mm	5m

Coiled Insulated Pipe

- BL-s1, d0 fire rated
- 13mm insulation



STOCK NO.	SIZE	COLOUR	LENGTH
50980	16mm	Black	50m
50981	20mm	Black	50m
50982	25mm	Black	50m
50992	32mm	Black	50m

Coiled Pipe



STOCK NO.	SIZE	LENGTH
51000	16mm	100m
51002	20mm	100m
51001	25mm	50m
51004	32mm	50m

Coupler



STOCK NO.	SIZE
51019	16mm
51020	20mm
51018	25mm
51022	32mm
51023	40mm
51024	50mm
51025	63mm
51026	75mm
51027	90mm

MULTI-LAYER PRESS-FIT FITTINGS

Reducing Coupler



STOCK NO.	SIZE
51028	20mm x 16mm
51040	25mm x 16mm
51038	25mm x 20mm
51031	32mm x 16mm
51032	32mm x 20mm
51039	32mm x 25mm
51035	40mm x 32mm
51036	50mm x 32mm
51037	50mm x 40mm

FxF 45° Elbow



STOCK NO.	SIZE
51053	40mm
51054	50mm
51055	63mm
51056	75mm
51057	90mm

FxF 90° Elbow



STOCK NO.	SIZE
51044	16mm
51045	20mm
51043	25mm
51047	32mm
51048	40mm
51049	50mm
51050	63mm
51051	75mm
51052	90mm

Equal Tee



STOCK NO.	SIZE
51058	16mm
51059	20mm
51042	25mm
51061	32mm
51062	40mm
51063	50mm
51064	63mm
51065	75mm

MULTI-LAYER PRESS-FIT FITTINGS

Reducing Tee



STOCK NO.	SIZE (END X END X CENTRE)
51140	16mm x 16mm x 20mm
51142	20mm x 16mm x 16mm
51121	20mm x 20mm x 16mm
51137	20mm x 20mm x 25mm
51147	25mm x 20mm x 20mm
51124	25mm x 25mm x 16mm
51125	25mm x 25mm x 20mm
51129	32mm x 32mm x 20mm
51130	32mm x 32mm x 25mm
51145	40mm x 32mm x 32mm
51135	40mm x 40mm x 32mm
51138	50mm x 50mm x 32mm
51139	50mm x 50mm x 40mm
51146	63mm x 63mm x 32mm
51148	63mm x 63mm x 50mm
51150	75mm x 75mm x 50mm
51153	90mm x 90mm x 63mm

Female Iron Tee



STOCK NO.	SIZE
51155	16mm x 1/2"
51156	20mm x 1/2"
51157	25mm x 3/4"

Male Iron Coupler



STOCK NO.	SIZE
51081	16mm x 1/2"
51083	20mm x 1/2"
51084	20mm x 3/4"
51082	25mm x 3/4"
51085	25mm x 1"
51088	32mm x 1"
51089	40mm x 1 1/4"
51090	50mm x 1 1/2"
51091	50mm x 2"
51092	63mm x 2"
51093	75mm x 2 1/2"
51094	90mm x 3"

Female Iron Coupler



STOCK NO.	SIZE
51067	16mm x 1/2"
51069	20mm x 1/2"
51070	20mm x 3/4"
51095	25mm x 3/4"
51068	25mm x 1"
51073	32mm x 1"
51074	40mm x 1 1/4"
51075	40mm x 1 1/2"
51076	50mm x 1 1/2"
51077	63mm x 2"
51078	63mm x 2 1/2"
51079	75mm x 2 1/2"
51080	90mm x 3"

MULTI-LAYER PRESS-FIT FITTINGS

Male Iron Elbow



STOCK NO.	SIZE
51096	16mm x 1/2"
51097	20mm x 1/2"
51098	20mm x 3/4"
51099	25mm x 1"

Female Iron Elbow



STOCK NO.	SIZE
51108	16mm x 1/2"
51107	20mm x 1/2"
51109	20mm x 3/4"
51105	25mm x 3/4"
51106	25mm x 1"

Wall Plate Elbow



STOCK NO.	SIZE
51171	16mm x 1/2"
51173	20mm x 3/4"

Chrome Radiator Pipe



STOCK NO.	SIZE (MULTILAYER X COPPER X LENGTH)
51176	16 x 15 x 50mm
51177	16 x 15 x 300mm

Copper Compression Adaptor



STOCK NO.	SIZE (MULTILAYER X COPPER)
51174	16mm x 15mm
51175	20mm x 22mm

MLCP to Copper Press Adaptor



STOCK NO.	SIZE (MULTILAYER X COPPER)
51178	16mm x 15mm
51179	20mm x 15mm
51180	20mm x 22mm
51181	25mm x 22mm

Reaming Tool



STOCK NO.	SIZE
51191	16 / 20 / 25mm
51192	20 / 25 / 32mm
51199	40 / 50 / 63mm

DISTRIBUTION MANIFOLDS

Hot and cold water manifold which allows the distribution of water around a property. A distribution manifold allows the isolation of an individual appliance or outlet at one central location.

Brass Distribution Manifold - 3/4" Outlet

➤ c/w zone iso. valves



STOCK NO.	SIZE
50955	3/4" 2 Port c/w zone iso. valves
50956	3/4" 3 Port c/w zone iso. valves
50957	3/4" 4 Port c/w zone iso. valves
50958	1" 2 Port c/w zone iso. valves
50959	1" 3 Port c/w zone iso. valves
50960	1" 4 Port c/w zone iso. valves

3/4" Eurocone Outlet Adaptor



STOCK NO.	SIZE
50961	15mm Copper pipe
50962	15mm Polybutylene PB
50963	16mm Multilayer MLCP
50964	20mm Multilayer MLCP

Manifold Blanking Plug




STOCK NO.	SIZE
50965	3/4"
50966	1"

Aluminium Slide Rail & Bracket



STOCK NO.	SIZE
50967	200mm Single rail
50968	400mm Double rail
50969	3/4" Brackets (Pair)
50970	1" Brackets (Pair)



Polybutylene Push-Fit

The Polybutylene Push-Fit system offers a WRAS approved, fast fit, flexible and adjustable system for domestic hot and cold-water services and central heating circulating systems.



APPROVALS AND RECOMMENDATIONS

- › Multiple pipework options include PB, Copper, and PEX
- › WRAS approved
- › Manufactured to ISO 9001 standard

FEATURES AND BENEFITS

- › Fully demountable and re-useable push-fit fittings
- › Integral twist-locking technology for secure leak-free joint
- › Indicator ring to show when fitting is fully installed
- › Flexible pipe allows fast installation
- › Double grip stainless steel grab
- › EPDM O-Ring
- › Barrier pipe with full EVOH oxygen barrier
- › Reduced weight over traditional systems therefore allows for easier handling

SCAN TO DOWNLOAD
THE BRYMEC
POLYBUTYLENE PUSH-FIT
MANUAL AND TECHNICAL
DATA SHEETS.



Cert. 4519020214

Cert. 288347018

Cert. 1315873

POLYBUTYLENE PUSH-FIT SYSTEM

Straight Pipe



STOCK NO.	SIZE	LENGTH
36030	15mm	3m
36031	22mm	3m
35702	28mm	3m

Coiled Pipe



STOCK NO.	SIZE	LENGTH
36033	15mm	25m
36034	15mm	50m
36035	15mm	100m
36036	22mm	25m
36037	22mm	50m
35708	28mm	25m
35709	28mm	50m

Coupler



STOCK NO.	SIZE
36040	15mm
36041	22mm
36042	28mm

Spigot Reducer



STOCK NO.	SIZE
36062	15mm x 10mm
36059	22mm x 15mm
36060	28mm x 22mm

Reducing Coupler



STOCK NO.	SIZE
36061	22mm x 15mm

FxF 90° Elbow



STOCK NO.	SIZE
36043	15mm
36044	22mm
36045	28mm

MxF 90° Elbow



STOCK NO.	SIZE
36046	15mm
36047	22mm

Equal Tee



STOCK NO.	SIZE
36048	15mm
36049	22mm
36050	28mm

POLYBUTYLENE PUSH-FIT SYSTEM

Reducing Tee



STOCK NO.	SIZE (END X END X CENTRE)
36058	15mm x 15mm x 22mm
36056	22mm x 15mm x 15mm
36051	22mm x 15mm x 22mm
36053	22mm x 22mm x 15mm
36057	28mm x 22mm x 22mm
36052	28mm x 22mm x 28mm
36054	28mm x 28mm x 22mm

Spigot End Tee



STOCK NO.	SIZE
36055	22mm x 22mm Spigot x 15mm

Male Iron Coupler



STOCK NO.	SIZE
36073	15mm x 1/2"
36074	22mm x 3/4"

Female Iron Coupler



STOCK NO.	SIZE
36076	15mm x 1/2"
36077	22mm x 3/4"

Wall Plate Elbow



STOCK NO.	SIZE
36090	15mm x 1/2"
36091	22mm x 3/4"

End Cap



STOCK NO.	SIZE
36083	15mm
36084	22mm
36085	28mm

Straight Tap Connector



STOCK NO.	SIZE
36066	15mm x 1/2"
36068	15mm x 3/4"
36067	22mm x 3/4"

Bent Tap Connector



STOCK NO.	SIZE
36072	15mm x 1/2"

POLYBUTYLENE PUSH-FIT FITTINGS

Tank Connector



STOCK NO.	SIZE
36063	15mm x 1/2"
36064	22mm x 3/4"

Isolation Valve



STOCK NO.	SIZE
36086	15mm

Pipe Insert



STOCK NO.	SIZE
36096	15mm
36097	22mm
36098	28mm

Washing Machine Valve



STOCK NO.	SIZE
36087	15mm x 3/4"

Manifold



STOCK NO.	SIZE
36104	22mm x 15mm 3 Port

Double Check Valve



STOCK NO.	SIZE
36088	15mm

Plastic Pipe Cutter



STOCK NO.	SIZE
30965	Up to 42mm



MDPE PIPE AND FITTINGS

WRAS approved MDPE pipe and fittings suitable for transporting water above and below ground. High impact construction. Simple and quick - no need to dismantle fittings.

Coiled Pipe



STOCK NO.	SIZE	LENGTH
35620	20mm	25m
35621	20mm	50m
35622	25mm	25m
35623	25mm	50m
35624	25mm	100m
35626	32mm	25m
35627	32mm	50m
35628	32mm	100m

Reducing Coupler



STOCK NO.	SIZE
35665	25mm x 20mm
35666	32mm x 25mm

FxF 90° Elbow



STOCK NO.	SIZE
35647	20mm
35648	25mm
35649	32mm

Coupler



STOCK NO.	SIZE
35641	20mm
35642	25mm
35643	32mm

MDPE To Push-Fit Adaptor Coupling



STOCK NO.	SIZE
35750	15mm x 20mm
35751	15mm x 25mm
35752	22mm x 25mm
35753	22mm x 32mm
35754	28mm x 32mm

Equal Tee



STOCK NO.	SIZE
35653	20mm
35654	25mm
35655	32mm

MDPE PIPE AND FITTINGS

Male Iron Coupler



STOCK NO.	SIZE
35682	20mm x 1/2"
35683	20mm x 3/4"
35684	25mm x 3/4"
35685	25mm x 1"
35686	32mm x 3/4"
35687	32mm x 1"

Wall Plate Elbow



STOCK NO.	SIZE
35679	20mm x 1/2"
35680	25mm x 3/4"

Pipe Insert



STOCK NO.	SIZE
35635	20mm (Plastic)
35636	25mm (Plastic)
35637	32mm (Plastic)
30157	20mm (Copper)
30158	25mm (Copper)

Female Iron Coupler



STOCK NO.	SIZE
35689	20mm x 1/2"
35690	20mm x 3/4"
35691	25mm x 3/4"
35692	25mm x 1"
35693	32mm x 3/4"
35694	32mm x 1"

End Cap



STOCK NO.	SIZE
35659	20mm
35660	25mm
35661	32mm

Stop Cock



STOCK NO.	SIZE
35674	20mm
35675	25mm
35676	32mm

Plastic Pipe Cutter



STOCK NO.	SIZE
30965	Up to 42mm

CSST (Corrugated Stainless Steel Tube)

Brymec CSST (Corrugated Stainless Steel Tube) flexible gas pipe system offers a reliable solution for the connection of appliances to a gas supply in residential, commercial, industrial, and healthcare applications.

Manufactured from high-quality annealed stainless steel, the flexible tube can easily be formed to the contours and bends of the building. No need to fit a connection each time there's a change of direction.

Providing a connection-free pipe length between the gas supply and the outlet uses fewer fittings, reduces time and cost, and ensures the highest level of system security.



- **FAST INSTALLATION** – Continuous pipe. No costly, time-consuming, in-line connections
- **JOINT SECURITY** – Single assembly compression fittings, with 'snap-fit' safety feature
- **NO SPECIALIST DUCTING** – CSST Duo comes with its own Integral Containment Sleeve for applications where protection is required for unventilated spaces
- **UV RESISTANT** – CSST can be installed in external environments
- **NO SPECIALIST TOOLING** – CSST connections are fast, reliable, and require only a few basic tools

FEATURES

- Pipe sizes DN15 - DN50
- Reaction to fire B-s1, d0 to BS EN13501-1
- Manufactured to BS EN 15266
- No hot works



SCAN TO DOWNLOAD THE BRYMEC CSST AND CSST DUO RANGE MANUAL AND TECHNICAL DATA SHEETS.



AN 080107
BS EN 12766 & PP1547

MS 78229
PP1666

Cert. 4559620224

Cert. 288163016

Cert. 10118075

CORRUGATED STAINLESS STEEL TUBING SYSTEM

Corrugated Gas Tube

BSI Kitemark 



STOCK NO.	SIZE
29019	DN15 x 30m
29020	DN15 x 75m
29022	DN20 x 30m
29023	DN20 x 75m
29024	DN25 x 30m
29025	DN25 x 45m
29026	DN25 x 75m
29028	DN32 x 45m
29029	DN32 x 75m
29031	DN40 x 45m
29033	DN50 x 45m

Contractor Kit

Includes x2 male adaptors and tube.



BSI Kitemark 

STOCK NO.	SIZE
29005	DN20 x 5m
29006	DN20 x 10m
29007	DN20 x 15m
29009	DN25 x 5m
29010	DN25 x 10m
29011	DN25 x 15m
29013	DN32 x 5m
29014	DN32 x 10m
29015	DN32 x 15m

THIS BRYMEC PRODUCT IS NOT MANUFACTURED BY AND HAS NO CONNECTION WITH GFS FLEX.

Male BSPT Adaptor

BSI Kitemark 



STOCK NO.	SIZE
29037	DN15 x 1/2"
29038	DN20 x 3/4"
29039	DN25 x 1"
29040	DN32 x 1 1/4"
29041	DN40 x 1 1/2"
29042	DN50 x 2"

Female BSPT Adaptor

BSI Kitemark 



STOCK NO.	SIZE
29067	DN15 x 1/2"
29069	DN20 x 3/4"

Duo Double Sleeve Gas Pipe Coil

BSI Kitemark 



STOCK NO.	SIZE	LENGTH
29043	DN20	30m
29044	DN25	30m
29045	DN32	30m
29046	DN15	75m
29047	DN20	75m
29048	DN15	30m
29049	DN25	75m
29050	DN32	75m
29051	DN40	30m
29052	DN40	75m
29053	DN50	30m
29054	DN50	75m

CORRUGATED STAINLESS STEEL TUBING SYSTEM

Straight Coupler

BSI Kitemark 



STOCK NO.	SIZE
29058	DN15
29059	DN20
29060	DN25
29061	DN32
29062	DN40
29063	DN50

Copper Compression Adaptor

BSI Kitemark 



STOCK NO.	SIZE
29071	DN15 x 15mm
29072	DN20 x 15mm
29073	DN20 x 22mm
29074	DN25 x 22mm
29075	DN25 x 28mm
29076	DN32 x 22mm
29078	DN32 x 28mm
29077	DN32 x 35mm

Heat Shrink Tube

STOCK NO.	SIZE	LENGTH
29081	DN15	30m
29082	DN20 + DN25	25m
29083	DN32 + DN40	25m



Yellow Flexible Ducting

For underground applications or where embedded in concrete.



STOCK NO.	SIZE
39092	DN20-DN32
39093	DN32-DN40
39094	DN50

Silicone Repair Tape

STOCK NO.	SIZE
39085	25mm



CSST Pipe Cutter

STOCK NO.	SIZE
29079	DN15-40



Insulation

Essential for the efficiency of any pipe system is the addition of the highest quality insulation.

Not only will the application of appropriate insulation ensure necessary regulations are met, but insulation is also necessary to protect the pipework from environmental corrosion.

For heating systems, correctly specified insulation will ensure the system operates with minimal losses resulting in a lower operational carbon performance. For domestic water services, insulation is vital to prevent unwanted heat losses, or heat gain, which can affect the hygienic nature of potable water.

From simple, cost-efficient Polyethylene, to high performance, flexible synthetic Rubber, Mineral Wool and Phenolic types of insulation, Brymec's huge range is available to suit almost all pipe sizes, and in a wide range of thicknesses.

FEATURES

- For pipe sizes ½" – 8"
- Wall thickness 9 - 40mm
- Ranges
 - Polyethylene
 - Nitrile Rubber
 - Mineral wool
 - Phenolic
- Available in 1m, 1.2m or 2m straight lengths
- Flexible Synthetic Rubber coils up to 15m



Cert. 459902024



Cert. 268347016



Cert. 1313072



INSULATION

Polyethylene Semi Slit Insulation

- 0.036 W/m*K @ 0°C
- Class E to BS EN 13501-1



STOCK NO.	PIPE OD	WALL THICKNESS	LENGTH
31501	15mm	9mm	2m
31502	22mm	9mm	2m
31503	28mm	9mm	2m
31504	35mm	9mm	2m
31505	42mm	9mm	2m
31511	15mm	13mm	2m
31512	22mm	13mm	2m
31513	28mm	13mm	2m
31514	35mm	13mm	2m
31515	42mm	13mm	2m
31517	54mm	13mm	2m
31522	15mm	19mm	2m
31523	22mm	19mm	2m
31524	28mm	19mm	2m
31525	35mm	19mm	2m
31526	42mm	19mm	2m
31533	15mm	25mm	2m
31534	22mm	25mm	2m
31535	28mm	25mm	2m
31536	35mm	25mm	2m
31537	42mm	25mm	2m
31548	42mm	30mm	2m
31550	54mm	30mm	2m

NITRILE INSULATION

High performance flexible Nitrile insulation with excellent thermal performance of 0.037 W/m*K @ 10°C, and a fire classification of BI-s2, d0 to BS EN 13501-1.

Flexible Nitrile Insulation - Pre-Slit



STOCK NO.	PIPE OD	WALL THICKNESS	LENGTH
31571	15mm	9mm	2m
31572	22mm	9mm	2m
31573	28mm	9mm	2m
31574	35mm	9mm	2m
31577	15mm	13mm	2m
31578	22mm	13mm	2m
31579	28mm	13mm	2m
31580	35mm	13mm	2m
31581	42mm	13mm	2m
31585	15mm	19mm	2m
31586	22mm	19mm	2m
31587	28mm	19mm	2m
31592	22mm	25mm	2m

Flexible Nitrile Insulation - Pre-Slit & Self-Adhesive



STOCK NO.	PIPE OD	WALL THICKNESS	LENGTH
31604	15mm	9mm	2m
31605	22mm	9mm	2m
31606	28mm	9mm	2m
31611	15mm	13mm	2m
31612	22mm	13mm	2m
31613	28mm	13mm	2m
31614	35mm	13mm	2m
31615	42mm	13mm	2m
31616	54mm	13mm	2m
31622	15mm	19mm	2m
31623	22mm	19mm	2m
31624	28mm	19mm	2m
31625	35mm	19mm	2m
31626	15mm	25mm	2m
31627	22mm	25mm	2m
31628	28mm	25mm	2m

Felt Wrap Around Pipe Lagging



STOCK NO.	SIZE
32057	7.2m

UNSLIT INSULATION

Unslit Insulation Lengths - 9mm Wall



STOCK NO.	PIPE OD	LENGTH
19051	10mm	2m
19053	15mm	2m
19055	22mm	2m
19056	28mm	2m
19057	35mm	2m
19058	42mm	2m

Unslit Insulation Lengths - 19mm Wall



STOCK NO.	PIPE OD	LENGTH
20500	10mm	2m
20502	15mm	2m
20504	22mm	2m
20505	28mm	2m
20506	35mm	2m
20507	42mm	2m
20508	54mm	2m

Unslit Insulation Lengths - 13mm Wall



STOCK NO.	PIPE OD	LENGTH
19066	10mm	2m
19068	15mm	2m
19070	22mm	2m
19071	28mm	2m
19072	35mm	2m
19073	42mm	2m
19074	54mm	2m
19075	67mm	2m

Unslit Insulation Lengths - 25mm Wall



STOCK NO.	PIPE OD	LENGTH
20516	15mm	2m
20518	22mm	2m
20519	28mm	2m
20520	35mm	2m
20521	42mm	2m
20522	54mm	2m

Unslit Insulation Coils - 9mm Wall



STOCK NO.	PIPE OD	LENGTH
19101	10mm	15m
19103	15mm	15m
19105	22mm	15m
19106	28mm	15m

Unslit Insulation Coils - 13mm Wall



STOCK NO.	PIPE OD	LENGTH
19109	10mm	15m
19111	15mm	15m
19113	22mm	15m
19114	28mm	15m

ACCESSORIES

Insulation Adhesive Tape



STOCK NO.	SIZE
19130	50mm x 15m




Lagging Paint - Black

STOCK NO.	SIZE
19137	2.5ltr

Lagging Adhesive



STOCK NO.	SIZE
19131	0.25ltr
19132	0.5ltr



PHENOLIC INSULATION

For the highest thermal performance of 0.025 W/m*K @ 10°C, Phenolic pipe insulation is considered as the best material for the most demanding of energy saving specifications. For fire safety, our Phenolic insulation is tested and classified as BI-s2, d0 to BS EN 13501-1.

Phenolic Pipe Insulation - 15mm Wall



STOCK NO.	SIZE	COPPER PIPE SIZE	STEEL PIPE SIZE	LENGTH
11550	15mm	15mm	3/8"	1m
11551	22mm	22mm	1/2"	1m
11552	28mm	28mm	3/4"	1m
11553	35mm	35mm	1"	1m
11554	42mm	42mm	1 1/4"	1m

Phenolic Pipe Insulation - 25mm Wall



STOCK NO.	SIZE	COPPER PIPE SIZE	STEEL PIPE SIZE	LENGTH
11575	15mm	15mm	3/8"	1m
11576	22mm	22mm	1/2"	1m
11577	28mm	28mm	3/4"	1m
11578	35mm	35mm	1"	1m
11579	42mm	42mm	1 1/4"	1m
11580	48mm	-	1 1/2"	1m
11581	54mm	54mm	-	1m
11582	60mm	-	2"	1m
11583	67mm	67mm	-	1m
11584	76mm	76mm	2 1/2"	1m
11585	89mm	89mm	3"	1m
11586	108mm	108mm	-	1m
11587	114mm	-	4"	1m
11588	140mm	-	5"	1m
11589	168mm	-	6"	1m
11590	219mm	-	8"	1m

Phenolic Pipe Insulation - 20mm Wall



STOCK NO.	SIZE	COPPER PIPE SIZE	STEEL PIPE SIZE	LENGTH
11562	15mm	15mm	3/8"	1m
11563	22mm	22mm	1/2"	1m
11564	28mm	28mm	3/4"	1m
11565	35mm	35mm	1"	1m
11566	42mm	42mm	1 1/4"	1m
11567	48mm	-	1 1/2"	1m
11568	54mm	54mm	-	1m
11569	60mm	-	2"	1m
11570	67mm	67mm	-	1m
11571	76mm	76mm	2 1/2"	1m
11572	89mm	89mm	3"	1m
11574	114mm	-	4"	1m

PHENOLIC INSULATION

Phenolic Pipe Insulation - 30mm Wall



STOCK NO.	SIZE	COPPER PIPE SIZE	STEEL PIPE SIZE	LENGTH
11591	15mm	15mm	3/8"	1m
11592	22mm	22mm	1/2"	1m
11593	28mm	28mm	3/4"	1m
11594	35mm	35mm	1"	1m
11595	42mm	42mm	1 1/4"	1m
11596	48mm	-	1 1/2"	1m
11597	54mm	54mm	-	1m
11598	60mm	-	2"	1m
11599	67mm	67mm	-	1m
11600	76mm	76mm	2 1/2"	1m
11601	89mm	89mm	3"	1m
11602	108mm	108mm	-	1m
11603	114mm	-	4"	1m
11604	140mm	-	5"	1m
11605	168mm	-	6"	1m
11606	219mm	-	8"	1m

Phenolic Pipe Insulation - 40mm Wall



STOCK NO.	SIZE	COPPER PIPE SIZE	STEEL PIPE SIZE	LENGTH
11534	28mm	28mm	3/4"	1m
11535	35mm	35mm	1"	1m
11536	42mm	42mm	1 1/4"	1m
11537	48mm	-	1 1/2"	1m
11538	54mm	54mm	-	1m
11539	60mm	-	2"	1m
11540	67mm	67mm	-	1m
11541	76mm	76mm	2 1/2"	1m
11542	89mm	89mm	3"	1m
11543	108mm	108mm	-	1m
11544	114mm	-	4"	1m
11545	140mm	-	5"	1m
11546	168mm	-	6"	1m
11547	219mm	-	8"	1m

MINERAL WOOL INSULATION

Mineral Wool Pipe Insulation - 20mm Wall



STOCK NO.	SIZE	COPPER PIPE SIZE	STEEL PIPE SIZE	LENGTH
11617	15mm	15mm	3/8"	1.2m
11618	22mm	22mm	1/2"	1.2m
11619	28mm	28mm	3/4"	1.2m
11620	35mm	35mm	1"	1.2m
11621	42mm	42mm	1 1/4"	1.2m
11622	48mm	-	1 1/2"	1.2m
11623	54mm	54mm	-	1.2m
11624	60mm	-	2"	1.2m

Mineral Wool Pipe Insulation - 25mm Wall



STOCK NO.	SIZE	COPPER PIPE SIZE	STEEL PIPE SIZE	LENGTH
11625	15mm	15mm	3/8"	1.2m
11626	22mm	22mm	1/2"	1.2m
11627	28mm	28mm	3/4"	1.2m
11628	35mm	35mm	1"	1.2m
11629	42mm	42mm	1 1/4"	1.2m
11630	48mm	-	1 1/2"	1.2m
11631	54mm	54mm	-	1.2m
11632	60mm	-	2"	1.2m
11658	67mm	67mm	-	1.2m
11633	76mm	76mm	2 1/2"	1.2m
11635	89mm	89mm	3"	1.2m
11636	108mm	108mm	-	1.2m
11637	114mm	-	4"	1.2m
11638	140mm	-	5"	1.2m
11639	168mm	-	6"	1.2m

MINERAL WOOL INSULATION

Mineral Wool Pipe Insulation - 30mm Wall



STOCK NO.	SIZE	COPPER PIPE SIZE	STEEL PIPE SIZE	LENGTH
11640	15mm	15mm	3/8"	1.2m
11641	22mm	22mm	1/2"	1.2m
11642	28mm	28mm	3/4"	1.2m
11643	35mm	35mm	1"	1.2m
11644	42mm	42mm	1 1/4"	1.2m
11645	48mm	-	1 1/2"	1.2m
11646	54mm	54mm	-	1.2m
11647	60mm	-	2"	1.2m
11655	67mm	67mm	-	1.2m
11648	76mm	76mm	2 1/2"	1.2m
11650	89mm	89mm	3"	1.2m
11651	108mm	108mm	-	1.2m
11652	114mm	-	4"	1.2m
11653	140mm	-	5"	1.2m
11654	168mm	-	6"	1.2m

Mineral Wool Pipe Insulation - 40mm Wall



STOCK NO.	SIZE	COPPER PIPE SIZE	STEEL PIPE SIZE	LENGTH
11488	15mm	15mm	3/8"	1.2m
11489	22mm	22mm	1/2"	1.2m
11490	28mm	28mm	3/4"	1.2m
11491	35mm	35mm	1"	1.2m
11492	42mm	42mm	1 1/4"	1.2m
11493	48mm	-	1 1/2"	1.2m
11494	54mm	54mm	-	1.2m
11495	60mm	-	2"	1.2m
11657	67mm	67mm	-	1.2m
11496	76mm	76mm	2 1/2"	1.2m
11497	89mm	89mm	3"	1.2m
11498	108mm	108mm	-	1.2m
11499	114mm	-	4"	1.2m
11500	140mm	-	5"	1.2m
11501	168mm	-	6"	1.2m

Aluminium Foil Duct Tape



STOCK NO.	SIZE
08457	48mm x 45m
08458	72mm x 45m
08461	96mm x 45m

Plant Room Equipment

As a turn-key solutions manufacturer and supplier, we offer a comprehensive and growing range of products to support a dedicated plant room offering.

This category continues to expand, so for the most up-to-date product range, simply head to our dedicated plantroom page via the [QR code below](#).



Plant Room Equipment

Essential to every successful project is the selection of the best equipment to fit into the beating heart of the building, the plantroom.

Brymec have selected a range of products, manufactured to industry leading standards, to provide a one stop solution for your all your essential plantroom equipment.

PRODUCT RANGES

- › Plate Heat Exchangers
- › Booster Sets
- › Circulation Pumps
- › Air & Dirt Separators
- › Low Loss Headers
- › Dosing Pots
- › In Line and Side Stream Filtration
- › Water Treatment & Chemicals
- › Expansion Vessels
- › Expansion Bellows
- › Gauges
- › Cold Water Meters
- › Tundishes
- › Valve Insulation Jackets
- › Electric Water Heaters
- › Flexible Tap Connectors



Cert. 459902024



Cert. 288347018



Cert. 1313072



Plate Heat Exchangers

At Brymec we're proud to have acquired Stokvis Energy Systems, a highly respected manufacturer of Plate Heat Exchangers and other Energy System Products.

This premium brand allows us to support projects with modern energy systems, particularly district heat networks.

Our key product lines include:

- Gasketed Plate Heat Exchangers
- Brazed Plate Heat Exchangers
- Packaged Plate Heat Exchangers
- The Econostore
- Buffer Vessels



Our Brymec Technical team can assist with specification support, calculation and sizing, site surveys, and quotations.

For more information, please contact our sales team on: **0333 000 5555** or **sales@brymec.com**

To browse the most up-to-date product range, head to the Plate Heat Exchanger zone via the QR code.



BOOSTER PUMP SETS

DAB ESYBOX Compact Booster Pump Set

- Up to 120l/min
- 230V

Optional dock can be supplied to create a twin booster unit



STOCK NO.	DESCRIPTION	CONNECTION	MAX PRESSURE	VOLTAGE	POWER
35056	ESYBOX Booster Pump	1" BSP	8 Bar	230V	1550W Max

DAB ESY Cold Water Storage Tank

(Picture shows the two parts Tank and Pump together)



DAB ESY CAT5 Mini Booster Pump Set



STOCK NO.	DESCRIPTION
35057	DAB ESYTANK 500lt storage tank c/w mains fill valve

STOCK NO.	DESCRIPTION
35064	DAB B-Tank CAT5 Mini Booster Pump Break Tank Open Frame

CIRCULATION PUMPS

Electronic Heating Circulator Pump - DAB EVOSTA3

- 5 Year Warranty
- Pumped liquid temp -10°C to +110°C
- Install with horizontal motor axis
- 35W Max
- 0.4 to 4.2 m³/h flow



STOCK NO.	DESCRIPTION	CENTRE DISTANCE	CONNECTIONS	VOLT	POWER	MAX HEAD
35010	Circulator 60 / 130mm	130mm	1 1/2"	230V	10 Bar	8m

CIRCULATION PUMPS

Electronic Hot Water Circulator Pump - DAB EVO VS

- Single model to replace all 4, 5 and 6m head pumps for hot water circulation
- Bronze body
- Pumped liquid temperature -10°C to +85°C
- Install with horizontal motor axis
- Speed 1/37 W, 2/59 W, 3/78 W
- 0.6 to 3.7 m³/h flow



STOCK NO.	DESCRIPTION	CENTRE DISTANCE	CONNECTIONS	VOLT	POWER	MAX HEAD
35011	Circulator 65/150mm	150mm	1 1/2"	230V	10 Bar	6m



DAB Evoplus Pump

STOCK NO.	DESCRIPTION
35019	Dab Evoplus 60/180M 1ph Pump
35021	Dab Evoplus 80/180M 60150940



Nova Box 30/3001

STOCK NO.	DESCRIPTION
35027	Nova Box 30/3001



Pump Union

STOCK NO.	SIZE	MATERIAL
35092	1 1/2" (1" Female Spigot x 1 1/2" Loose Nut)	Bronze
35093	1 1/2" (1" Female Spigot x 1 1/2" Loose Nut)	Black Iron
35094	2" (1 1/4" Female Spigot x 2" Loose Nut)	Black Iron
35095	2" (1 1/4" Female Spigot x 2" Loose Nut)	Bronze



Pump Valve - Gate Type

STOCK NO.	DESCRIPTION
30806	22mm x 1 1/2"
30807	28mm x 1 1/2"

AIR & DIRT SEPARATORS

Inline Air & Dirt Separators - FxP



STOCK NO.	SIZE
41101	1/2"
41102	3/4"
41103	1"
41104	1 1/4"

Inline Air & Dirt Separators - Flanged



➤ PN10/16

STOCK NO.	SIZE
41107	2"/DN50
41108	2 1/2"/DN65
41109	3"/DN80
41110	4"/DN100
41111	5"/DN125
41112	6"/DN150

Air & Dirt Separator Magnetic Filter



➤ c/w dosing point

STOCK NO.	SIZE
41120	1/2"
41121	3/4"
41122	1"
41123	1 1/4"
41124	1 1/2"
41125	2"

Low Loss Headers

A low-loss header, also known as a hydraulic separator or low-loss manifold, is a device used in heating systems to separate the primary and secondary circuits hydraulically.

This separation allows for optimal flow rates in both circuits, ensuring efficient heat transfer and system performance.

Our range of Low Loss Headers includes popular sizes from 1" to 2" available for standard order.

If you require sizes above 2", get in touch with our technical team for a custom quote.

SIMPLY SCAN THE QR CODE
TO START YOUR ENQUIRY.



DOSING POTS



Dosing Pot

STOCK NO.	SIZE	DISCHARGE PRESSURE
41000	3.5 ltr - 1/2" Inlet/Outlet connections	10 Bar
41002	6.0 ltr - 1/2" Inlet/Outlet connections	10 Bar
41004	11 ltr - 1/2" Inlet/Outlet connections	10 Bar
41007	15 ltr - 1/2" Inlet/Outlet connections	10 Bar
41010	25 ltr - 1/2" Inlet/Outlet connections	7 Bar
41011	30 ltr - 1" Inlet/Outlet connections	8 Bar
41012	40 ltr - 1" Inlet/Outlet connections	8 Bar
41014	50 ltr - 1" Inlet/Outlet connections	8 Bar



In Line and Side Stream Filtration

At Brymec, we supply high-performance in-line and side-stream filtration systems, available on request to support your water treatment and HVAC system needs.

These filtration solutions are essential for maintaining clean, efficient, and long-lasting closed-loop systems. They work by removing suspended solids, sludge, and debris that can accumulate over time, helping to:

- Prevent blockages and corrosion
- Improve heat transfer efficiency
- Extend the life of pumps, valves, and heat exchangers
- Reduce maintenance costs and system downtime

TAILORED TO YOUR PROJECT

We offer a wide range of filtration options to suit different system sizes, flow rates, and contamination levels. Our team is here to help you select the right solution for your application.



SCAN THE QR CODE
TO SUBMIT YOUR
ENQUIRY FORM.

WATER TREATMENT & CHEMICALS

Fernox LS-X Leak Sealer



STOCK NO.	SIZE
32039	50ml

Electrolytic Scale Inhibitors



STOCK NO.	SIZE
32090	15mm Calglow
32091	22mm Calglow

Calmag Heating System Filter



STOCK NO.	SIZE
32094	22mm

Central Heating Chemical Concentrate



- Dose 100ltr/10 rads

STOCK NO.	SIZE
32096	C1 System Inhibitor/Protector
32099	C6 System Power Flush

Commercial Catalytic Conditioner

- Stainless 316
- Max 16 Bar



STOCK NO.	SIZE
32126	3/4"
32127	1"
32128	1 1/4"
32129	1 1/2"
32130	2"

Flanged Catalytic Conditioner

- Stainless 316
- Max 16 Bar



STOCK NO.	SIZE
32132	2"
32133	2 1/2"
32134	3"
32135	4"

EXPANSION VESSELS & ACCESSORIES

Potable Water Expansion Vessel

› Wall Mounted



STOCK NO.	SIZE	INLET CONNECTION	MOUNTING
30958	2ltr	1/2"	Wall Mount
27461	19ltr	3/4"	Wall Mount
27462	24ltr	3/4"	Wall Mount
27463	35ltr	3/4"	Wall Mount

Flow Through Valve for Expansion Vessel

› Anti-legionella device



STOCK NO.	SIZE
27459	3/4"

Expansion Vessel Wall Bracket



STOCK NO.	SIZE
30956	Expansion Vessel Mounting Bracket Kit (up to 25lt)

Heating Expansion Vessel



STOCK NO.	SIZE	INLET CONNECTION	MOUNTING
30947	8ltr	3/4"	Wall Mount
30948	12ltr	3/4"	Wall Mount
30949	18ltr	3/4"	Wall Mount
30950	24ltr	3/4"	Wall Mount
30951	35ltr	3/4"	Floor Standing
30992	50ltr	3/4"	Floor Standing
30954	80ltr	1"	Floor Standing
30955	100ltr	1"	Floor Standing
30993	300ltr	1"	Floor Standing
30994	500ltr	1"	Floor Standing
30995	1000ltr	1"	Floor Standing

Expansion Vessel Control Kit



STOCK NO.	SIZE
30957	Expansion Vessel Control Kit

EXPANSION BELLOWS

Screwed Flexible Connector

- › Heating/Chilled
- › 16 Bar rated
- › -20°C to +100°C
- › EPDM



STOCK NO.	SIZE
38978	1/2"
38979	3/4"
38980	1"
38981	1 1/4"
38982	1 1/2"
38983	2"

PN16 Flanged Flexible Connector

- › Heating/Chilled
- › 16 Bar rated
- › -20°C to +100°C
- › EPDM



STOCK NO.	SIZE
38984	1 1/4"
38985	1 1/2"
38986	2"
38987	2 1/2"
38988	3"
38989	4"
38990	5"
38991	6"

PN16 Tied Flanged Flexible Connector

- › Heating/Chilled
- › 16 Bar rated
- › -20°C to +100°C
- › EPDM



STOCK NO.	SIZE
38993	1 1/2"
38994	2"
38995	2 1/2"
38996	3"
38997	4"
38998	5"
38999	6"

MxM Stainless Flexible Pump Connector

› BSP Thread



STOCK NO.	SIZE
35080	3/4"
35081	1"
35082	1 1/4"
35083	1 1/2"
35084	2"
35085	2 1/2"

EXPANSION BELLOWS

PN16 Stainless Tied Flanged Pump Connector



STOCK NO.	SIZE
35086	2"
35087	2 1/2"
35088	3"
35089	4"
35090	5"
35091	6"

Flanged Axial Expansion Bellow

► PN16 Flanged Connection



STOCK NO.	SIZE
39569	2"
39570	2 1/2"
39571	3"
39572	4"
39573	5"
39574	6"

MxM Axial Expansion Bellow

- BSP Threaded Connection
- Stainless Steel



STOCK NO.	SIZE
39561	3/4"
39562	1"
39563	1 1/4"
39564	1 1/2"
39565	2"
39566	2 1/2"

GAUGES

Pressure Gauge - 50mm Dia.



► 1/4" Connection

STOCK NO.	SIZE
36151	0-4 Bar - 1/4" Bottom Connection
36152	0-6 Bar - 1/4" Bottom Connection
36154	0-10 Bar - 1/4" Bottom Connection
36156	0-21 Bar - 1/4" Bottom Connection
36150	0-4 Bar - 1/4" Back Connection
36153	0-6 Bar - 1/4" Back Connection

Pressure Gauge - 100mm Dia. 3/8" Connection - c/w Calibration Certificate



STOCK NO.	SIZE	PRESSURE RANGE
31189	3/8" Bottom Connection	0-10 Bar

Brass Gauge Cock Valves



► Max Pressure 10 Bar

STOCK NO.	SIZE	MAX PRESSURE
31178	3/8"	10 Bar
31240	1/2"	10 Bar

Pressure Gauge - 100mm Dia.



► 3/8" connection

STOCK NO.	SIZE
31169	0-4 Bar - 3/8" Bottom Connection
31170	0-6 Bar - 3/8" Bottom Connection
31172	0-10 Bar - 3/8" Bottom Connection
31184	0-21 Bar - 3/8" Bottom Connection
31185	0-25 Bar - 3/8" Bottom Connection
31171	0-6 Bar - 3/8" Back Connection
31173	0-10 Bar - 3/8" Back Connection

U Pattern Syphon



► Max Pressure 10 Bar

STOCK NO.	SIZE	MAX PRESSURE
31174	3/8" - Stainless	10 Bar
31175	3/8" - Steel	10 Bar
31236	1/2" - Stainless	10 Bar
31237	1/2" - Steel	10 Bar

Ring Pattern Syphon



► Max Pressure 10 Bar

STOCK NO.	SIZE	MAX PRESSURE
31176	3/8" - Stainless	-
31177	3/8" - Steel	10 Bar
31239	1/2" - Steel	10 Bar

GAUGES

Temperature Gauge -100mm



STOCK NO.	SIZE	TEMPERATURE RANGE
31179	1/2" Bottom x 50mm Stem	0-120°C
31241	1/2" Bottom x 50mm Stem	-30+50°C
31243	1/2" Bottom x 50mm Stem	0-250°C
31181	1/2" Bottom x 100mm Stem	0-120°C
31180	1/2" Back x 50mm stem	0-120°C
31245	1/2" Back x 50mm Stem	-30+50°C
31182	1/2" Back x 100mm Stem	0-120°C

Temperature & Pressure Gauge - 80mm



- 0-120°C Temperature Range
- 0-6 Bar Pressure Range

STOCK NO.	SIZE	TEMP RANGE	PRESSURE RANGE
36191	80mm - 1/2" Back x 63mm	0 - 120°C	0 - 6 Bar
36192	80mm - 1/2" Bottom x 63mm	0 - 120°C	0 - 6 Bar

Altitude Gauge - 100mm



- 3/8" Base Connection

STOCK NO.	SIZE
31216	0-30ft / 0-10m
31218	0-80ft / 0-25m
31228	0-2.5 Bar / 0-25m

Thermometer Pockets



STOCK NO.	SIZE
36193	1/2" BSP x 50mm

Surface Contact Temperature Gauge



STOCK NO.	SIZE	TEMPERATURE RANGE
31269	63mm c/w spring retainer	0-120°C

COLD WATER METERS

Cold Water Meter - Pulsed



STOCK NO.	SIZE
36195	1/2"
36196	3/4"
36197	1"
36198	1 1/4"
36199	1 1/2"

Water Meter Assemblies



STOCK NO.	SIZE
30967	3/4" (no Meter)
30968	1" (no Meter)
30946	3/4" Water Meter Carrier MxM c/w 1 1/2" blanking cap & seal

Cold Water Meter - Non Pulsed

- c/w unions



STOCK NO.	SIZE
36187	1/2"
36188	3/4"
36189	1"
36190	1 1/4"
36184	1 1/2"



TUNDISHES



Tundish - Straight

STOCK NO.	INLET SIZE	OUTLET SIZE	TYPE
36166	15mm	22mm	Plastic
36168	22mm	28mm	Plastic
36162	1/2" Female	3/4" Male	Plastic
36164	3/4" Female	3/4" Female	Aluminium
36165	1 1/4" Female	1 1/4" Female	Aluminium



Tundish - Angled

STOCK NO.	INLET SIZE	OUTLET SIZE	TYPE
36157	1/2" Male	3/4" Male	Plastic
36161	1" Male	1" Male	Aluminium



Dry Trap Tundish with Check Valve

STOCK NO.	INLET SIZE	OUTLET SIZE
36175	15mm	22mm

Valve Insulation Jackets

Valve insulation jackets play a crucial role across a range of applications, including chilled water, heating, steam lines, process piping, and storage tanks.

In addition to our standard pipe and fitting insulation, we offer made-to-order valve insulation jackets with a typical lead time of 1–2 weeks.

**SUBMIT YOUR ENQUIRY
HERE TO GET STARTED:**



ELECTRIC WATER HEATERS

Unvented Hot Water Undersink Heater



- Power rating - 2kW

STOCK NO.	CAPACITY
36401	5ltr
36402	10ltr
36403	15ltr

Unvented Hot Water Multipoint Heater



STOCK NO.	SIZE
36421	30ltr
36422	50ltr

Installation Accessory Kit

- 15mm chrome isolating valve
- 2 x 15mm x 1/2" female irons
- 15mm tundish



STOCK NO.	DESCRIPTION
36413	Installation Accessory Kit

Optional Accessory Kit (SF3)



- 2ltr expansion vessel
- 15mm single check valve

STOCK NO.	DESCRIPTION
36410	SF3 Accessory Kit

Optional Accessory Kit (SF4)



- 15mm / 22mm pressure reducing valve
- 2ltr expansion vessel
- 15mm single check valve

STOCK NO.	DESCRIPTION
36411	SF4 Accessory Kit



FLEXIBLE TAP CONNECTORS

Filling Loop



STOCK NO.	DESCRIPTION	WRAS
30905	15mm Filling Loop	No
30906	15mm Filling Loop c/w Cap & Handle WRAS	Yes
30907	15mm Filling Loop - Tee	No
30908	Filling Loop Cap & Retainer 1/2"	Yes

Flexible Tap Connector



STOCK NO.	SIZE	BORE	LENGTH	WRAS
30925	15mm x 1/2"	Standard	30cm	Yes
30909	15mm x 1/2"	Standard	50cm	Yes
30913	15mm x 1/2"	Full Bore	30cm	Yes
30917	15mm x 3/4"	Standard	30cm	Yes
30927	15mm x 3/4"	Full Bore	30cm	Yes
30911	15mm x 3/4"	Standard	50cm	Yes
30928	22mm x 3/4"	Standard	30cm	Yes
30903	22mm x 3/4"	Full Bore	50cm	Yes
30914	15mm x 1/2"	Standard	30cm	No
30904	15mm x 1/2"	Full Bore	50cm	No
30918	22mm x 1/2"	Standard	30cm	No
30942	22mm X 3/4"	Standard	50cm	Yes

Flexible Tap Connector with Isolating Valve



STOCK NO.	SIZE	BORE	LENGTH
30924	15mm x 1/2"	Standard	30cm
30921	22mm x 3/4"	Standard	30cm

FLEXIBLE TAP CONNECTORS

CxC Flexible Connector



STOCK NO.	SIZE	BORE	LENGTH	WRAS
30926	15mm x 15mm	Standard	30cm	Yes
30934	15mm x 15mm	Standard	50cm	No
30929	15mm x 15mm	Full Bore	30cm	No
30933	15mm x 15mm	Full Bore	50cm	No
30932	22mm x 22mm	Standard	30cm	No
30945	22mm x 22mm	Standard	50cm	Yes

Mixer Flexible Connector



STOCK NO.	SIZE	DESCRIPTION
30922	15 x 10mm (1 Pair)	30cm
30923	15 x 12mm (1 Pair)	30cm

BSP Flexible Tap Connector



STOCK NO.	SIZE	DESCRIPTION
30953	1/2" x 1/2"	30cm

Valves

Our valve range delivers reliable flow control for a wide variety of applications.

Built for performance, durability, and ease of installation, every Brymec valve we offer is backed by a **marketing-leading five-year warranty**, giving you complete confidence in our commitment to quality and reliability.



Valves

Our range of valves have been designed and manufactured to deliver optimum performance and are accredited with the necessary approvals including BS EN 331 for gas and WRAS for potable water.



OVERVIEW

We offer a comprehensive range of valves, each manufactured to our exact specifications. Designed to meet the diverse demands of building services, our valve solutions support a wide variety of distribution networks, including heating, cooling, potable water, boosted systems, and wastewater.

TECHNICAL SUPPORT

Our experienced technical team offers in-depth application and system expertise, providing guidance on valve sizing and selection. This ensures you choose the right product the first time, saving time, reducing costs, and giving you confidence in your decision.

WARRANTY

All Brymec valves are backed with a 5 year warranty.

SCAN TO DOWNLOAD THE BRYMEC VALVES TECHNICAL MANUAL AND DATA SHEETS.



Cert. 451902/03/14

Cert. 268347/14

Cert. 1313873

Ductile Iron Butterfly Valves

www.brymec.com

DUCTILE IRON BUTTERFLY VALVES

Brymec's lugged and wafer butterfly valves are designed for installation between EN1092-2 flanges and are suitable for a wide range of applications. WRAS-certified, they can be used on heating, chilled, and potable water systems. Valves with yellow levers are also approved for gas services.

Ductile Iron Lugged & Tapped Butterfly Valve - PN16 Flanged



STOCK NO.	SIZE
38942	2"
38943	2 1/2"
38944	3"
38945	4"
38946	5"
38947	6"
38948	8"
38949	10"
38841	12"

Ductile Iron Wafer Butterfly Valve - PN16



STOCK NO.	SIZE
38935	2"
38936	2 1/2"
38937	3"
38938	4"
38939	5"
38940	6"
38941	8"
38820	10"
38827	12"

Ductile Iron Lugged Gear Operated Butterfly Valve - PN16 Flanged



STOCK NO.	SIZE
38750	6"
38751	8"
38752	10"
38753	12"

DUCTILE IRON BUTTERFLY VALVES

GAS Ductile Iron Lugged & Tapped Butterfly Valve - PN16 Flanged



STOCK NO.	SIZE
39004	2"
38950	2 1/2"
38951	3"
38952	4"
38953	5"
38954	6"
38955	8"
38869	10"
38876	12"

GAS Ductile Iron Lugged Gear Operated Butterfly Valve - PN16 Flanged



STOCK NO.	SIZE
38740	6"
38741	8"
38742	10"
38743	12"

Replacement Hand Lever, Notch Plate & Accessories for Butterfly Valves



STOCK NO.	SIZE
38764	6"
38765	8"
38766	10"
38767	12"

Butterfly Valve Gearbox



➤ Suits GAS & WRAS valves

STOCK NO.	SIZE
38760	6"
38761	8"
38763	10"
38762	12"

BALL VALVES

Brymec lever ball valves are compact, easy to install, and built to the highest standards for long-lasting, reliable performance. Their full-bore design ensures high flow rates with minimal pressure loss, making them ideal for isolating a wide range of mediums. Suitable for potable water (WRAS approved), heating, chilled water, and gas systems.

DZR Brass Ball Valve - Compression

- ▶ Lever operated isolating valve with compression ends
- ▶ For use in copper pipework systems
- ▶ Max Pressure 25 Bar



STOCK NO.	SIZE
38849	15mm
38850	22mm
38851	28mm
38852	35mm
38853	42mm
38854	54mm

Red & Blue Lever Ball Valve 1/4 Turn - Compression

- ▶ Lever operated isolating valves with compression ends for copper pipework
- ▶ Comes complete with interchangeable red and blue handles.
- ▶ Max Pressure 25 Bar



STOCK NO.	SIZE
30750	15mm
30751	22mm
30752	28mm
30753	35mm
30754	42mm
30755	54mm

Red & Blue Butterfly Handle Ball Valve 1/4 Turn - Compression

- ▶ Butterfly handle operated isolating valves with compression ends for copper pipework
- ▶ Comes complete with interchangeable red and blue handles
- ▶ Max Pressure 25 Bar



STOCK NO.	SIZE
30770	15mm
30771	22mm
30772	28mm

Press Fit DZR Brass Ball Valve

- ▶ Max Pressure 16 Bar
- ▶ Full bore
- ▶ +100°C to +120°C



STOCK NO.	SIZE
38806	15mm
38807	22mm
38808	28mm
38809	35mm
38810	42mm
38811	54mm

BALL VALVES

Red & Blue Lever DZR Brass Ball Valve - FxF

- ▶ PN25 BSP Taper



STOCK NO.	SIZE
38835	1/2"
38836	3/4"
38837	1"
38838	1 1/4"
38839	1 1/2"
38840	2"

Red & Blue Lever Ball Valve - FxF BSP Parallel

- ▶ PN25



STOCK NO.	SIZE
30725	2 1/2"
30726	3"
30727	4"

Spindle Extension

- ▶ Lever operation post pipework insulation
- ▶ Can be retro fitted
- ▶ Suitable for both Brymec DZR and brass lever ball valves
- ▶ Robust bolted design



STOCK NO.	SIZE
36650	1/2" & 3/4" / 15mm & 22mm
36651	1" / 28mm
36653	1 1/4" & 1 1/2" / 35mm & 42mm
36654	2" / 54mm

Lockable Extended Handle Valve



STOCK NO.	SIZE
31721	1/2"
31723	3/4"
31704	1"
31705	1 1/4"
31724	1 1/2"
31706	2"

Extended Spindle Lever Ball Valves - FxF



STOCK NO.	SIZE	HANDLE
30721EHB	1/2"	Blue
30721EHR	1/2"	Red
30723EHB	3/4"	Blue
30723EHR	3/4"	Red
30704EHB	1"	Blue
30704EHR	1"	Red
30705EHB	1 1/4"	Blue
30705EHR	1 1/4"	Red
30724EHB	1 1/2"	Blue
30724EHR	1 1/2"	Red
30706EHB	2"	Blue
30706EHR	2"	Red

BALL VALVES

Locking Handle

- Prevents unauthorised operation
- Can be retro fitted
- Suitable for both Brymec DZR and std brass lever ball valves



STOCK NO.	SIZE
36659	1/2" & 3/4" / 15mm & 22mm
36660	1" / 28mm
36662	1 1/4" & 1 1/2" / 35mm & 42mm
36663	2" / 54mm

Red & Blue Butterfly Handle Full Bore Ball Valve - FxM BSP Parallel

- PN25



STOCK NO.	SIZE
36670	1/4"
36671	3/8"
36672	1/2"

Red & Blue Butterfly Handle Full Bore Ball Valve - FxF BSP Parallel

- PN25



STOCK NO.	SIZE
36667	1/4"
36668	3/8"
30473	1/2"
30474	3/4"
36669	1"

Red & Blue Butterfly Handle Full Bore Ball Valve - MxM BSP Parallel

- PN25



STOCK NO.	SIZE
36676	3/8"
36677	1/2"

BALL VALVES

GAS Yellow Lever Ball Valve - FxF BSP Parallel

- Parallel Thread



STOCK NO.	SIZE
30731	1/4"
30732	3/8"
30733	1/2"
30734	3/4"
30735	1"
30738	1 1/4"
30739	1 1/2"
30740	2"
30741	2 1/2"

GAS Yellow Lever Ball Valve 1/4 Turn - Compression

- Lever operated isolating valves with compression ends for copper pipework
- Max Pressure 25 Bar



STOCK NO.	SIZE
30758	15mm
30759	22mm
30760	28mm
30761	35mm
30762	42mm
30763	54mm

Filter Ball Valve FxF

- DZR Brass
- c/w Removable Strainer
- Nearly twice the flow capacity as Y strainer
- 16 Bar



STOCK NO	SIZE	WRAS
31020	1/2"	Yes
31021	3/4"	Yes
31022	1"	Yes
31023	1 1/4"	Yes
31024	1 1/2"	No
31025	2"	No



MINIBALL ISOLATING VALVES

Brymec's isolation valves come in a variety of styles and connections, suitable for potable water, heating, and cold water systems. Compact and easy to install, they offer a reliable solution for isolating water services.

Chrome Isolating Valve - Compression



STOCK NO.	SIZE
36372	15mm
36373	22mm

Full Bore Chrome Isolating Valve - Compression



STOCK NO.	SIZE
30833	15mm
30834	22mm

DZR Cobra Dual Double Check & Isolation Valve - Compression



STOCK NO.	SIZE
30882	15mm WRAS
30889	22mm

90° Angled Isolation Valve Chrome - Compression



STOCK NO.	SIZE
36374	15mm

Chrome Washing Machine Valve - Compression



STOCK NO.	SIZE	TYPE
36379	15mm x 3/4" WRAS	Straight
36378	15mm x 3/4" WRAS	Angled
30871	15mm x 15mm x 3/4"	Tee
36389	15mm x 3/4"	With check valve

Straight Chrome Service Valve - Compression



STOCK NO.	SIZE
36375	15mm x 1/2"
30863	22mm x 3/4"

90° Angled Chrome Service Valve - Compression



STOCK NO.	SIZE
36377	15mm x 1/2"

Chrome Isolating Valve With Lever - Compression



STOCK NO.	SIZE
30840	15mm
30841	22mm

GATE VALVES

Brass Gate Valve - Compression



STOCK NO.	SIZE
30813	15mm
30814	22mm
30815	28mm
30816	35mm
30817	42mm
30818	54mm

Bronze Gate Valve BSP Taper - FxF



STOCK NO.	SIZE
38856	1/2"
38857	3/4"
38858	1"
38859	1 1/4"
38860	1 1/2"
38861	2"

Gate Valve With Lockshield - Compression



STOCK NO.	SIZE	WRAS
30700	15mm	Yes
30707	22mm	Yes
30299	28mm	Yes
30793	35mm	No

Bronze Lockshield Gate Valve - FxF



STOCK NO.	SIZE
38863	1/2"
38864	3/4"
38865	1"
38866	1 1/4"
38867	1 1/2"
38868	2"

GATE VALVES

Brymec gate valves provide reliable isolation for various pipework systems. Their gate-style disc allows straight-through flow with minimal resistance and pressure drop, making them a trusted, traditional solution for system isolation.

Brass Gate Valve - FxF BSPP

- Cast steel hand wheel and female threaded ends
- Manufactured to BS 5154



STOCK NO.	SIZE
30777	1/2"
30778	3/4"
30779	1"
30782	1 1/4"
30783	1 1/2"
30784	2"
30785	2 1/2"
30786	3"
30789	4"

Gate Valve Ductile Iron - PN16 Flanged



STOCK NO.	SIZE
38813	2"
38956	2 1/2"
38957	3"
38958	4"
38959	5"
38960	6"
38961	8"
38967	10"
38834	12"

Lockshield Key



STOCK NO.	DESCRIPTION
31047	Gate valve & stopcock key

STOP COCKS AND BIB TAPS

Stopcocks, or stop taps, control the flow of water through the mains inlet pipe. By turning the handle, a plug inside the valve chamber restricts water flow. It is now a legal requirement for every home to have one installed.

Stop Cock WRAS Approved - Compression



STOCK NO.	SIZE
36384	15mm
36385	22mm
36386	28mm

CU x Poly Stop Cock - Compression



STOCK NO.	SIZE
36390	15mm x 20mm
36391	15mm x 25mm
36392	22mm x 25mm

Stop Cock - Compression



STOCK NO.	SIZE
30842	35mm
30843	42mm
30845	54mm

Poly x Poly Stop Cock - Compression



STOCK NO.	SIZE
36393	20mm x 20mm
36395	25mm x 25mm

Stop Cock WRAS Approved - FxF



STOCK NO.	SIZE
36381	1/2"
36382	3/4"
36383	1"

Hose Union Bib Tap



STOCK NO.	SIZE
30736	1/2"
30737	3/4"
30743	1/2" Double Check Valve
30744	3/4" Double Check Valve

Lockshield Stopcock - Compression



STOCK NO.	SIZE
30879	22mm

CHECK & NON-RETURN VALVES

Check valves, as required by the 1999 Water Supply (Water Fittings) Regulations, prevent backflow which can cause contamination of potable water supplies.

Chrome Double Check Valve - Compression

- Chrome plated brass body with compression ends for copper pipework systems



STOCK NO.	SIZE
30773	15mm
30774	22mm
30791	28mm

Bronze Double Check Valve - Compression

- DZR bronze body with compression ends for copper pipework systems



STOCK NO.	SIZE
30711	35mm
30712	42mm
30713	54mm

Bronze Swing Check Valve - FxF



STOCK NO.	SIZE
38877	1/2"
38878	3/4"
38879	1"
38880	1 1/4"
38881	1 1/2"
38882	2"

Brass Single Check Valve - Compression



STOCK NO.	SIZE
30780	15mm
30781	22mm

DZR Brass Double Check Valve - Compression

- DZR Brass body with compression ends for copper pipework systems



STOCK NO.	SIZE
30766	15mm
30767	22mm
30768	28mm

DZR Brass Double Check Valve - FxF

- FxF BSP connections



STOCK NO.	SIZE
36366	1/2"
36367	3/4"
36368	1"
36369	1 1/4"
36370	1 1/2"
36371	2"

CHECK & NON-RETURN VALVES

Spring Check Non Return Valve FxF



STOCK NO.	SIZE
36310	1/2"
36311	3/4"
36312	1"
36313	1 1/4"
36314	1 1/2"
36315	2"

Swing Check Valve Ductile Iron - PN16 Flanged



STOCK NO.	SIZE
38791	2"
38968	2 1/2"
38969	3"
38970	4"
38971	5"
38972	6"
38792	8"
38793	10"
38794	12"

Dual Plate Wafer Check Cast Iron - PN16 Flanged



STOCK NO.	SIZE
38923	2"
38924	2 1/2"
38925	3"
38926	4"
38927	5"
38928	6"
38855	8"
38862	10"
38883	12"

Ductile Iron, Flanged Double Check Valve PN16

- Epoxy Coat Finish
- Operates in either horizontal or vertical position
- 16 Bar, 0-23°C



STOCK NO.	SIZE
38822	2 1/2"
38823	3"
38824	4"

STRAINERS

Brymec Y-pattern strainers remove debris from pipework systems, protecting sensitive components from damage. Fitted with high-quality stainless steel baskets, they offer durability and excellent flow performance.

Y Pattern Strainer - Compression



STOCK NO.	SIZE
36230	15mm
36231	22mm
36232	28mm

Y Pattern Strainer - FxF



STOCK NO.	SIZE	WRAS
36233	1/2"	Yes
36234	3/4"	Yes
36235	1"	Yes
36236	1 1/4"	Yes
36237	1 1/2"	Yes
36238	2"	Yes
36239	2 1/2"	No
36240	3"	No
36241	4"	No

Bronze Y Type Strainer - F x F



STOCK NO.	SIZE
38884	1/2"
38885	3/4"
38886	1"
38887	1 1/4"
38888	1 1/2"
38889	2"

Y Pattern Press Fit Strainer



STOCK NO.	SIZE
36357	15mm
36358	22mm
36359	28mm
36360	35mm
36361	42mm
36362	54mm

Y Type Strainer Ductile Iron - PN16 Flanged



STOCK NO.	SIZE
38796	2"
38973	2 1/2"
38974	3"
38975	4"
38976	5"
38977	6"
38797	8"
38798	10"
38799	12"

PRESSURE REDUCING VALVES

Brymec pressure reducing valves (PRVs) are designed for hot and cold water systems to lower high inlet pressures to safe, comfortable levels at outlets like taps and showers. They help reduce water usage, minimise noise, and maintain user comfort.

MxM Union DZR Brass Pressure Reducing Valve

- Downstream setting pressure range: 1–6 Bar
- Certified to BS EN 1567



STOCK NO.	SIZE
36212	1/2"
36213	3/4"
36214	1"
36215	1 1/4"
36216	1 1/2"
36217	2"

Pressure Reducing Valve DZR - Compression

- 2 Sizes covered by 1 PRV Suitable up to 65°C
- Up to 6 Bar



STOCK NO.	SIZE
30973	15mm / 22mm

Series 6247 Pressure Reducing Valve

- PN16 Flange



STOCK NO.	SIZE
36142	2 1/2"
36143	3"
36144	4"

SAFETY & PRESSURE RELIEF VALVES

Safety valves protect equipment, property, and lives by releasing excess pressure before system failure. Set to a specific pressure, they open automatically when that limit is reached. The required pressure rating must be specified by the installer prior to supply.

Safety Valve - Fixed Set-Point (c/w Test Certificate)

- › Safety relief
- › Bronze body with EPDM diaphragm
- › Temperature range: -50°C - +195°C



STOCK NO.	SIZE	PRESSURE RANGE
36500	1/2"	2.5 Bar
36501	1/2"	3.0 Bar
36502	1/2"	3.5 Bar
36503	1/2"	4.0 Bar
36505	1/2"	5.0 Bar
36506	1/2"	6.0 Bar
36525	1/2"	10.0 Bar
36508	3/4"	2.5 Bar
36509	3/4"	3.0 Bar
36510	3/4"	3.5 Bar
36511	3/4"	4.0 Bar
36514	3/4"	6.0 Bar
36517	1"	3.0 Bar
36518	1"	3.5 Bar
36519	1"	4.0 Bar
36522	1"	6.0 Bar
36562	1 1/4"	3.0 Bar
36563	1 1/4"	3.5 Bar
36564	1 1/4"	4.0 Bar
36567	1 1/4"	6.0 Bar
36601	1 1/2"	3.0 Bar
36605	1 1/2"	5.0 Bar
36606	1 1/2"	6.0 Bar
36607	1 1/2"	8.0 Bar

Safety Valve - Fixed Set-Point (c/w Test Certificate) (cont.)



STOCK NO.	SIZE	PRESSURE RANGE
36608	1 1/2"	10.0 Bar
36612	2"	4.0 Bar
36615	2"	6.0 Bar

Light Commercial Bypass Valve



STOCK NO.	SIZE
30970	22mm - Angled

Pressure Relief Valve



STOCK NO.	SIZE
36200	1/2" 3 Bar
36201	1/2" 3 Bar c/w gauge
36202	1/2" 6 Bar c/w gauge

Temperature & Pressure Relief Valve

- › Designed for use on unvented hot water supply systems
- › 90mm probe



STOCK NO.	SIZE
36205	1/2"
36207	3/4" x 22mm

THERMOSTATIC MIXING VALVES

The Brymec range of Thermostatic Mixing Valves have been designed and manufactured to be compliant with the requirements of BS 7942:2000 and the National Health Service model engineering specification D08 for use in healthcare premises, hospitals, care homes, and schools.

Thermostatic Mixing Valve TMV3 - Compression

- › Brass bodies
- › Inline design



STOCK NO.	SIZE
30964	15mm
30966	22mm
30962	15mm C/W MX service valves
30963	22mm C/W MX service valves

BALANCING & COMMISSIONING VALVES

Brymec have a wide range of valves for hydronic balancing of distribution pipes in heating and cooling closed circuit systems.

Thermal Balancing Valve - FxP

- › DZR Brass
- › Flow regulation based on temperature
- › Temperature adjustment between 45-65°C
- › Tamper-proof cap



STOCK NO.	SIZE
31000	1/2"
31001	3/4"
31002	1/2" - requires Actuator
31003	3/4" - requires Actuator

Thermal Balancing Valve Accessories



STOCK NO.	SIZE
31004	Thermometer Gauge
31007	Thermo Electrical Actuator - 230V
31008	Thermo Electrical Actuator - 24V
31009	Reducing Adaptor 1/2" MxM
31010	Thermo Electrical Actuator c/w integrated micro switch - 230V AC/DC N.C.
31011	Thermo Electrical Actuator c/w integrated micro switch - 24V AC/DC N.C.

BALANCING & COMMISSIONING VALVES

DZR Brass Commissioning Valve - Fixed Orifice - FxF

- 2 x 1/4" self-sealing test
- Point with cap & tie
- Drain plug 1/4" - ISO 228
- Can also be used as partner valve



STOCK NO.	SIZE
38891	1/2"
38892	3/4"
38893	1"
38894	1 1/4"
38895	1 1/2"
38896	2"

DZR Brass Double Regulating Valve - FxF

- Drain plug 1/4" - ISO 228



STOCK NO.	SIZE
38897	1/2" LF
38898	1/2"
38899	3/4"
38900	1"
38901	1 1/4"
38902	1 1/2"
38903	2"

Brass Metering Stations - MxF

- Body - DZR brass
- Drain Plug – ISO 228 2 x 1/4" self-sealing test point with cap & tie
- Connection BSP



STOCK NO.	SIZE	WRAS
38769	1/2" UULF	Yes
38770	1/2" ULF	Yes
38771	1/2" LF	Yes
38772	1/2" MF	Yes
38905	1/2"	No
38906	3/4"	No
38907	1"	No
38908	1 1/4"	No
38909	1 1/2"	No
38911	2"	No

DZR Brass Commissioning Valve - Press Fit

STOCK NO.	SIZE
36339	15mm
36340	22mm
36341	28mm
36342	35mm
36343	42mm
36344	54mm



BALANCING & COMMISSIONING VALVES

Ductile Iron Double Regulating Valve

- PN16 Flanged
- Epoxy powder coated
- Seat - EPDM
- Variable orifice



STOCK NO.	SIZE
38777	2"
38912	2 1/2"
38913	3"
38914	4"
38915	5"
38916	6"
38917	8"
38778	10"
38779	12"

DZR Brass Double Regulating Valve - Press Fit

STOCK NO.	SIZE
36348	15mm
36349	22mm
36350	28mm
36351	35mm
36352	42mm
36353	54mm



Stainless Steel Metering Station

- Fits between BS EN 1092 flanges PN16
- Can be close coupled to a double regulating valve
- Supplied with 2 extension and test points
- Body and Extension – 304 stainless steel
- Pressure test point – brass



STOCK NO.	SIZE
38773	2"
38918	2 1/2"
38919	3"
38920	4"
38921	5"
38922	6"
38774	8"
38775	10"
38776	12"

Monolink Assemblies

- c/w Ball Valve, Strainer & Drain



STOCK NO.	SIZE
36584	1/2"
36585	3/4"

BALANCING & COMMISSIONING VALVES



Pressure Independent Control Valve - PICV

STOCK NO.	SIZE	REQUIRES UNIONS (X 2)	MAX FLOW
36760	3/8"	36760UC	150l/h LF
36761	1/2"	36761UC	275l/h LF
36762	1/2"	36761UC	450l/h
36763	3/4"	36763UC	900l/h
36764	1"	36764UC	1700l/h
36765	1 1/4"	36765UC	3200l/h
36766	1 1/2"	36766UC	7,500l/h
36767	2"	36767UC	12,500l/h
36768	PN16 - DN65	-	20,000l/h
36769	PN16 - DN80	-	28,000l/h
36770	PN16 - DN100	-	38,000l/h



Binder Test Point

STOCK NO.	SIZE
38890	1/4" set of 2
38904	1/2" (Brass - Long Series)
38910	1/2" (Brass - Short Series)

Miniflushes - Actuator & Union

STOCK NO.	SIZE	DESCRIPTION
36632	0-10V to fit miniflush 40	0-10V Modulating
36648	15mm solder tails	Pack of 2



PICV Actuator

STOCK NO.	SIZE
36790	DN 10-32 0-10V
36791	24V AC 3 Point
36780	DN40-100 Handle



BALANCING & COMMISSIONING VALVES

Miniflush - PICV, TP & Drain Assembly

- 40mm centres
- Valves allow normal operation, or flush and bypass control



STOCK NO.	SIZE	ORIENTATION	STOCK NO. (INC STRAINER)
36620	10LF Kvs 0.3	Left Hand	36620STR
36621	15LF Kvs 0.6	Left Hand	36621STR
36622	15LF Kvs 0.9	Left Hand	36622STR
36623	15 Kvs 2.1	Left Hand	36623STR
36624	15HF Kvs 4.0	Left Hand	36624STR
36625	15HF Kvs 5.6	Left Hand	36625STR
36626	10LF Kvs 0.3	Right Hand	36626STR
36627	15LF Kvs 0.6	Right Hand	36627STR
36628	15LF Kvs 0.9	Right Hand	36628STR
36629	15 Kvs 2.1	Right Hand	36629STR
36630	15HF Kvs 4.0	Right Hand	36630STR
36631	15HF Kvs 5.6	Right Hand	36631STR

DZR Brass DPCV Valve - FxF

- PN16 Differential Pressure Control Valves in DZR brass are self-actuating valves for limiting differential pressure across flow and return circuits
- Can be coupled with commissioning valve for flow measurement/regulation across circuit
- Removable cartridge allows both forward and back flushing
- Complete with 1m capillary



STOCK NO.	SIZE	PRESSURE RATING
36548	1/2" DP Range 5-60kPa	16 Bar
36550	3/4" DP Range 5-60kPa	16 Bar
36552	1" DP Range 5-60kPa	16 Bar
36554	1 1/4" DP Range 5-60kPa	16 Bar
36556	1 1/2" DP Range 5-60kPa	16 Bar
36558	2" DP Range 5-60kPa	16 Bar

DRAIN COCKS & VENTING

Threaded Drain Off Cock



STOCK NO.	SIZE
31151	1/2"
31149	3/4"

Butterfly Ball Valve Drain Cock



STOCK NO.	SIZE
31152	1/2" c/w spigot & cap

Automatic Air Vent

Operated via a float mechanism and designed for the removal of air from systems.



STOCK NO.	SIZE	MAX PRESSURE	MAX TEMP.
36250	15mm	6 Bar	110°C
36254	1/2"	10 Bar	110°C

Automatic Air Vent with Check Valve



STOCK NO.	SIZE	MAX PRESSURE	MAX TEMP.
30849	1/2"	10 Bar	110°C
36257	3/8"	10 Bar	110°C

Drain Off Cock



STOCK NO.	SIZE
31150	15mm
30298	15mm Long Spigot Drain Off Cock

Manual Air Vent



STOCK NO.	SIZE
30860	15mm

Radiator Air Vent



STOCK NO.	SIZE
30848	1/2" Brass
30875	1/2" Chrome

Quad Key




STOCK NO.	DESCRIPTION
31046	Lockshields, gas and electric meters

Surge Protection & Anti Vac Air Admittance Valve (CAVSA)



STOCK NO.	SIZE
36249	1"



SOLENOID VALVES - WATER & GAS

Solenoid Valve - WRAS - Normally Closed - PN16



STOCK NO.	SIZE
36590	1/2"
36591	3/4"
36592	1"
36593	1 1/4"
36594	1 1/2"
36595	2"

GAS Solenoid Valve - Normally Closed

➤ 240V



STOCK NO.	SIZE
36680	1/2"
36681	3/4"
36682	1"
36683	1 1/4"
36684	1 1/2"
36685	2"
36686	DN65
36687	DN80
36688	DN100

MOTORISED VALVES

Brymec offers a range of Solenoid Valves for both gas and water applications. A solenoid valve can be used wherever the pipework medium needs to be controlled automatically. Solenoids operate using an electromagnetic solenoid coil to change the state of a valve from open to closed, or vice-versa.

Zone Heating Motorised Valve

- 2 position valve
- Spring return
- With manual override function



STOCK NO.	SIZE
36022	22mm 2-Port
36023	28mm 2-Port
36024	22mm 3-Port

Commercial Ball Zone Valve



STOCK NO.	SIZE
36465	1"
36466	1 1/4"
36467	1 1/2"
36468	2"

3 Way Rotary Mixing/Diverting Valve - Threaded



STOCK NO.	SIZE
36481	3/4"
36482	1"
36483	1 1/4"
36484	1 1/2"
36485	2"

MOTORISED VALVES

Actuators to suit Threaded Mixing Valve



STOCK NO.	VOLTAGE	SPEED
36486	24V AC	120s
36487	230V AC	60s
36488	24V AC	120s
36489	230V AC	60s
36490	24V AC/DC	45-120s

3 Way Rotary Mixing/Diverting Valve - Flanged



STOCK NO.	SIZE
36470	2"
36471	2 1/2"
36472	3"
36473	4"

Actuators to suit Flanged Mixing Valve



STOCK NO.	SIZE
36476	24v AC
36477	230v AC
36478	230v AC/DC

**OTHER SOLENOIDS AVAILABLE INCLUDING NORMALLY OPEN, 24V, 110V, 12VDC, 24VDC
EMAIL SALES@BRYMEC.COM
FOR MORE INFORMATION.**

BACKFLOW PREVENTION



RPZ Valve

STOCK NO.	SIZE
36169	1/2"
36170	3/4"
36171	1"
36172	1 1/4"
36173	1 1/2"
36174	2"

Drainage Systems

We provide a robust range of drainage systems designed for efficiency, durability, and ease of installation across all projects.

Our high performance gravity drainage solutions are designed for the efficient, reliable evacuation of wastewater and rainwater from any type of building.



Cast Iron Drainage

The Brymec Cast Iron Drainage System offers the highest possible performance for above ground drainage. Ideal for use in all building types, especially where fire safety, system durability and acoustic performance are the highest considerations.

Installation of the system is fast and simple. The socket-less connections can be made using a choice of either Stainless Steel or Cast-Iron couplers, and high-pressure over-clamps can be used for more demanding situations.



FEATURES

- **FIRE SAFETY** – Brymec Cast Iron Drainage holds a classification report achieving the highest possible class of A1 to BS EN13501-1 for the installed products
- **QUALITY** – Quality assured by multiple internationally recognised approvals
- **DURABILITY** – Internal cross-linked epoxy coating which has been subjected to enhanced testing procedures to international standards
- **ACOUSTICS** – High density material provides excellent acoustic dampening performance
- **TIME SAVING** – Simple assembly in a matter of minutes
- **COMPATIBILITY** – Easy connections to all other Brymec waste solutions

FEATURES

- Size 50 – 300mm
- 0.5 Bar standard
- Up to 10 Bar, when installed using high-pressure clamps
- Temperature and chemical resistant
- Safe, flame-free connections
- Highest level of impact resistance

SCAN TO DOWNLOAD
THE BRYMEC CAST IRON
DRAINAGE TECHNICAL
MANUAL AND DATA SHEETS.



CAST IRON DRAINAGE

Cast Iron Socketless Drainage Pipe



STOCK NO.	SIZE	LENGTH
52000	DN50	3m
52270	DN80	3m
52002	DN100	3m
52003*	DN125	3m
52004	DN150	3m
52005	DN200	3m
52038*	DN250	3m
52039*	DN300	3m

Rapid Stainless Coupler



STOCK NO.	SIZE
52017	DN50
52251	DN80
52019	DN100
52020*	DN125
52021	DN150
52022	DN200
52040*	DN250
52041*	DN300

Insulated Acoustic Standpipe Clamp



STOCK NO.	SIZE
040327*	DN80
040329*	DN150
040330*	DN200

Ductile Iron Coupler

- With electrical continuity pins



STOCK NO.	SIZE
52006	DN50
52015	DN80
52008	DN100
52009	DN150
52010	DN200

Combi Grip High Pressure Overclamp



STOCK NO.	SIZE
52023	DN50
52252	DN80
52025	DN100
52027	DN150
52028	DN200
52029*	DN250
52030*	DN300

Standpipe Support Bracket



STOCK NO.	SIZE
040311*	DN80
040312	DN100
040314*	DN150
040315*	DN200

PRODUCTS MARKED WITH A *
ARE PROJECT ONLY

CAST IRON DRAINAGE

Duo Adaptor Coupler

- Ready to use single piece coupling with EPDM rubber
- A fixing screw each side of the joint gives excellent joint security
- Allows for quick connection of CIS tube and fittings directly to other systems such as PVC, HDPE
- Pressure rated up to 0.5 Bar



STOCK NO.	SIZE	CLAMPING RANGE
52011	DN50	56-62mm
52013	DN100 Adaptor	108-113mm

Ductile Iron Bracket

- Heavy Duty Cast Iron Bracket helps eliminate vibration and noise
- Slotted fixing hole for easy lateral adjustment



STOCK NO.	SIZE
52032	DN50
52253	DN80
52034	DN100
52035	DN150
52036	DN200
52016	M10 dB-FIX® 40 Acoustic Damper for vertical or suspended brackets

Heavy Duty Insulated Acoustic Pipe Clamp



STOCK NO.	SIZE	CLAMPING RANGE
42037	DN50	57-64mm
42044	DN80	86-92mm
42039	DN100	108-116mm
42040	DN125	132-140mm
42041	DN150	159-163mm
42042	DN200	203-213mm
42047	DN250	265-275mm
42048	DN300	315-325mm

CAST IRON DRAINAGE

Downpipe Support

- ▶ Anchor tube used to provide an adequate fixed support at base of stack
- ▶ Used in conjunction with bearing ring or standtube support console



STOCK NO.	SIZE
52201	DN50
52268	DN80
52203	DN100
52205	DN150
52206	DN200
52208*	DN250

Downpipe Lugged Bearing Ring



STOCK NO.	SIZE
52210*	DN50
52212	DN100
52214*	DN150
52215*	DN200

Single Elbow - 15°



STOCK NO.	SIZE
52047*	DN50
52254	DN80
52049	DN100
52051	DN150
52052	DN200

Single Elbow - 22°



STOCK NO.	SIZE
52042	DN100

Single Elbow - 30°



STOCK NO.	SIZE
52053	DN50
52255	DN80
52055	DN100
52057	DN150
52058	DN200
52043*	DN250
52044*	DN300

Single Elbow - 45°



STOCK NO.	SIZE
52059	DN50
52256	DN80
52061	DN100
52062*	DN125
52063	DN150
52064	DN200
52045*	DN250
52046*	DN300

CAST IRON DRAINAGE

Single Elbow - 68°



STOCK NO.	SIZE
52065	DN50
52257	DN80
52067	DN100
52069	DN150
52070	DN200

Single Elbow - 88°



STOCK NO.	SIZE
52071	DN50
52271	DN80
52073	DN100
52074*	DN125
52075	DN150
52076	DN200

Long Spigot Single Elbow



STOCK NO.	SIZE
52218*	100mm - 45°
52219*	100mm - 88°

**PRODUCTS MARKED WITH A *
ARE PROJECT ONLY**

Offset



STOCK NO.	SIZE
52084	DN65
52085	DN100
52086	DN200

Single Branch - 68°



STOCK NO.	SIZE
52106	DN50
52108	DN100
52111	DN100 x 50

Double Radius Bend - 88°



STOCK NO.	SIZE
52079	DN50
52258	DN80
52081	DN100
52083	DN150

Swept Radius Bend - 88°



STOCK NO.	SIZE
52077	DN100
52078	DN150

CAST IRON DRAINAGE

Single Branch - 45°



STOCK NO.	SIZE
52087	DN50
52272	DN80
52089	DN100
52091	DN150
52092	DN200
52223*	DN250
52224*	DN300
52259	DN80 x 50
52094	DN100 x 50
52280*	DN100 x 80
52281*	DN150 x 80
52100	DN150 x 100
52101*	DN150 x 125
52103	DN200 x 100
52105	DN200 x 150
52225*	DN250 x 100
52226*	DN250 x 125
52227*	DN250 x 200
52228*	DN300 x 125
52229*	DN300 x 200
52230*	DN300 x 250

Single Branch - 88°



STOCK NO.	SIZE
52118	DN50
52262	DN80
52120	DN100
52122	DN150
52282*	DN200
52263	DN80 x 50
52124	DN100 x 50
52141	DN100 x 80
52276*	DN125 x 80
52117	DN150 x 50
52129	DN150 x 100

Double Branch - 45°



STOCK NO.	SIZE
52131	DN100
52132	DN150 x 100 x 100

Double Branch - 88°



STOCK NO.	SIZE
52134	DN100 x 50 x 50
52136	DN100
52137	DN150 x 100 x 100

CAST IRON DRAINAGE

Swept Entry Branch - 88°

- Swept branches optimise flow where inlet connects to WC's



STOCK NO.	SIZE
52207	DN100

Double Branch - 68°



STOCK NO.	SIZE
52133	DN100

Corner Branch - 88°



STOCK NO.	SIZE
52139	DN100
52142	DN150 x 100 x 100

Access Branch, Swept Entry - 88°



STOCK NO.	SIZE
52153	DN100

Access Pipe - Quick Access Door



STOCK NO.	SIZE
52233*	DN100
52235*	DN150
52236*	DN200

Access Pipe - Rectangular Door



STOCK NO.	SIZE
52146	DN100
52148	DN150
52149	DN200
52231*	DN250
52232*	DN300

Access Pipe - Round Door



STOCK NO.	SIZE
52143	DN50
52264	DN80
52145	DN100

**PRODUCTS MARKED WITH A *
ARE PROJECT ONLY**

CAST IRON DRAINAGE

Double Boss Pipe



STOCK NO.	SIZE
52157	DN100
52160	DN150

Access Elbows - 88°



STOCK NO.	SIZE
52150	DN100 x 2" BSP
52152	DN150 x 2" BSP

Single Boss Pipe



STOCK NO.	SIZE
52154	DN50 x 2" BSP
52156	DN100 x 2" BSP
52159	DN150 x 2" BSP

Corner Boss Pipe



STOCK NO.	SIZE
52158	DN100 x 2" BSP

Eccentric Reducer



STOCK NO.	SIZE
52265	DN80 x 50
52162	DN100 x 50
52273	DN100 x 80
52277*	DN125 x 80
52166*	DN125 x 100
52278*	DN150 x 80
52169	DN150 x 100
52170*	DN150 x 125
52171	DN200 x 100
52173	DN200 x 150
52237*	DN250 x 150
52238*	DN250 x 200
52239*	DN300 x 250

Plug End Cap c/w Fixing Clip

➤ End Cap with easy access for inspection



STOCK NO.	SIZE
52180	DN100
52182	DN150

**PRODUCTS MARKED WITH A *
ARE PROJECT ONLY**

CAST IRON DRAINAGE

Branch Trap



STOCK NO.	SIZE
52189	DN50
52267*	DN80
52191	DN100
52193	DN150
52194	DN200

End Cap - Blank



STOCK NO.	SIZE
52174	DN50
52266	DN80
52176	DN100
52178	DN150
52179	DN200
52240*	DN250
52241*	DN300

Tapped End Cap - BSP threaded



STOCK NO.	SIZE	OUTLET (BSP)
52184	DN50	1 1/2"
52181	DN80	2"
52186	DN100	2"

Manifold Connector

➤ Manifold with multiple waste connections



STOCK NO.	SIZE
52195	DN100 Manifold c/w 4 x 1 1/2" waste adaptors
52196	DN150 Manifold c/w 3 x 1 1/2" waste adaptors



Cast Iron Drainage

Manufactured and tested to the highest degree with an A1 Fire Rating (non-combustible)

Demonstrating our commitment to provide the utmost of quality and performance, our Cast Iron Drainage system has been rigorously tested, achieving the highest classification for Fire Safety – an A1 rating to BS EN 13501-1. Also BBA certified, our system is built to last with an expected lifespan of well over 50 years, and it is also 100% recyclable.

HDPE Drainage

The Brymec HDPE Drainage System is a high-performance fusion-weld system for managing wastewater, foul water and rainwater. Popular for use in commercial, industrial, retail, and residential buildings, HDPE is fast, easy, and economical to install.

For a safer, easier connection on sizes 200, 250 and 315mm, we have developed our unique dual fusion couplers.

With two separate fusion coils on each coupler, either side of the connection can be fused individually. Each side of the connection can then be assembled independently, allowing you to fuse one pipe length at a time.

Available in sizes 32 - 315mm, our HDPE is very fast to install, is lightweight, extremely strong, impact-resistant, and durable. All these features make Brymec HDPE a reliable choice for virtually every drainage application.



- › **SAFETY** – Safer connections with Brymec Dual Fusion couplers on all sizes above 160mm
- › **BELOW GROUND** – Suitable for use in application areas B & BD
- › **QUALITY** – CE marked for complete reassurance
- › **DURABILITY** – Weather and UV resistant
- › **COMPATIBILITY** – Easy connections to all other Brymec waste solutions

FEATURES

- › Size range from 32 - 315mm
- › Manufactured to BS EN1519-1
- › Impact resistant
- › Wide temperature capability (-40°C - 95°C)
- › Excellent chemical resistance
- › Easy installation

SCAN TO DOWNLOAD
THE BRYMEC HDPE DRAINAGE
TECHNICAL MANUAL AND
DATA SHEETS.

A square QR code with a black and white pixelated pattern, used for scanning to access digital content.

Cert. 457902039



Cert. 206342016



Cert. 1310472



HDPE DRAINAGE

HDPE Pipe



STOCK NO.	SIZE	LENGTH
51200	32mm	3m
51201	40mm	3m
51202	50mm	3m
51203	56mm	3m
51204*	63mm	3m
51205	75mm	3m
51206*	90mm	3m
51207	110mm	3m
51208*	125mm	3m
51209	160mm	3m
51220	200mm	5m
51221	250mm	5m
51222	315mm	5m

Electro-Fusion Coupling



STOCK NO.	SIZE
51506	32mm
51518	40mm
51519	50mm
51520	56mm
51521*	63mm
51522	75mm
51523	90mm
51524	110mm
51525*	125mm
51526	160mm
51527	200mm
51528	250mm
51529	315mm

Concentric Reducer



STOCK NO.	SIZE
51430	40mm x 32mm
51431	50mm x 40mm
51432	56mm x 50mm
51438	75mm x 40mm
51439	75mm x 50mm
51440	75mm x 56mm
51442*	90mm x 40mm
51443*	90mm x 50mm
51444*	90mm x 56mm
51447	110mm x 40mm
51448	110mm x 50mm
51449	110mm x 56mm
51451	110mm x 75mm
51459	110mm x 75mm
51452	110mm x 90mm
51458*	125mm x 110mm
51453*	200mm x 110mm
51460*	200mm x 160mm

**PRODUCTS MARKED WITH A *
ARE PROJECT ONLY**

HDPE DRAINAGE

Eccentric Reducer



STOCK NO.	SIZE
51461*	50mm x 40mm
51462	56mm x 50mm
51463*	63mm x 40mm
51465*	63mm x 56mm
51467	75mm x 50mm
51468	75mm x 56mm
51469*	75mm x 63mm
51472*	90mm x 56mm
51473*	90mm x 63mm
51474*	90mm x 75mm
51475	110mm x 40mm
51476	110mm x 50mm
51477	110mm x 56mm
51478*	110mm x 63mm
51479	110mm x 75mm
51480	110mm x 90mm
51485*	125mm x 90mm
51486*	125mm x 110mm
51487	160mm x 110mm
51488*	160mm x 125mm
51567	200mm x 110mm
51489*	200mm x 125mm
51568*	200mm x 125mm Long
51569	200mm x 160mm Long
51570	250mm x 200mm Long
51571	315mm x 200mm Long
51572	315mm x 250mm Long

Elbow - 45°



STOCK NO.	SIZE
51248	32mm
51249	40mm
51250	50mm
51252*	63mm
51251	56mm
51253	75mm
51254	90mm
51255	110mm
51256*	125mm
51257	160mm
51258	200mm
51259	250mm
51260	315mm

Elbow - 88°



STOCK NO.	SIZE
51226	32mm
51227	40mm
51228	50mm
51229	56mm
51230*	63mm
51231	75mm
51232	90mm
51233	110mm
51234*	125mm
51235	160mm

HDPE DRAINAGE



Single Branch - 45° Equal

STOCK NO.	SIZE
51261	32mm
51262	40mm
51263	50mm
51264	56mm
51265*	63mm
51266	75mm
51267	90mm
51268	110mm
51269*	125mm
51270	160mm
51271	200mm
51272	250mm
51273	315mm



Single Branch - 45° Reducing

STOCK NO.	SIZE
51274*	40mm x 32mm
51275*	50mm x 40mm
51276	56mm x 50mm
51278*	63mm x 50mm
51279*	63mm x 56mm
51281*	75mm x 50mm
51282	75mm x 56mm
51283*	75mm x 63mm
51284*	90mm x 40mm
51285*	90mm x 50mm

Single Branch - 45° Reducing (cont.)

STOCK NO.	SIZE
51286*	90mm x 56mm
51287*	90mm x 63mm
51289	110mm x 40mm
51290	110mm x 50mm
51291	110mm x 56mm
51292*	110mm x 63mm
51293	110mm x 75mm
51294*	110mm x 90mm
51300*	125mm x 90mm
51301*	125mm x 110mm
51304	160mm x 56mm
51306	160mm x 75mm
51308	160mm x 110mm
51309*	160mm x 125mm
51311*	200mm x 50mm
51312*	200mm x 56mm
51314*	200mm x 75mm
51316	200mm x 110mm
51318	200mm x 160mm
51323*	250mm x 75mm
51324*	250mm x 90mm
51325	250mm x 110mm
51326*	250mm x 160mm
51327*	250mm x 200mm
51329*	315mm x 110mm
51331*	315mm x 160mm
51332	315mm x 200mm
51333	315mm x 250mm

HDPE DRAINAGE



Single Branch - 88° Equal

STOCK NO.	SIZE
51340*	32mm
51341	40mm
51342	50mm
51343	56mm
51344*	63mm
51345	75mm
51346*	90mm
51347	110mm
51348*	125mm
51349	160mm
51350*	200mm
51351*	250mm
51352*	315mm



Single Branch - 88° Reducing

STOCK NO.	SIZE
51354	40mm x 32mm
51355	50mm x 40mm
51356	56mm x 50mm
51360	75mm x 50mm
51361	75mm x 56mm
51363*	90mm x 40mm
51364*	90mm x 50mm
51365*	90mm x 56mm
51368	110mm x 40mm
51369	110mm x 50mm



Single Branch - 88° Reducing (cont.)

STOCK NO.	SIZE
51370	110mm x 56mm
51372	110mm x 75mm
51373	110mm x 90mm
51374*	125mm x 110mm
51375	160mm x 110mm
51376*	160mm x 125mm
51379*	160mm x 75mm
51380*	200mm x 110mm
51381*	200mm x 160mm
51382*	250mm x 110mm
51383*	250mm x 160mm
51384*	250mm x 200mm
51385*	315mm x 110mm
51386*	315mm x 125mm
51387*	315mm x 160mm
51388*	315mm x 200mm
51389*	315mm x 250mm



Double Branch - 45° Reducing

STOCK NO.	SIZE
51390	110mm x 50mm
51391	110mm x 110mm

**PRODUCTS MARKED WITH A *
ARE PROJECT ONLY**

HDPE DRAINAGE

Corner Branch - 90°



STOCK NO.	SIZE
51396	110mm

Swept Entry Branch - 88°



STOCK NO.	SIZE
51353	110mm

Bends With Long Spigot - 88°



STOCK NO.	SIZE
51226LS*	32mm
51236*	40mm
51237	50mm
51238	56mm
51239*	63mm
51240	75mm
51241*	90mm
51242	110mm
51244	160mm
51245	200mm
51246*	250mm
51247*	315mm

Expansion Socket



STOCK NO.	SIZE
51417	32mm
51418	40mm
51419	50mm
51420	56mm
51421*	63mm
51422	75mm
51423	90mm
51424	110mm
51425*	125mm
51426	160mm
51427	200mm
51428*	250mm
51429	315mm

Access Pipe - 90°



STOCK NO.	SIZE
51507*	50mm
51508	56mm
51509*	63mm
51510	75mm
51511*	90mm
51512	110mm
51513*	125mm
51514	160mm
51515	200mm
51516	250mm
51517*	315mm

HDPE DRAINAGE

Access Pipe - 45°



STOCK NO.	SIZE
51558	110mm

Double Branch - 88° Reducing



STOCK NO.	SIZE
51392*	110mm x 50mm

2-Way Ball Double Branche



STOCK NO.	SIZE
51397*	110mm
51398*	110mm x 50mm

4-Way Ball Cross Branch



STOCK NO.	SIZE
51399*	110mm
51400*	110mm x 50mm

Blank End



STOCK NO.	SIZE
51573*	32mm
51574*	40mm
51575*	50mm
51576*	56mm
51577*	63mm
51578*	75mm
51579*	90mm
51580*	110mm
51581*	125mm
51582*	160mm
51583*	200mm
51584*	250mm
51585*	315mm

PRODUCTS MARKED WITH A *
ARE PROJECT ONLY

HDPE DRAINAGE

Access Cap



STOCK NO.	SIZE
51560	40mm
51561	50mm
51562	56mm
51563*	63mm
51564	75mm
51565*	90mm
51566	110mm

Long Spigot Access Cap



STOCK NO.	SIZE
51559LS	32mm
51560LS	40mm
51561LS	50mm
51562LS	56mm
51563LS	63mm
51564LS	75mm
51565LS	90mm
51566LS	110mm

Boss Pipe



STOCK NO.	SIZE
51556	110mm x 56mm 4 Boss tube

Ring Seal Adaptor



STOCK NO.	SIZE
51403	32mm
51404	40mm
51405	50mm
51406	56mm
51407*	63mm
51409	75mm
51410*	90mm
51411	110mm
51412*	125mm
51413	160mm

Long Spigot Ring Seal Adaptor



STOCK NO.	SIZE
51404LS	40mm
51405LS	50mm
51406LS	56mm
51407LS	63mm
51409LS	75mm
51410LS	90mm
51411LS	110mm
51412LS	125mm
51413LS	160mm

Firenze Trap



STOCK NO.	SIZE
51539	110mm

HDPE DRAINAGE

Waste Adaptors c/w Cap - Straight



STOCK NO.	SIZE
51496	40mm x 46mm
51497	50mm x 46mm
51498	50mm x 58mm

WC Adaptor - Straight



STOCK NO.	SIZE
51536	110mm x 160mm Straight Back to Wall Pan Connector
51538*	90 x 300mm Long WC Wall Hung Pan Connector

WC Adaptors c/w Cap - 90°

- All 110mm outlet
- All 300mm length



STOCK NO.	SIZE
51530*	90mm Close Couple Inlet
51532*	90mm Extended Inlet
51531	110mm Close Couple Inlet
51533	110mm Extended Inlet

Waste Adaptor c/w Cap - 90°



STOCK NO.	SIZE
51491	50 x 46mm
51492*	50 x 58mm

HDPE Tool



STOCK NO.	SIZE
51590	Tube Cutter Ø50 - 110mm
51591	Tube Cutter Ø110 - 160mm
51592	Scraper Tool
51593	Bevelling Tool (dia. 32mm - 160mm)

Yellow China Marker



STOCK NO.	SIZE
08645	12 pack - for plastic, metal, and glass

**PRODUCTS MARKED WITH A *
ARE PROJECT ONLY**

VOX Acoustic Drainage

Brymec's VOX dB12 Acoustic Waste System has been designed to eliminate the problem of unwanted noise in living and working environments caused by drainage systems.

The highly durable triple-layer co-polymer Polypropylene structure increases the overall strength and provides outstanding sound insulation and chemical resistance.

The system's unique, co-moulded double-lip seal addresses the weaknesses of other push-fit systems to ensure a more reliable, and robust, leak-proof system. The unique white inner lining of the pipe makes post-installation inspection easier and faster.




- › **SOUND PERFORMANCE** – Brymec VOX sets the standard for silent drainage systems with a certified acoustic performance of just 12dB(A)
- › **DOUBLE LIP SEAL** – The unique co-moulded, double-lip seal protects the sealing assembly, increases joint stability and provides a more reliable connection
- › **WHITE INNER LINING** – Fast and easy post installation inspections
- › **ECONOMICAL** – No lagging is required
- › **COMPATIBILITY** – VOX dB12 is easily connected to all other drainage systems such as cast iron, PE and PVC

FEATURES

- › Size range from 32 – 200mm
- › 70°C / 95°C Max
- › 1.5 Bar max. with special details
- › 3-layer construction
- › Manufactured to BS EN 1451-1
- › Acoustic performance dB12 to BS EN 14366
- › Sound Insulation Level 3
- › High impact resistance
- › Excellent UV resistance
- › Excellent chemical resistance

SCAN TO DOWNLOAD
THE BRYMEC VOX ACOUSTIC
WASTE TECHNICAL MANUAL
AND DATA SHEETS.



Cert. 439962004



Cert. 246342016



Cert. 1313672



VOX ACOUSTIC DRAINAGE

Multilayer Single Socket Pipe



STOCK NO.	SIZE	LENGTH
61600	32mm	3m
61601	40mm	3m
61602	50mm	3m
61603	75mm	3m
61604	110mm	3m
61605	160mm	3m
61606*	200mm	3m

Double Socket Coupler



STOCK NO.	SIZE
61745	32mm
61746	40mm
61747	50mm
61748	75mm
61749	110mm
61750	160mm

Slip Coupler



STOCK NO.	SIZE
61753	40mm
61754	50mm
61755	75mm
61756	110mm
61757	160mm
61758*	200mm

Eccentric Reducer



STOCK NO.	SIZE
61736	40mm 32mm
61737	50mm x 32mm
61738	50mm x 40mm
61739	75mm x 50mm
61741	110mm x 50mm
61742	110mm x 75mm
61743	160mm x 110mm

Triple Depth Expansion Coupler



STOCK NO.	SIZE
61763	110mm

VOX ACOUSTIC DRAINAGE

Mx F 15° Bend



STOCK NO.	SIZE
61607*	32mm
61608*	40mm
61609	50mm
61610*	75mm
61611	110mm
61612*	160mm

Mx F 45° Bend



STOCK NO.	SIZE
61621	32mm
61622	40mm
61623	50mm
61624	75mm
61625	110mm
61626	160mm
61627*	200mm

Equal 45° Single Branch



STOCK NO.	SIZE
61635	32mm
61636	40mm
61637	50mm
61638	75mm
61639	110mm
61640	160mm
61641*	200mm

Mx F 30° Bend



STOCK NO.	SIZE
61614	32mm
61615	40mm
61616	50mm
61617	75mm
61618	110mm
61619*	160mm

Mx F 87.3° Bend



STOCK NO.	SIZE
61628*	32mm
61629*	40mm
61630	50mm
61631	75mm
61632	110mm
61633	160mm
61634*	200mm

Equal 67.3° Single Branch



STOCK NO.	SIZE
61646	110mm

PRODUCTS MARKED WITH A *
ARE PROJECT ONLY

VOX ACOUSTIC DRAINAGE

Equal 87.3° Single Branch



STOCK NO.	SIZE
61650	40mm
61651	50mm
61652	75mm
61653	110mm
61654	160mm

Reducing 45° Single Y Branch



STOCK NO.	SIZE
61658	50mm x 40mm
61659	75mm x 50mm
61661	110mm x 50mm
61662*	110mm x 75mm
61663	160mm x 110mm
61664*	200mm x 160mm

45° Double Y Branch



STOCK NO.	SIZE
61683*	50mm
61684*	75mm
61685*	110mm
61686*	160mm

Equal 87.3° Swept Branch



STOCK NO.	SIZE
61733	110mm

Reducing 87.5° Single Branch



STOCK NO.	SIZE
61674	50mm x 40mm
61675*	75mm x 50mm
61677	110mm x 50mm
61678*	110mm x 75mm
61679	160mm x 110mm

67.5° Double Y Branch



STOCK NO.	SIZE
61695*	110mm

87.3° Double Branch



STOCK NO.	SIZE
61700	110mm

VOX ACOUSTIC DRAINAGE

Reducing 45° Double Y Branch



STOCK NO.	SIZE
61690*	75mm x 50mm
61691*	110mm x 50mm
61692*	110mm x 75mm
61693*	160mm x 110mm

Reducing 87.3° Double Branch



STOCK NO.	SIZE
61701*	75mm x 50mm
61702*	110mm x 50mm
61703*	110mm x 75mm
61704*	160mm x 110mm

Reducing 87.3° Corner Branch



STOCK NO.	SIZE
61728*	75mm x 50mm
61729	110mm x 50mm
61730*	110mm x 75mm
61731*	160mm x 110mm

Reducing 67.3° Double Y Branch



STOCK NO.	SIZE
61696*	110mm x 50mm
61697*	160mm x 110mm

87.3° Corner Branch



STOCK NO.	SIZE
61721	50mm
61722*	75mm
61723	110mm
61724*	160mm

4-Way 87.3° Boss Pipe



STOCK NO.	SIZE
61735	110mm x 50mm

Access Pipe Screw Cap



STOCK NO.	SIZE
61768*	50mm
61769*	75mm
61770	110mm
61771	160mm

PRODUCTS MARKED WITH A *
ARE PROJECT ONLY

VOX ACOUSTIC DRAINAGE

End Cap



STOCK NO.	SIZE
61785	40mm
61786	50mm
61787	75mm
61788	110mm
61789	160mm

Solvent Straight Spigot Adapter



STOCK NO.	SIZE
61800	40mm x 1 1/2"
61801	50mm x 2"

Pipe Clamps



	ACOUSTIC	HEAVY DUTY ACOUSTIC	LOW FRICTION	UNLINED	HEAVY DUTY UNLINED
SIZE	STOCK NO.	STOCK NO.	STOCK NO.	STOCK NO.	STOCK NO.
32mm	04099	-	04143	04003	04940
40mm	04100	-	04144	04004	04941
50mm	04113	-	04159	04005	04942
75mm	04105	42038	04147	04000	04945
110mm	04108	42039	04149	04014	04949
160mm	04112	42041	04151	04021	04955
200mm	04134	42210	-	04025	04958

Yellow China Markers



STOCK NO.	SIZE
08645	12 pack - for plastic, metal and glass



PVC-U Soil & Waste

Brymec's PVC-u Soil & Waste System is a lightweight, durable, sanitary pipework solution for all building types.

PVC-u is suitable for installation above ground, either inside or outside of a building, to connect a discharge of wastewater and rainwater to the mains sewer.

Available in Solvent Weld or Ring Seal options, this system offers a vast range of fitting types and accessories, making it quick and easy to install. It provides good chemical and impact resistance, and is manufactured to BS EN 1329:1 standard.



- **QUALITY** – BSI Kitemark for complete reassurance
- **DURABILITY** – Weather and UV resistant
- **BELOW GROUND** – Suitable for use in application areas B & BD
- **COMPATIBILITY** – Easy connections to all other Brymec waste solutions

FEATURES

- Size range from 3/4" up to 6"
- PVC-u manufactured to BS EN 1329:1
- Solvent Weld or Ring Seal options
- Comprehensive range of accessories
- Simple and quick to install
- Good chemical resistance
- High impact resistance



bsi
Plastic Piping Systems
KITEMARK™

EN 1329
BS EN 1329-1



Cert. 100902019



Cert. 200347010




Cert. 1313672



SCAN TO DOWNLOAD
THE BRYMEC SOIL & WASTE
SYSTEMS TECHNICAL MANUAL
AND DATA SHEETS.



Resistance to chemicals
The Brymec soil and waste systems are made from high quality PVC-U material which will not be affected by effluents.



Installation Instructions

- Step 1: Solvent welding
- Step 2: Ring seal
- Step 3: Solvent welding
- Step 4: Ring seal



Dimension	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
Standard Length (mm)	150	200	250	300	350	450	600	900
Standard Length (ft)	1.5	2.0	2.5	3.0	3.5	4.5	6.0	9.0
Standard Length (m)	0.15	0.20	0.25	0.30	0.35	0.45	0.60	0.90

SOLVENT WELD SOIL & VENT

Plain End Pipe



SIZE	GREY	BLACK
4"/110mm x 3m	35148	35148BL
6"/160mm x 3m	35240	-

Solvent to Ring Seal Adaptor



SIZE	GREY
4"/110mm Type 1	35185
4"/110mm Type 2	35186

Single Socket Bend - 90°



SIZE	GREY
4"/110mm x 90°	35152
6"/160mm x 92.5°	35244

Single Socket Bend - Obtuse



SIZE	GREY	BLACK
4"/110mm x 112.5°	35153	-
4"/110mm x 135°	35154	35154BL
6"/160mm x 135°	35245	-

Double Socket Coupler



SIZE	GREY	BLACK
4"/110mm - Double Socket	35150	35150BL
4"/110mm - Double/Slip Ring Seal Coupler	35151	35151BL
6"/160mm - Double Socket	35241	-
6"/160mm - Double/Slip Ring Seal Coupler	35242	-

Double Socket Bend - 90°



SIZE	GREY	BLACK
4"/110mm x 92.5°	35155	35155BL
6"/160mm x 92.5°	35246	-

Double Socket Bend - Obtuse



SIZE	GREY	BLACK
4"/110mm x 112.5° - Type 2	35156	-
4"/110mm x 135°	35157	35157BL
6"/160mm x 135°	35247	-

SOLVENT WELD SOIL & VENT



Single Branch - 92.5°

SIZE	GREY	BLACK
4"/110mm x 92.5° 2" Boss Double Socket	35159	35159BL
4"/110mm x 92.5° 2" Boss Triple Socket	35160	35160BL
4" / 110mm x 92.5°, 4 x 63mm Boss, Triple Socket - Type 2	35182	35182BL
6"/160mm x 92.5° 63mm Boss Double Socket	35248	-
6"/160mm x 92.5° 2" Boss Triple Socket	35250	-

Single Branch - 135°



SIZE	GREY	BLACK
4"/110mm - Triple Socket	35161	35161BL
6"/160mm 2" Boss Double Socket	35249	-
6"/160mm 2" Boss Triple Socket	35251	-

Reducing Branch



SIZE	GREY
6"/160mm x 4"/110mm - 92.5°	35254
6"/160mm x 4"/110mm - 135°	35255

Double Branch - 92.5°



SIZE	GREY	BLACK
4"/110mm x 92.5° 63mm Boss, Triple Socket	35163	35163BL

Corner Branch - 92.5°



SIZE	GREY
4"/110mm x 92.5°, 2 x 52mm Boss (use 35170 adaptor to 2") - Type 2	35165

Bossed Access Pipe



SIZE	GREY
4"/110mm x 4 63mm Boss Outlets - Type 2	35174

Short Boss Pipe



SIZE	GREY	BLACK
4"/100mm 3 x 2" Boss, Double Socket	35168	35168BL

SOLVENT WELD SOIL & VENT

Single Boss Pipe



SIZE	GREY	BLACK
4"/110mm 1 1/4" (36mm) Boss Outlet, Double Socket - Type 2	35183	-
4"/110mm 1 1/2" (43mm) Boss Outlet, Double Socket - Type 2	35184	-
4"/110mm 1 x 2" Boss, Double Socket - Type 2	35169	35169BL

Short Access Pipe



SIZE	GREY	BLACK
4"/110mm	35176	35176BL
6"/160mm	35256	-

Access Cap



SIZE	GREY	BLACK
4" - Spigot	35180	35180BL
6" - Spigot	35257	-

Strap On Boss



SIZE	GREY	BLACK
4"/110mm x 63mm	35120	35120BL*
4"/110mm x 2"	35121	19400
6"/160mm x 63mm	35259	-

Access Bend 92.5°



SIZE	GREY	BLACK
4"/110mm	35177	35177BL

Access Branch 92.5°



SIZE	GREY	BLACK
4"/110mm - Triple Socket 2" Boss Outlets	35178	35178BL

Reducer



SIZE	GREY
6"/160mm to 4"/110mm	35243

PRODUCTS MARKED WITH A *
ARE PROJECT ONLY

RING SEAL SOIL & VENT

Single Socket Pipe



SIZE	GREY	BLACK
4"/110mm x 3m	35099	35099BL

Plain End Pipe



SIZE	GREY	BLACK
4"/110mm x 3m	35100	35100BL*

Couplers



SIZE	GREY	BLACK
4"/110mm Double Socket	35102	35102BL
4"/110mm Single Socket Ring Seal to Solvent	35101	35101BL

Single Socket Bends - 92.5°



SIZE	GREY	BLACK
4"/110mm x 92.5°	35105	35105BL

Single Socket Bends - Obtuse



SIZE	GREY	BLACK
4"/110mm x 125°	35106	-
4"/110mm x 135°	35107	35107BL
4"/110mm x 135° Offset Solvent Socket/Spigot	35110	35110BL*

Double Socket Bends - 92.5°



SIZE	GREY	BLACK
4"/110mm x 92.5°	35108	35108BL

Double Socket Bends - 135°



SIZE	GREY	BLACK
4"/110mm x 135°	35109	35109BL*

Adjustable Bends



SIZE	GREY	BLACK
4"/110mm 0-45°	35111	35111BL*
4"/110mm 0-90°	35112	35112BL*

Single Branch - 92.5°



SIZE	GREY	BLACK
4"/110mm Triple Socket	35139	35139BL*
4"/110mm 2 x 63mm Boss, Double Socket	35113	35113BL
4"/110mm 2 x 63mm Boss, Triple Socket	35114	35114BL*

Single Branch - 135°



SIZE	GREY	BLACK
4"/110mm - Double Socket	35115	35115BL*

RING SEAL SOIL & VENT

Double Branch - 92.5°



SIZE	GREY	BLACK
4"/110mm 2 x 63mm Boss, Triple Socket	35116	35116BL*

Corner Branch - 92.5°



SIZE	GREY	BLACK
4"/110mm - Triple Socket	35117	-

Boss Pipe



SIZE	GREY	BLACK
4"/100mm Long Boss Pipe, 3 x 63mm Boss, Single Socket	35118	35118BL
4"/100mm Short Boss Pipe, 3 x 63mm Boss, Double Socket, Solvent Type	35119	35119BL

Access Pipe - Short



SIZE	GREY	BLACK
4"/110mm - Double Socket	35128	35128BL*

Access Bend - 92.5°



SIZE	GREY	BLACK
4"/110mm - Double Socket	35129	35129BL*

Access Branch - 92.5°



SIZE	GREY	BLACK
4"/110mm 2 x 63mm Boss, Triple Socket	35130	35130BL*

Access Cap



SIZE	GREY	BLACK
4"/110mm - Spigot	35132	35132BL*
4"/110mm Access Cap - Solvent Socket	35133	35133BL

Manifold Connector



SIZE	GREY
4"/110mm - 4 inlet	35200

PRODUCTS MARKED WITH A *
ARE PROJECT ONLY

SOIL & WASTE ACCESSORIES

Pipe Clips



SIZE	GREY	BLACK
4"/110mm to suit Solvent pipe	35098	35098BL
4"/110mm to suit Ringseal pipe	35103	35103BL*
4"/110mm for Socket	35104	-
6"/160mm to suit Solvent pipe	35258	-

Blanking Caps for Ring Seal Sockets



SIZE	GREY	BLACK
4"/110mm	35134	35134BL*

Access Saddle



SIZE	GREY	BLACK
4"/110mm	35131	35131BL

Air Admittance Valve - Solvent Soil



SIZE	GREY	BLACK
4"/110mm	35208	35208BL

Air Admittance Valve - Multifit



STOCK NO.	SIZE
51540	110mm

Reducers



SIZE	GREY	BLACK
4"/110mm x 2"/50mm	35135	35135BL
4"/110mm x 68mm	35136	-

Vent Cowl



SIZE	GREY	BLACK
4"/110mm	35203	35203BL

Vent Terminal



SIZE	GREY	BLACK
4"/110mm	35204	35204BL

PRODUCTS MARKED WITH A *
ARE PROJECT ONLY

SOIL & WASTE ACCESSORIES

Weathering Slate



STOCK NO.	SIZE
35206	82 - 110mm Angled Outlet

Galv Wire Balloon



STOCK NO.	SIZE
35238	4"/110mm

Weathering Collar



STOCK NO.	SIZE
35205	4"/110mm

BOSS ADAPTORS

2" Boss Adaptor

- For 2" Boss Outlets
- Solvent joint



STOCK NO.	SIZE
35432	2" - 1 1/4" (36mm)
35433	2" - 1 1/2" (43mm)

63mm Solvent Boss Adaptors

- For 63mm Boss Outlets
- Solvent joint



STOCK NO.	SIZE
35125	63mm - 1 1/4" (36mm)
35126	63mm - 1 1/2" (43mm)
35127	63mm - 2" (56mm)

52mm Boss Adapter

- 52mm - 2" Push-Fit Boss Adapter for 35165



STOCK NO.	SIZE
35170	52mm

63mm Rubber Boss Adaptor

- For 63mm Boss Outlets
- Rubber push fit seal



STOCK NO.	SIZE
35122	63mm - 1 1/4" (36mm)
35123	63mm - 1 1/2" (43mm)
35124	63mm - 2" (56mm)

RUBBER WASTE ADAPTORS

Flexible Rubber Coupler



STOCK NO.	SIZE
35222	1 1/4" (30 - 38mm)
35210	1 1/2" (39 - 47mm)
35221	2" (54 - 62mm)
35220	3" (77 - 87mm)
35209	4" (110 - 115mm)
35219	6" (158 - 168mm)

Flexible Rubber Coupler - Reducing



STOCK NO.	SIZE
35225	3" - 2"
35224	4" - 3"
35223	6" - 4"

Flexible Rubber Elbow - 90°



STOCK NO.	SIZE
35230	2"

Flexible Rubber End Caps



STOCK NO.	SIZE	DESCRIPTION
35232	1 1/4"	Pushfit
35233	1 1/2"	Pushfit
35234	2"	Pushfit
35235	4"	c/w Hoseclip

Universal Waste Adaptor Insert



STOCK NO.	SIZE
51501	46mm x 26-32mm
51502	46mm x 36-40mm
51811	50mm x 36-40mm
42198	50mm x 40-44mm
51812	53.5mm x 24-32mm
51813	53.5mm x 36-40mm
51505	58mm x 47-50mm
51504	60mm x 36-40mm
51814	60mm x 46-55mm

Soil to Waste Rubber Adaptor



STOCK NO.	SIZE
35214	4" to 1 1/4" or 1 1/2"
35215	4" to 2"

Multi Waste Adaptors



STOCK NO.	SIZE	ACCEPTS WASTE SIZE
52197	2"/56mm	40-56mm OD
52199	4"/110mm	100-110mm OD
42199	4"/110mm	2 x 32-40mm & 1 x 40-56mm

PAN CONNECTORS

Pan Connector - Straight



STOCK NO.	SIZE
30975	4"/110mm

Pan Connector - 90° with 32mm Boss



STOCK NO.	SIZE
30982	4"/110mm

Pan Connector - Offset



STOCK NO.	SIZE	OFFSET
30981	4"/110mm	20mm
30983	4"/110mm	40mm

Pan Connector - 90° Swan Neck



STOCK NO.	SIZE
30986	4"/110mm

Pan Connector - 14°



STOCK NO.	SIZE
30976	4"/110mm

Flexible Pan Connector - Straight



STOCK NO.	SIZE
30980	4"/110mm x 300 - 600mm

Pan Connector - 90°



STOCK NO.	SIZE
30978	4"/110mm - 290mm Spigot

Flexible Pan Connector - 90°



STOCK NO.	SIZE
30880	540mm

Pan Connector Extension



STOCK NO.	SIZE
30985	4"/110mm

SOLVENT WELD WASTE

Plain End Pipe



SIZE	PACK QTY.	STOCK NO.		
		GREY	WHITE	BLACK
32mm x 3m	10	35400	19375	19395
40mm x 3m	10	35401	19415	192901
50mm x 3m	10	35402	19990	35456

Coupler



SIZE	PACK QTY.	STOCK NO.		
		GREY	WHITE	BLACK
32mm	10	35403	19376	19396
40mm	10	35404	19416	192902
50mm	10	35405	19991	35457

Swept Bend - 92.5°



SIZE	PACK QTY.	STOCK NO.		
		GREY	WHITE	BLACK
32mm	10	35408	19377	19397
40mm	10	35409	19417	192903
50mm	10	35410	19992	35458

SOLVENT WELD WASTE

Elbow - 90°



SIZE	PACK QTY.	STOCK NO.		
		GREY	WHITE	BLACK
32mm	10	35411	193772	193972
40mm	10	35412	194171	192911
50mm	10	35413	199922	35460

M xF Elbow - 90°



SIZE	PACK QTY.	STOCK NO.		
		GREY	WHITE	BLACK
32mm	10	35417	193771	193971
40mm	10	35418	194172	192910
50mm	10	35419	199921	35459

Elbow - 45°



SIZE	PACK QTY.	STOCK NO.		
		GREY	WHITE	BLACK
32mm	10	35414	19378	19398
40mm	10	35415	19418	192904
50mm	10	35416	19993	35461

SOLVENT WELD WASTE

Mx F Elbow - 45°



SIZE	PACK QTY.	STOCK NO.		
		GREY	WHITE	BLACK
32mm	10	35420	193781	193981
40mm	10	35421	194181	192912
50mm	10	35422	199931	35462

Branch - 92.5° Swept



SIZE	PACK QTY.	STOCK NO.		
		GREY	WHITE	BLACK
32mm	10	35423	19379	19399
40mm	10	35424	19419	192905
50mm	10	35425	19994	35463

Reducer



SIZE	PACK QTY.	STOCK NO.		
		GREY	WHITE	BLACK
32mm (1 1/4") x 22mm	10	-	19371	19391
40mm (1 1/2") x 22mm	10	-	35611	-
40mm (1 1/2") x 32mm	10	35431	19424*	192908
50mm (2") x 32mm	10	35432	19998	-
50mm (2") x 40mm	10	35433	19997	192913

SOLVENT WELD WASTE

Rodding Eye



SIZE	PACK QTY.	STOCK NO.		
		GREY	WHITE	BLACK
32mm	10	35444	19381	19401
40mm	10	35445	19420	192906
50mm	10	35446	19995	35464

Pipe Clip



SIZE	PACK QTY.	STOCK NO.		
		GREY	WHITE	BLACK
32mm	10	35406	19382	19402
40mm	10	35407	19421	192907
50mm	10	35450	19996	35465

Strap Boss

- 2" Outlet
- Use 2" reducers to adapt to 40mm or 32mm



SIZE	PACK QTY.	STOCK NO.		
		GREY	WHITE	BLACK
4" / 110mm to 2" Outlet	10	35121	19380	19400

SOLVENT WASTE - GREY

Cross Tee - 92.5° Swept



STOCK NO.	SIZE	PACK QTY
35426	40mm	10
35427	50mm	10

Male Adaptor



STOCK NO.	SIZE	PACK QTY
35439	32mm x 1 1/4"	10
35440	40mm x 1 1/2"	10
35441	50mm x 2"	10

Expansion Coupler



STOCK NO.	SIZE	PACK QTY
35434	32mm	10
35435	40mm	10
35436	50mm	10

Blanking Plug



STOCK NO.	SIZE	PACK QTY
35447	32mm	10
35448	40mm	10
35449	50mm	10

Branch - 135°



STOCK NO.	SIZE	PACK QTY
35428	32mm	10
35429	40mm	10
35430	50mm	10

Female Adaptor



STOCK NO.	SIZE	PACK QTY
35437	32mm x 1 1/4"	10
35438	40mm x 1 1/2"	10

Tank Connector



STOCK NO.	SIZE	PACK QTY
35442	32mm	10
35443	40mm	10

SOLVENT WASTE - WHITE

Adaptor Elbow - 90°



STOCK NO.	SIZE
35319	32mm Solvent x 32mm Push-Fit

Male Adaptor



STOCK NO.	SIZE	PACK QTY
19374	32mm x 1 1/4"	10

Weld on Boss



STOCK NO.	SIZE	DOWNPIPE SIZE	HOLESAW SIZE
21602	40mm - 1 1/2" Drain	110mm	44mm

Air Admittance Valve



STOCK NO.	SIZE	PACK QTY
35454	1 1/2"	1
35455	2"	1

SOLVENT WELD OVERFLOW - WHITE

Plain End Pipe



STOCK NO.	SIZE	LENGTH	PACK QTY
19365	22mm	3m	10

Tee - 90°



STOCK NO.	SIZE
19369	22mm

Coupler



STOCK NO.	SIZE
19366	22mm

Reducer



STOCK NO.	SIZE
19371	1 1/4" - 3/4" (32 - 22mm)
35611	1 1/2" - 3/4" (40 - 22mm)

Pipe Clip



STOCK NO.	SIZE
19372	22mm

Female Adaptors



STOCK NO.	SIZE	TYPE
35606	22mm x 3/4"	Straight
35607	22mm x 3/4"	Angled

Elbow - 90°



STOCK NO.	SIZE	PACK QTY
19367	22mm	10

Weld on Boss



STOCK NO.	SIZE	DOWNPIPE SIZE
21600	22mm	110mm

Elbow - 45°



STOCK NO.	SIZE
19368	22mm

EXO Valve Trap



STOCK NO.	SIZE
19293	19 / 23mm In-Line Vertical Non-Return Valve



SOLVENT WELD OVERFLOW - WHITE

Tank Connector



STOCK NO.	SIZE
19370	3/4" Straight
35609	3/4" 90° Bent

Flexible Connector



STOCK NO.	SIZE
19393	3/4" x 8"

SOLVENT WELD OVERFLOW - BLACK

Black Plain End Pipe



STOCK NO.	SIZE	TYPE
19385	21.5mm	3m

Elbow - 90°



STOCK NO.	SIZE
19387	21.5mm

Coupler



STOCK NO.	SIZE
19386	21.5mm

Elbow - 45°



STOCK NO.	SIZE
19388	21.5mm

Pipe Clip



STOCK NO.	SIZE
19392	21.5mm

Tee - 90°



STOCK NO.	SIZE
19389	21.5mm

Reducer



STOCK NO.	SIZE
19391	1 1/4 - 3/4" Solvent
19394	1 1/4 - 3/4" Rubber Pushfit

COMPRESSION WASTE

Coupler



STOCK NO.	SIZE
35300	32mm
35301	40mm
35320	50mm

Elbow - 90°



STOCK NO.	SIZE
35304	32mm
35305	40mm
35321	50mm

MxF Elbow - 90°



STOCK NO.	SIZE
35308	32mm
35309	40mm

Branch - 92.5° Swept



STOCK NO.	SIZE
35312	32mm
35313	40mm
35325	50mm

Adaptor Elbow - 90°



STOCK NO.	SIZE
35318	1 1/4" 90° Bend x 32mm European Push-Fit

Reducer



STOCK NO.	SIZE
35314	40mm x 32mm

Elbow - 45°



STOCK NO.	SIZE
35306	32mm
35307	40mm
35322	50mm

MxF Elbow - 45°



STOCK NO.	SIZE
35310	32mm
35311	40mm

COMPRESSION WASTE

Compression to Solvent Adaptor



STOCK NO.	SIZE
35315	32mm
35316	40mm

Flexible Connector



STOCK NO.	SIZE
19403	1 1/4" x 18"
19404	1 1/2" x 18"



WASTE TRAPS

Bottle Trap



STOCK NO.	SIZE
35500	32mm / 1 1/4"
35501	40mm / 1 1/2"

Anti-Syphon P Trap



STOCK NO.	SIZE
35533	32mm / 1 1/4"
35534	40mm / 1 1/2"

Telescopic Chrome Plated Bottle Trap



STOCK NO.	SIZE
35502	32mm / 1 1/4"

P Trap



STOCK NO.	SIZE
35504	32mm / 1 1/4"
35505	40mm / 1 1/2"

Anti-Syphon Bottle Trap



STOCK NO.	SIZE
35530	32mm / 1 1/4"
35531	40mm / 1 1/2"
35532	32mm / 1 1/4" Telescopic

Low Level Bath Trap



STOCK NO.	SIZE
35513	40mm / 1 1/2"

Running (S) Trap



STOCK NO.	SIZE
35508	32mm / 1 1/4"
35509	40mm / 1 1/2"

P Trap with Washing Machine Inlet



STOCK NO.	SIZE
35520	40mm / 1 1/2" Single Inlet
35524	40mm / 1 1/2" Double Inlet

WASTE TRAPS



Telescopic P Trap

STOCK NO.	SIZE
35506	32mm / 1 1/4"
35507	40mm / 1 1/2"



Swan Neck Bath Trap

STOCK NO.	SIZE
35510	32mm / 1 1/4" (no cleaning eye)
35511	40mm / 1 1/2" (with cleaning eye)



Waterless Self Seal Trap

STOCK NO.	SIZE
19384	1 1/4" Waterless Trap
19405	1 1/4" Compression Adaptor
19422	1 1/2" Waterless Trap
19423	1 1/2" Compression Adaptor



Blanking Cap

STOCK NO.	SIZE
35330	1 1/4"
35331	1 1/2"
35332	2"



Washing Machine Trap with Standpipe

STOCK NO.	SIZE
35519	40mm / 1 1/2" c/w Upstand & Clips



Washing Machine Trap Adaptor

STOCK NO.	SIZE
35521	40mm / 1 1/2"



Non-Return Condensate Valve

STOCK NO.	SIZE
19294	1 1/4" In-Line Vertical Non-Return Valve



Chrome Basin Clicker Waste

STOCK NO.	SIZE
35541	1 1/4"

SOLVENT WASTE CONSUMABLES

Solvent Cement



STOCK NO.	SIZE
19410	125ml c/w Brush in Cap
19411	250ml c/w Brush in Cap
35211	1000ml



Drain Pipe Cleaning Fluid

STOCK NO.	SIZE
19413	250ml c/w Brush in Cap



Silicone Spray

STOCK NO.	SIZE
32071	11oz



Silicone Spray Lubricant

STOCK NO.	SIZE	REF
19412	400ml	SG300



Silicone Lubricant Grease

STOCK NO.	SIZE
35788	100g

Fixings & Supports

Our fixings and supports are designed to complement our full range of mechanical systems.

From brackets and clips to channel systems and anchors, we provide everything you need in one place, making us your one-stop shop for complete project solutions.



Duraframe

Engineered for strength and versatility, Brymec's Duraframe Modular System offers a non-penetrative support solution for services, plant, equipment, and access structures, making it ideal for rooftop installations.

Lightweight and easy to handle, components can be assembled on-site by a single person in minutes, with no need for special lifting equipment. The extra-large feet distribute weight evenly without compromising waterproofing, and adjustable legs ensure stability on uneven surfaces.

Each modular system can be configured for your specific situation using the simple online Brymec configurator tool.



FEATURES

- › Modular assembly, no special tools
- › High-load capability
- › Infinitely scalable system
- › Fully adjustable support assemblies
- › Corrosion resistant
- › Hot-dipped galvanised

MAKE MODULAR SYSTEM
PLANNING A BREEZE
WITH OUR DURAFRAME
CONFIGURATOR APP!
TRY IT TODAY



Cert. 459902024



Cert. 268347014



Cert. 1313072



DURAFRAME ROOF TOP SUPPORT SYSTEM

DuraFrame StrongPod Modular Framework



STOCK NO.	SIZE	FRAME SIZE
DF2001	Singe module - 2 unit	1250mm x 1100mm
DF2002	Double module - 4 unit	2550mm x 1100mm
DF2003	Triple module - 6 unit	3800mm x 1100mm

DuraFrame Bi-Pod 350



STOCK NO.	SIZE
DF3000	BiPod 350mm x 350mm

DuraFrame Low Level Support Kit



STOCK NO.	SIZE
DF3100	350mm x 350mm

DuraFrame Crossbar Kit



STOCK NO.	SIZE
DFCBK	1110mm
DFCBK21	2110mm

DuraFrame Crossbar Component



STOCK NO.	SIZE
DFCB1110	Part A - 1110mm
DFCB2110	Part A - 2110mm

DuraFrame Sidebar Kit



STOCK NO.	SIZE
DFSBK6	600mm
DFSBK	1200mm

DuraFrame Sidebar Component



STOCK NO.	SIZE
DFSB0600	600mm
DFSB1200	1200mm

DuraFrame Cantilever Arm



STOCK NO.	SIZE
DFCA0200	200mm
DFCA0300	300mm

DURAFRAME ROOF TOP SUPPORT SYSTEM

DuraFrame Foam Roof Protection Mat



STOCK NO.	SIZE
DF3200	336mm x 336mm x 8mm

Vibromats - Teco Pad



STOCK NO.	SIZE
19565	Small Tile - 600mm x 150mm x 30mm
19566	Large Tile - 1000mm x 500mm x 30mm
19567	Plain Tile - 500mm x 500mm x 45mm
19568	AV Strip - 1000mm x 75mm x 15mm

DuraFrame M10 Foot Support



STOCK NO.	SIZE
DF1000	350mm
DF1008	350mm w/ threaded insert

Support System Foot



STOCK NO.	SIZE
19582	250mm x 180mm x 95mm
19583	400mm x 180mm x 95mm
19584	600mm x 180mm x 95mm
19585	1000mm x 180mm x 95mm

DuraFrame Equipment Clamp Set



STOCK NO.	DESCRIPTION
DF1050	Equipment Clamp Set
DF1020	T-Plate for Unit Clamp
DF1025	U-Bolt for Unit Clamp

DuraFrame Insert



STOCK NO.	DESCRIPTION
DF1005	Channel Insert
DF1006	2 Way Channel Insert
DF1007	M10 Threaded Metal Insert

DuraFrame Adjustable Metal Leg Assembly




STOCK NO.	DESCRIPTION
DFLAK	Leg Assembly Kit
DF1010	Adjustable Metal Leg

DuraFrame AV Mount



STOCK NO.	DESCRIPTION
DFAVESMS	AV Mount

Support System Configuration Made Easy



Use our DuraFrame app to calculate the roof top system you need for your project.

Simply scan the QR code or visit www.brymec.com/duraframe



Channel Support Systems

Brymec's comprehensive Channel Support Systems are designed to provide a versatile, robust and economical metal framing solutions for supporting electrical and mechanical services.

Manufactured to BS 6946 standards, this system features a selection of galvanised steel channel sections that can be quickly and easily assembled using a comprehensive range of brackets, channel nuts, and fixings. For enhanced corrosion resistance, each section is hot-dip galvanised prior to forming the channel.

Available in either standard 1m or 3m lengths, or in a wide range of smaller pre-cut studs, our high-quality Bright Zinc Plated studding is the perfect product for connecting and fixing all Support Channel Systems.

FEATURES

- › Range of Channel profiles
- › Slotted or plain options
- › High load performance
- › Huge range of brackets and fixing plates
- › Corrosion resistant hot-dipped galvanised
- › Wide range of fix studding



CHANNEL

Shallow Channel - 41 x 21mm



STOCK NO.	DESCRIPTION	LENGTH
12003	Slotted	3m
12001	Plain	3m
12016	Light Gauge Slotted	3m
12012	Slotted	6m

Shallow Slotted Cut Channel - 41 x 21mm



STOCK NO.	SIZE
123003	300mm
123005	400mm
123007	500mm
123009	600mm
123017	1000mm
123027	2000mm

C-Type Channel Iron 4" x 3" Self Colour



STOCK NO.	SIZE	LENGTH
12097	102mm x 51mm	3m

Deep Channel - 41 x 41mm



STOCK NO.	DESCRIPTION	LENGTH
12006	Slotted	3m
12004	Plain	3m
12005	Slotted Back to Back	3m
12008	Plain Back to Back	3m
12018	Light Gauge Slotted	3m
12014	Slotted	6m
12013	Plain	6m
12007	Slotted Back to Back	6m
12009	Plain Back to Back	6m

Deep Slotted Cut Channel - 41 x 41mm



STOCK NO.	SIZE
123053	300mm
123055	400mm
123057	500mm
123059	600mm
123063	800mm
123067	1000mm
123077	2000mm

CHANNEL NUTS

Channel nuts are a quick and easy method of connecting channel with bracketry or any other support requirement. The channel nut is simply inserted into the channel and rotated through 90°, sprung versions are held firmly in place whilst positioning and securing the required fixture.

No Spring Channel Nut



STOCK NO.	SIZE	PACK QTY
12021	M6	100
12022	M8	100
12023	M10	100
12024	M12	100
12025	M16	100

Long Spring Channel Nut



STOCK NO.	SIZE	PACK QTY
12041	M6	100
12042	M8	100
12043	M10	100
12044	M12	100

T-Bolt Slide Stud Assembly



STOCK NO.	SIZE	PACK QTY
11950	M10 x 40 T-Bolt Slide Stud Assembly	50

Short Spring Channel Nut



STOCK NO.	SIZE	PACK QTY
12031	M6	100
12032	M8	100
12033	M10	100
12034	M12	100

Slide Nut



STOCK NO.	SIZE
12709	M8
12710	M10

SQUARE PLATES

Designed for versatile use in a wide range of applications, these square plates are manufactured to BS 6946 standards. Available in 3mm or 6mm thick steel, they provide reliable support and durability when installing channel support systems.



Square Plate

STOCK NO.	SIZE	PACK QTY
12071	M6 x 6mm	100
12072	M8 x 6mm	100
12073	M10 x 6mm	100
12074	M12 x 6mm	100
12080	M16 x 3mm	100



Lipped Square Plate

STOCK NO.	SIZE	PACK QTY
12076	M10	100

CHANNEL BRACKETS

A comprehensive range of brackets, clamps, and accessories designed for joining standard 41mm channel, offering a versatile and cost-effective solution for industrial framing and service support applications.



Channel Bracket

STOCK NO.	SIZE	REF
12051	2 Hole	P1026
12053	3 Hole	P1326
12055	4 Hole	P1325



Splice Plate

STOCK NO.	SIZE	REF
12081	2 Hole	P1065
12082	3 Hole	P1066
12083	4 Hole	P1067
12084	5 Hole	P1941



Z Bracket

STOCK NO.	SIZE	REF
12101	40mm	P1045
12103	20mm	P4045

CHANNEL BRACKETS



U Bracket

STOCK NO.	SIZE	REF
12111	20mm	P4047
12112	40mm	P1047
12113	80mm	P1737



Obtuse Angle Bracket

STOCK NO.	ANGLE	REF
12131	15°	P2103
12132	30°	P2101
12133	45°	P1546
12135	60°	P2097



90° Bracket

STOCK NO.	SIZE	REF
12181	96mm x 90mm x 41mm	P2072-S1



Flat T Plate

STOCK NO.	SIZE	REF
12221	90mm x 138mm	P1031

Channel Joining U Bracket



STOCK NO.	SIZE	REF
12121	96mm	P1044



Acute Angle Bracket

STOCK NO.	ANGLE	REF
12151	45°	P1186



T Plate with Gusset

STOCK NO.	SIZE	REF
12191	90mm x 136mm	P1358



90° T Bracket

STOCK NO.	SIZE	REF
12226	51mm x 138mm	P1033

CHANNEL BRACKETS



Flat L Plate

STOCK NO.	SIZE	REF
12201	90mm x 90mm	P1036



External Joining Channel

STOCK NO.	SIZE	REF
12231	Shallow	P4376A
12232	Deep	P1377



Shelf Bracket

STOCK NO.	SIZE	REF
12271	102mm x 102mm	P2484



Channel Gusseted Base Bracket

STOCK NO.	SIZE	REF
12261	Single channel	P1248-S1
12262	Double channel	P2348-S2



Window Bracket

STOCK NO.	SIZE	REF
12320	Shallow channel	P1796-A
12321	Deep channel	P1796
12322	Deep back to back channel	P1796-B



L Corner Bracket

(Image shows right hole)

STOCK NO.	SIZE	REF
12211	Hole right	P1037
12212	Hole left	P1038



Internal Joining Channel

STOCK NO.	SIZE	REF
12243	Deep	P1218



Wing Bracket

STOCK NO.	SIZE	REF
12251	2 Lug	P2346



Channel Base Plate

STOCK NO.	SIZE	REF
12281	Single	P2072-S1
12286	Double	P2073



Internal C Type Beam Clamp

STOCK NO.	SIZE
12301	BC006 Internal
12311	BC005 External



CHANNEL BRACKETS

Beam Clamps - U Bolt Type



STOCK NO.	DESCRIPTION	REF
12331	Shallow & deep channel	P2785
12332	Deep back to back channel	P2786

H Beam Strut Clamp



STOCK NO.	DESCRIPTION	REF
12342	H-beam clamp (pair)	P3087

Cone Point Screw



STOCK NO.	SIZE	REF
12356	M10 x 35mm	CP1035

CANTILEVER ARMS

Cantilever arms, fabricated from heavy-duty channel, are designed to support a wide range of equipment and are galvanized for durability in external applications.



Plain Cantilever Arm

STOCK NO.	SIZE
12291	150mm
12293	300mm
12294	450mm
12295	600mm
12296	750mm
12300	900mm
12350	1000mm

Back to Back Plain Cantilever Arms



STOCK NO.	SIZE
12297	450mm
12298	600mm
12299	750mm

CHANNEL ACCESSORIES

PVC Channel End Cap



STOCK NO.	SIZE	COLOUR	QTY
12409	40mm	Black	1
12410	20mm	Black	1
12411	40mm	Blue	1
12412	20mm	Blue	1
12413	40mm	White	1
12414	20mm	White	1

3m Channel Cover Strip



STOCK NO.	DESCRIPTION
12421	White PVC

RAPID RAIL MINI CHANNEL SYSTEM

RapidRail®




STOCK NO.	SIZE	REF	QTY
12601	30mm x 20mm x 2m	6505015	50

Slide Nut



STOCK NO.	SIZE	REF	QTY
12605	M10	6513010	50

End Cap



STOCK NO.	REF	PACK QTY
12606	6566000	50

T Bolt



STOCK NO.	SIZE	REF	QTY
12611	M10 x 25	6523002	25
12612	M10 x 40	6523004	25

Rail Nut



STOCK NO.	SIZE	REF	QTY
12626	M10	6513010	50

STUDDING

Continuous threaded rod - an everyday requirement for service support systems. Threaded rods have countless applications such as providing support for pipework and cabling found in commercial and industrial buildings.

Available in full 3m lengths - or cut to various lengths from stock standard BZP or galvanised/ stainless steel for additional corrosion resistance.

Bright Zinc Plated Studding - 1m



STOCK NO.	SIZE	PACK QTY
11702	M8	25
11703	M10	25
11704	M12	20
11705	M16	15
11706	M20	8

Bright Zinc Plated Studding - 3m



STOCK NO.	SIZE	PACK QTY
11711	M6	50
11712	M8	25
11713	M10	10
11714	M12	10
11715	M16	5
11716	M20	5

Studding Cropper & Jaws



STOCK NO	SIZE
11720	Studding Cropper
11734	M8 Jaws
11735	M10 Jaws

Ready Cut Studs - Bright Zinc Plated



STOCK NO.	SIZE	PACK QTY
11904	M10 x 25mm	100
11915	M10 x 30mm	100
11905	M10 x 40mm	100
11912	M10 x 50mm	100
11906	M10 x 60mm	100
11916	M10 x 70mm	100
11907	M10 x 80mm	100
11917	M10 x 90mm	100
11908	M10 x 100mm	100
11918	M10 x 110mm	100
11909	M10 x 120mm	100
11919	M10 x 130mm	100
11920	M10 x 140mm	100
11910	M10 x 150mm	100
11921	M10 x 160mm	100
11923	M10 x 180mm	50
11911	M10 x 200mm	100
11926	M10 x 220mm	100
11913	M10 x 500mm	100

STUDDING ACCESSORIES

Studding End Cap



STOCK NO.	SIZE	COLOUR	QTY
11768	M8	Black	100
11769	M10	Black	100
11770	M12	Black	100
11780	M8	Blue	100
11785	M10	Blue	100
11787	M12	Blue	100
11781	M8	White	100
11786	M10	White	100

Hexagonal Reducer



STOCK NO.	SIZE
11671	M8 x M10 (M8 Female/M10 Male)
11672	M10 x M8 (M10 Female/M8 Male)
11673	M10 x M12 (M10 Female/M12 Male)
11668	M10 x M16 (M10 Female/M16 Male)
11674	M12 x M10 (M12 Female/M10 Male)
11669	M12 x M16 (M12 Female/M16 Male)

Studding Connector



STOCK NO.	SIZE
11722	M8
11723	M10
11724	M12

Ball Swivel Hanger



STOCK NO.	SIZE
11740	M10

Channel Sockets



STOCK NO.	SIZE
12415	M10/17mm Hex (1/2" Sq Drive)
12416	M12/19mm Hex (1/2" Sq Drive)

Box Spanner



STOCK NO.	SIZE
16197	17/19mm (M10/M12)

Hex to Square Drive Adaptor Set



STOCK NO.	SIZE
16220	1/4", 3/8" and 1/2"

Hex Key Socket



STOCK NO.	SIZE
16292	6mm

Fixings & Supports

Our wide range of fixing products cater for virtually all applications. Whether you require standard fixings such as nuts, bolts and screws, or if you require more technical ETA approved anchor systems, we almost certainly have a solution to meet your needs.

We offer a full range of mechanical and chemical resin anchor systems suitable for fixing into most building fabrics. Particularly when used overhead for fixing into concrete, any anchor system should hold an ETA approval* for use in that situation. This necessary certification is the only method to provide complete assurance that the selected anchor is suitable for the application.

**Look for ETA in the item description*

FEATURES

- › ETA approved mechanical anchors
- › ETA approved chemical resin
- › Bolts M6 – M24
- › Plasterboard fixings
- › Decking fixings
- › Purlin clips
- › Beam clips



Cert. 450902024



Cert. 288347018



Cert. 1313471



NUTS, BOLTS & WASHERS

Hex Set Screw

► 8.8 Grade - High Tensile Steel



STOCK NO.	SIZE	PACK QTY
11404	M6 x 25mm	100
11408	M6 x 50mm	100
11413	M8 x 20mm	100
11414	M8 x 25mm	100
11415	M8 x 30mm	100
11417	M8 x 40mm	100
11418	M8 x 50mm	100
11420	M8 x 70mm	100
11422	M10 x 20mm	100
11423	M10 x 25mm	100
11424	M10 x 30mm	100
11425	M10 x 35mm	100
11426	M10 x 40mm	100
11427	M10 x 50mm	100
11428	M10 x 60mm	100
11429	M10 x 70mm	100
11430	M10 x 80mm	100
11431	M10 x 100mm	100
11433	M12 x 30mm	100
11435	M12 x 40mm	100
11436	M12 x 50mm	100
11384	M12 x 65mm	100
11439	M12 x 80mm	100
11440	M12 x 100mm	100
11452	M16 x 35mm	1
11453	M16 x 40mm	1
11390	M16 x 45mm	1
11454	M16 x 50mm	1

STOCK NO.	SIZE	PACK QTY
11443	M16 x 55mm	1
11455	M16 x 60mm	1
11456	M16 x 65mm	1
11457	M16 x 70mm	1
11391	M16 x 75mm	1
11458	M16 x 80mm	1
11392	M16 x 90mm	1
11459	M16 x 100mm	1
11460	M16 x 110mm	1
11461	M16 x 120mm	1
11462	M16 x 130mm	1
11463	M16 x 150mm	1
11449	M20 x 45mm	1
11471	M20 x 50mm	1
11396	M20 x 65mm	1
11473	M20 x 70mm	1
11397	M20 x 75mm	1
11474	M20 x 80mm	1
11399	M20 x 90mm	1
11475	M20 x 100mm	1
11451	M20 x 140mm	1
11470	M24 x 80mm	1
11472	M24 x 90mm	1
11476	M24 x 100mm	1

NUTS, BOLTS & WASHERS

Hex Nut - BZP



STOCK NO.	SIZE	A/F SIZE	PACK QTY
11744	M6	10mm	200
11745	M8	13mm	100
11746	M10	17mm	100
11747	M12	19mm	100
11748	M16	24mm	1
11749	M20	30mm	1
11750	M24	36mm	1

1/4" Hex Shank Nut Spinner



STOCK NO.	SIZE
03120	13mm
03121	17mm
03122	15mm

Bolt & Nut Cover Cap - Blue



STOCK NO.	SIZE	PACK QTY
11345	M10	100

Dome Nut - BZP



STOCK NO.	SIZE	PACK QTY
11784	M10	100

Penny Repair Washer - BZP



STOCK NO.	SIZE	PACK QTY
11831	M5 x 25mm	100
11832	M6 x 20mm	100
11839	M6 x 25mm	100
11833	M6 x 30mm	100
11834	M8 x 25mm	100
11840	M8 x 30mm	100
11835	M8 x 40mm	100
11830	M10 x 25mm	100
11836	M10 x 30mm	100
11837	M10 x 40mm	100
11838	M12 x 40mm	100

Plain Washer - BZP



STOCK NO.	SIZE	PACK QTY
11803	M6	200
11804	M8	100
11805	M10	100
11806	M12	100
11807	M16	100
11808	M20	100
11809	M24	100

Spring Washer - BZP



STOCK NO.	SIZE	PACK QTY
11865	M10	100
11866	M12	100
11867	M16	100

NUTS, BOLTS & WASHERS

Rubber Isolation Washer



STOCK NO.	SIZE	PACK QTY
11853	M6 x 12.7mm OD	100
11854	M8 x 16mm OD	100
11855	M10 x 19mm OD	100
11856	M12 x 25.4mm OD	100

Roofing Bolts c/w Nuts - BZP



STOCK NO.	SIZE	PACK QTY
11362	M6 x 12mm	200
11363	M6 x 16mm	200
11364	M6 x 20mm	200
11365	M6 x 25mm	200
11366	M6 x 30mm	200

Countersunk Head Machine Screw - BZP



STOCK NO.	SIZE	PACK QTY
11132	M5 x 80mm	100

Heavy Duty Bow Nut



STOCK NO.	SIZE
040322	M10
040323	M12

Fast Fix Roofing Bolts c/w Hex Flange Nut - BZP



STOCK NO.	SIZE	PACK QTY
11351	M6 x 16mm	200
11352	M6 x 20mm	200

Pan Head Machine Screw - BZP



STOCK NO.	SIZE	PACK QTY
11152	M4 x 70mm	100
11173	M5 x 50mm	100
11098	M6 x 80mm	100

Eye Bolt



STOCK NO.	SIZE
12403	M8 x 80
12404	M10 x 80
12405	M10 x 150
12406	M12 x 80
12407	M12 x 150

SCREWS & PLUGS

Countersunk Chipboard Woodscrew



STOCK NO.	DESCRIPTION	PACK QTY
09023	4.0 x 20mm	200
09024	4.0 x 25mm	200
09025	4.0 x 30mm	200
09027	4.0 x 40mm	200
09029	4.0 x 50mm	200
09030	4.0 x 60mm	200
09031	4.0 x 70mm	200
09053	5.0 x 30mm	200
09054	5.0 x 35mm	200
09055	5.0 x 40mm	200
09056	5.0 x 45mm	200
09057	5.0 x 50mm	200
09058	5.0 x 60mm	200
09059	5.0 x 70mm	200
09060	5.0 x 80mm	200
09062	5.0 x 100mm	100
09065	6.0 x 100mm	100
09067	6.0 x 50mm	200
09068	6.0 x 70mm	200

Bolt Wood Screw



STOCK NO.	DESCRIPTION	PACK QTY
11895	M10 x 100mm	50

Hex Head Coachscrew



STOCK NO.	DESCRIPTION	PACK QTY
09936	M8 x 50mm	200
09937	M8 x 60mm	100
09938	M8 x 80mm	100
09946	M10 x 70mm	100
09949	M10 x 100mm	50

Bugle Head Drywall Screw



STOCK NO.	DESCRIPTION	PACK QTY
10602	32mm	1000
10603	38mm	1000
10606	50mm	1000
10609	75mm	200

Dome Head Aluminium Pop Rivet



STOCK NO.	DESCRIPTION	PACK QTY
10407	4.0 x 10mm	250

SCREWS & PLUGS



Plastic Wall Plug

STOCK NO.	DESCRIPTION	PACK QTY
01002	Red (6mm)	100
01003	Brown (7mm)	100



Nylon Wall Plug

STOCK NO.	SIZE	PACK QTY
01054	8 x 40mm	100
01055	10 x 50mm	100
01056	12 x 60mm	25



Plasti Dome Screw Cover Cap - White

STOCK NO.	DESCRIPTION	PACK QTY
09200	6-8 gauge	100



Sanitary Fixing Set

STOCK NO.	DESCRIPTION
11150	W.C Pan Floor Mount
11189	W.C. Pan/Bidet Floor Mount
11190	Basin/Bidet Wall Mount

Countersunk Twinthread Woodscrew



STOCK NO.	DESCRIPTION	PACK QTY
09284	8 x 3/4"	200
09286	8 x 1"	200
09287	8 x 1 1/4"	200
09288	8 x 1 1/2"	200
09291	8 x 2"	200
09294	8 x 2 1/2"	200
09295	8 x 3"	200
09298	10 x 1"	200
09299	10 x 1 1/4"	200
09301	10 x 1 1/2"	200
09302	10 x 1 3/4"	200
09303	10 x 2"	200
09306	10 x 2 1/2"	200
09307	10 x 3"	200
09310	10 x 4"	200
09317	12 x 2"	200
09320	12 x 3"	200
09322	12 x 4"	200

Roundhead Twinthread Woodscrew



STOCK NO.	SIZE	PACK QTY
09357	10 x 1 1/2"	200

SCREWS & PLUGS

Self Drilling Screw - Ducting & Light Sheet



STOCK NO.	SIZE	HEAD TYPE	PACK QTY
10341	8 x 1/2"	Pan Phillips	1000
10342	8 x 1/2"	Pan Sq Drive	1000
10346	8 x 9/16"	Wafer Hd Phillips	1000
10347	8 x 1/2"	Hex	1000
10348	8 x 3/4"	Hex	1000

Hex Head Self Drilling Construction Screw



STOCK NO.	SIZE	PACK QTY
10721	5.5 x 25mm	100
10723	5.5 x 32mm	100
10724	5.5 x 38mm	100
10725	5.5 x 50mm	100
10726	5.5 x 25mm HD	100
10727	5.5 x 32mm HD	100
10722	5.5 x 38mm HD	100
10763	5.5 x 16mm Rubber bonded isolation washers	100

Pan Head Self Tapping Screw



STOCK NO.	DESCRIPTION	PACK QTY
10069	8 x 1/2"	1000
10073	8 x 1"	1000

1/2" Hex Screwdriver Bit



STOCK NO.	SIZE
10352	No.2 Square Drive - 25mm
14162	No.2 Pozi - 25mm
14167	No.2 Phillips - 25mm
14168	No.3 Pozi - 50mm
14176	No.2 Phillips - 25mm

Magnetic Bit Holder



STOCK NO.	SIZE
14181	1/4" - 60mm

Hex Drivers for Hex Self Drilling Screw



STOCK NO.	SIZE
10350	1/4"
10761	5/16"

PLASTERBOARD FIXINGS

Plasterboard Driva Fixing



STOCK NO.	DESCRIPTION	PACK QTY
02001	TP12 (Steel)	100
02005	F12 (Nylon)	100

Spring Toggles - Wings Only



STOCK NO.	SIZE	DRILL SIZE	PACK QTY
02152	M5	14mm	100
02153	M6	18mm	100
02154	M8	22mm	100
02155	M10	25mm	100

Hollow Wall Expanding Anchor



STOCK NO.	SIZE	GRIP BOARD THICKNESS	DRILL SIZE	PACK QTY
02051	M4 x 38mm	8-16mm	9mm	100
02052	M5 x 52mm	7-16mm	11mm	100
02053	M5 x 65mm	17-32mm	11mm	100
02054	M6 x 52mm	7-16mm	13mm	100
02055	Setting Tool	-	-	-

FIXING BANDS AND BOX BRACKETS

Fixing / Strap Bands



STOCK NO.	SIZE	FINISH
04341	12mm x 10m	GALVANISED
04342	17mm x 10m	
04344	12mm x 10m	BLACK PVC
04345	17mm x 10m	

Adjustable Stud Box Brackets



STOCK NO.	SIZE	REF	PACK QTY
19609	280-458mm	TSGB16	50
19610	432-660mm	TSGB24	50

ANCHOR FIXINGS

Wedge Anchor



STOCK NO.	SIZE	LENGTH	DRILL SIZE	PACK QTY
03102	M8	30mm	10mm	100
03103	M10	40mm	12mm	50
03104	M12	50mm	15mm	25
03105	M16	65mm	20mm	25

Wedge Anchor Setting Tool



STOCK NO.	SIZE
03112	M8
03113	M10
03114	M12

Wedge Anchor - Lipped



STOCK NO.	SIZE	LENGTH	DRILL SIZE	PACK QTY
03107	M8	30mm	10mm	100
03106	M10	30mm	12mm	50

Screw Anchor



STOCK NO.	SIZE	DRILL SIZE	HEAD SIZE	PACK QTY
03124	M8 x 50mm	6mm	10mm	100
03125	M10 x 60mm	8mm	15mm	100
03126	M12 x 60mm	10mm	17mm	100

Expanding Shield Anchor - Shields Only



STOCK NO.	SIZE	PACK QTY
03402	M8 x 50mm	50
03403	M10 x 60mm	50

ANCHOR FIXINGS

Expanding Shield Anchor - Loose Bolt Type



STOCK NO.	SIZE	FIXTURE THICKNESS	DRILL SIZE	PACK QTY
03354	M8 x 60mm	10mm	14mm	50
03355	M8 x 50mm	25mm	14mm	50
03357	M10 x 70mm	10mm	16mm	50
03358	M10 x 85mm	25mm	16mm	50
03361	M12 x 75mm	10mm	20mm	50

Expanding Shield Anchor - Stud & Nut



STOCK NO.	SIZE	FIXTURE THICKNESS	DRILL SIZE	PACK QTY
03380	M8 x 50mm	25mm	14mm	25
03382	M10 x 75mm	15mm	16mm	25
03384	M10 x 60mm	60mm	16mm	25

Multi-Substrate Rubber Expanding Rawlnuts



STOCK NO.	SIZE	LENGTH	DRILL SIZE	PACK QTY
02202	M8	50mm	18mm	50
02203	M10	55mm	20mm	25

Concrete Through Bolt



STOCK NO.	SIZE	LENGTH	DRILL SIZE	PACK QTY
03154	M8 x 50mm	50mm	8mm	100
03158	M10 x 65mm	65mm	10mm	50
03159	M10 x 95mm	95mm	10mm	50

ETA ANCHOR FIXINGS

Our range of ETA anchor fixings are suitable for use in cracked concrete, offering reliable performance where safety and compliance are critical. Designed and tested to meet the stringent standards of the European Technical Assessment (ETA), these fixings provide assured load-bearing capacity and durability.

ETA Wedge Anchor



STOCK NO	SIZE	DRILL SIZE	PACK QTY	ETA SETTING TOOL
03135	M8 x 30mm	10mm	100	03138
03136	M10 x 40mm	12mm	50	03139
03137	M12 50mm	15mm	50	03140

ETA Lipped Wedge Anchor



STOCK NO	SIZE	DRILL SIZE	PACK QTY	ETA SETTING TOOL
03129	M8 x 25mm	10mm	100	03132
03130	M10 x 25mm	12mm	50	03133
03131	M12 x 25mm	15mm	50	03134
03109	M12 x 50mm	15mm	50	03140

ETA Concrete Screw Stud Hanger



STOCK NO.	THREAD SIZE	LENGTH	DRILL SIZE	PACK QTY
03117B	M8/10	35mm	6mm	50

ETA Hex Head Screw Anchor



STOCK NO.	SIZE	LENGTH	DRILL SIZE	PACK QTY
03141	M8	50mm	6mm	100
03142	M10	60mm	8mm	50
03143	M12	60mm	10mm	50

ETA ANCHOR FIXINGS

In order that any wedge anchor will perform to the specified loading, it is essential that the correct setting tool is used.

ETA Wedge Anchor Setting Tool



STOCK NO.	SIZE
03138	M8
03139	M10
03140	M12

ETA Lipped Wedge Anchor Setting Tool



STOCK NO.	SIZE
03132	M8
03133	M10
03134	M12

Polyester Resin

- Not for use in cracked concrete
- ETA approved Polyester resin for use in cracked concrete available upon request



STOCK NO.	SIZE
03000	300ml
03001	410ml
03002	Spare nozzle
03065	Dust removal pump
03003	Plastic Mesh Baskets for 10mm Stud

DECKING FIXINGS

Standard Wedge Nut

- A heavy duty beam clamp for suspending services via studding up to a maximum load of 240kg
- Electro-zinc plated with screw and locknut



STOCK NO.	SIZE	LENGTH	HEIGHT	REF	PACK QTY
11792	M8	25mm	13mm	HW8	100
11793	M10	25mm	13mm	HW10	100
11790	M12	25mm	13mm	HW12	100

Mini Wedge Nut



STOCK NO.	SIZE	LENGTH	HEIGHT	REF	PACK QTY
11795	M8	19mm	19mm	HW8M	100

Mini-Mini Wedge Nut



STOCK NO.	SIZE	LENGTH	HEIGHT	REF	PACK QTY
11798	M8	19mm	10mm	PHW8	100

Rounded Shoulder Wedge Nut



STOCK NO.	SIZE	LENGTH	HEIGHT	REF	PACK QTY
11800	M8	21mm	10mm	HW8SR	100
11796	M10	21mm	10mm	HW10R	100

DECKING FIXINGS

Lindapter MF

- For use with Metfloor 60 & Metfloor 80 profiles manufactured by Composite Metal Flooring (CMF)



STOCK NO.	SIZE	REF	PACK QTY
040401	M8	MF08	50
040402	M10	MW10	50

Lindapter Alphawedge

- For use with Hare Decking (Formerly Richard Lees) Ribdeck E60



STOCK NO.	SIZE	REF	PACK QTY
040023	M8	AW08	50
040024	M10	AW10	50

Lindapter Toggle Clamp

- For use with Kingspan Multideck 60 Decking system



STOCK NO.	SIZE	REF	PACK QTY
040028	M8	TC08	50
040029	M10	TC10	50

Lindapter Multiwedge 2

- For use with Kingspan Multideck 60 and 80 Decking system



STOCK NO.	SIZE	REF	PACK QTY
040019	M8	MW08	50
040020	M10	MW10	50

Lindapter TR60

- For use with Structural Metal Decks (SMD) TR60+ and TR80+



STOCK NO.	SIZE	REF	PACK QTY
040407	M10	TR6010	50

PURLIN CLIPS

Vertical Rod Hanger



STOCK NO.	SIZE	MAX LOAD	REF
04681	M8	68Kg	VF1-8MT
04682	M10	68Kg	VF1-10MT

Ceiling Rod Hanger



STOCK NO.	SIZE	MAX LOAD	REF
04701	M10	68Kg	RHA12P

Purlin Clip



STOCK NO.	SIZE	MAX LOAD	REF
04741	11mm	200Kg	ZHD2

WIRE SUSPENSION SYSTEM

Cable Lock System



STOCK NO.	DESCRIPTION
04770	Catenary wire 100m
04777	Rize clip

Loop End Wire Suspension Kit



STOCK NO.	SIZE	WIRE DIA	SWL
040802	3m	2mm	45Kg

M6 Wirehanger

- L/Duty Wirehanger eye anchor



STOCK NO.	SIZE
03201	6mm x 60mm

BEAM CLAMPS

G Clamp

- ▶ A heavy duty beam clamp for suspending services via studding up to a maximum load of 240kg
- ▶ Electro-zinc plated with screw and locknut



STOCK NO.	SIZE	MAX LOAD	REF
04690	M8	240Kg	TKN8
04691	M10	240Kg	TKN10
04692	M12	240Kg	TKN12

Swivel G Clamp



STOCK NO.	SIZE	MAX LOAD	REF
04706	M10	250Kg	HFLS

MEDIUM DUTY CABLE TRAY

Cable Tray - 3m



STOCK NO.	SIZE	DESCRIPTION
12445	50mm	Light
12449	50mm	Medium
12450	75mm	Medium
12451	100mm	Medium
12452	150mm	Medium
12453	225mm	Medium
12454	300mm	Medium
12455	450mm	Medium
12456	600mm	Medium

Medium Duty Tray Coupling Set



STOCK NO.	SIZE
12461	Suits all sizes

Medium Duty Cable Tray Reducer



STOCK NO.	SIZE
12424	225mm-100mm
12436	225mm-150mm
12426	300mm-100mm
12427	300mm-150mm
12437	300mm-225mm
12428	450mm-225mm
12429	450mm-300mm
12434	600mm-300mm
12438	600mm-450mm

MEDIUM DUTY CABLE TRAY

Medium Duty Cable Tray 45°- 90° Adjustable Angle Bend



STOCK NO.	SIZE
12631	75mm
12632	100mm
12633	150mm

Medium Duty Cable Tray 90° Bend



STOCK NO.	SIZE
12473	225mm
12474	300mm
12475	450mm
12442	600mm

Medium Duty Cable Tray Riser



STOCK NO.	SIZE
12485	75mm
12486	100mm
12487	150mm
12488	225mm
12489	300mm
12490	450mm
12491	600mm

Medium Duty Cable Tray 45° Angle Bend



STOCK NO.	SIZE
12634	225mm
12635	300mm
12636	450mm
12637	600mm

Medium Duty Cable Tray Equal Tee



STOCK NO.	SIZE
12481	100mm
12482	150mm
12483	225mm
12484	300mm
12492	450mm

CABLE TRAY ACCESSORIES

Earth Strap Continuity Connector



STOCK NO.	SIZE
12466	100mm

Stand Off Bracket

- Internal friction clip for easy vertical installation
- Includes 2 M6 x 16 roofing bolts



STOCK NO.	SIZE
12501	100mm
12502	150mm
12503	225mm

C Type Hanging Bracket



STOCK NO.	SIZE
12535	100mm
12536	150mm
12537	225mm
12538	300mm

Large Hold Down Clamp



STOCK NO.	DESCRIPTION	REF
12731	Large Hold Down Clamp 211004	M8/M10

CABLE BASKET

Cable Basket Interlocking



STOCK NO.	SIZE	LENGTH
12720	60mm x 60mm	3m
12721	60mm x 100mm	3m
12722	60mm x 150mm	3m
12723	60mm x 200mm	3m
12724	60mm x 300mm	3m
12725	60mm x 400mm	3m
12726	60mm x 450mm	3m
12728	60mm x 600mm	3m

Nut & Bolt Clamp Assembly



STOCK NO.	DESCRIPTION	REF
12730	Nut & Bolt Coupler	MCCA

Quick Coupler



STOCK NO.	DESCRIPTION
12729	Quick Coupler 211008

Suspension Hanger Two Piece Clamp



STOCK NO.	DESCRIPTION	REF
12732	Suspension hanger	PK25

PIPE CLAMPS

Heavy Duty Split Band Clip - Support Blocks or Other Pipe Sizes



STOCK NO.	SIZE	LUG SIZE
040501	51-56mm	M10
040505	68-73mm	M10
040630	71-74mm	M10
040507	75-79mm	M10
040509	81-86mm	M10
040510	87-92mm	M10
040632	94-98mm	M10
040635	100-105mm	M10
040636	106-111mm	M10
040638	112-117mm	M10
040639	120-124mm	M10
040641	125-130mm	M10
040642	131-135mm	M10
040643	138-143mm	M10
040646	146-149mm	M10
040648	150-155mm	M10
040650	157-163mm	M12
040652	166-170mm	M12
040653	171-175mm	M12
040654	178-181mm	M12
040658	187-190mm	M12
040659	193-196mm	M12
040663	200-203mm	M12
040665	216-220mm	M12
040668	223-229mm	M12
040669	230-236mm	M12
040674	250-254mm	M12

Heavy Duty Split Band Clip - Support Blocks or Other Pipe Sizes (cont.)



STOCK NO.	SIZE	LUG SIZE
040676	258-265mm	M12
040679	268-272mm	M12
040682	280-284mm	M16
040687	300-303mm	M16
040690	318-325mm	M16

Heavy Duty Split Band Clip - For Steel Pipe NB



STOCK NO.	CLAMPING RANGE	PIPE SIZE	LUG SIZE
04117	34mm	1"	M6
04118	42mm	1 1/4"	M10
04119	48mm	1 1/2"	M10
04120	60mm	2"	M10
04121	76mm	2 1/2"	M10
04122	89mm	3"	M10
04123	114mm	4"	M12
04124	140mm	5"	M12
04125	168mm	6"	M12
04126	219mm	8"	M16
04127	273mm	10"	M16
04128	324mm	12"	M16

PIPE CLAMPS



Dual Boss Backplate

STOCK NO.	SIZE
11730	M8/M10

Unlined Pipe Clamp

- › M8/M10 Dual Boss
- › Working load 200Kg



STOCK NO.	CLAMPING RANGE	STEEL PIPE SIZE	PACK SIZE
04001	19-23mm	1/2"	50
04002	26-30mm	3/4"	50
04003	32-35mm	1"	50
04004	41-48mm	1 1/4"	50
04005	45-51mm	1 1/2"	50
04006	54-58mm	2"	50
04007	60-65mm	-	50
04008	67-71mm	2 1/2"	50
04000	74-82mm	-	50
04010	87-93mm	3"	50
04011	93-101mm	-	50
04013	102-109mm	-	25
04014	109-117mm	4"	25
04015	116-125mm	-	25
04017	129-141mm	-	25
04018	136-146mm	5"	25
04019	142-154mm	-	25
04021	154-162mm	-	25
04022	158-169mm	6"	25
04023	172-182mm	-	15
04024	184-194mm	-	15
04025	195-205mm	-	15
04026	210-220mm	8"	15

PIPE CLAMPS



Heavy Duty Unlined Pipe Clamp - Bossed Split Band

STOCK NO.	CLAMPING RANGE	STEEL PIPE SIZE	BOSS SIZE	LUG SIZE
04940	31-36mm	1"	M8/M10	M8
04941	40-45mm	1 1/4"	M8/M10	M8
04942	47-52mm	1 1/2"	M8/M10	M8
04996	53-58mm	-	M8/M10	M8
04943	59-65mm	2"	M8/M10	M8
04944	66-71mm	-	M8/M10	M8
04945	72-78mm	2 1/2"	M10/M12	M8
04946	79-85mm	-	M10/M12	M8
04947	86-92mm	3"	M10/M12	M8
04948	98-106mm	-	M10/M12	M8
04949	108-116mm	4"	M10/M12	M8
04997	116-123mm	-	M10/M12	M8
04952	125-133mm	-	M10/M12	M8
04953	132-140mm	5"	M10/M12	M8
04954	148-154mm	-	M10/M12	M8
04955	159-169mm	6"	M10/M12	M10
04956	173-183mm	7"	M10/M12	M10
04957	188-194mm	-	M10/M12	M10
04958	192-202mm	-	M10/M12	M10
04959	208-218mm	8"	M10/M12	M10
04960	217-227mm	-	M10/M12	M10
04998	217-227mm	-	M16	M10
04980	229-241mm	-	M16	M12
04961	244-254mm	-	M16	M12
04962	267-279mm	10"	M16	M12
04963	279-289mm	-	M16	M12
04917	292-302mm	-	M16	M12
04964	315-325mm	12"	M16	M12

PIPE CLAMPS

Rubber Lined Pipe Clamp

- › Double screw for efficient installation
- › The EPDM rubber lining reduces noise and vibration, and also lowers stress due to thermal expansion of the pipe
- › Dual thread M8/M10
- › Working load 200kg
- › Breaking load 600kg



STOCK NO.	CLAMPING RANGE	STEEL PIPE SIZE	PLASTIC PIPE SIZE	PACK SIZE
04093	13-20mm	3/8"	-	100
04094	17-23mm	1/2"	-	100
04095	26-30mm	3/4"	-	100
04099	32-37mm	1"	32mm	100
04100	40-46mm	1 1/4"	40mm	50
04101	44-49mm	-	-	50
04113	50-55mm	-	-	50
04114	48-53mm	-	-	50
04102	53-59mm	1 1/2"	50mm	50
04103	60-66mm	2"	-	50
04131	67-77mm	-	-	25
04105	75-84mm	2 1/2"	-	25
04132	83-93mm	-	-	25
04106	87-96mm	3"	-	25
04107	98-108mm	-	-	25
04108	109-119mm	4"	110mm	25
04109	122-135mm	-	-	25
04110	128-139mm	-	-	25
04111	135-148mm	5"	-	25
04112	158-170mm	-	160mm	25
04133	165-168mm	6"	-	25
04134	194-205mm	-	-	10

PIPE CLAMPS

Low-Friction Lined Clamps for Plastic Pipe

- › M8/M10 Boss



STOCK NO.	SIZE	PACK QTY
04140	14-18mm	50
04141	19-23mm	50
04142	24-28mm	50
04143	30-35mm	50
04144	38-43mm	50
04159	48-53mm	50
04145	54-58mm	50
04152	62-66mm	50
04149	108-112mm	25
04151	158-162mm	10

Stainless Steel Lined Pipe Clamp



STOCK NO.	SIZE
04170	15-19mm
04171	20-24mm
04172	25-29mm
04173	31-35mm
04174	40-43mm
04175	60-64mm
04176	75-80mm
04177	87-92mm
04178	108-112mm



PIPE CLAMPS

One-Piece Lined Pipe Clamp

- Quick and practical single screw hinged pipe clamp for easy installation
- Dual thread M8/M10
- Working load 200kg
- Breaking load 600kg



STOCK NO.	CLAMPING RANGE	STEEL PIPE SIZE	PACK SIZE
04060	15-19mm	3/8"	150
04061	21-25mm	1/2"	100
04062	26-28mm	3/4"	100
04063	32-35mm	1"	75
04064	40-44mm	1 1/4"	50
04065	48-52mm	1 1/2"	50

Heavy Duty Insulated Acoustic Pipe Clamp



STOCK NO	SIZE	CLAMPING RANGE
42037	DN50	57-64mm
42044	DN80	86-92mm
42039	DN100	108-116mm
42040	DN125	132-140mm
42041	DN150	159-163mm
42042	DN200	203-213mm
42047	DN250	265-275mm
42048	DN300	315-325mm
42209	125mm	125-133mm
42210	200mm	194-204mm
42211	250mm	240-250mm

Standpipe Support Bracket



STOCK NO	SIZE	OD
040311	DN80	83mm
040312	DN100	110mm
040314	DN150	160mm
040315	DN200	210mm

Insulated Acoustic Standpipe Clamp



STOCK NO	SIZE	OD
040327*	DN80	83mm
040329*	DN150	160mm
040330*	DN200	210mm

PRODUCTS MARKED WITH A *
ARE PROJECT ONLY

MUNSEN & PIPE RINGS

Munsen Ring - Brass



STOCK NO.	SIZE	THREAD SIZE
04920	15mm	M10
04921	22mm	M10
04922	28mm	M10
04923	35mm	M10
04924	42mm	M10
04925	54mm	M10
04926	67mm	M10
04927	76mm	M10
04928	108mm	M10

Pipe Ring - Brass Cast



STOCK NO.	SIZE
04910	15mm
04911	22mm
04912	28mm
04913	35mm

Pipe Ring - Brass Pressed



STOCK NO.	SIZE
04932	15mm
04933	22mm
04934	28mm
04935	35mm

Back Plate - Brass



STOCK NO.	DESCRIPTION	THREAD SIZE
04929	Female	M10
04930	Male	M10
04931	M10 x 13mm Brass Munsen Ring Extension Piece	M10

Munsen Ring - Brass Chrome Plated



STOCK NO.	SIZE	THREAD SIZE
04983	15mm	M10
04984	22mm	M10
04985	28mm	M10
04986	35mm	M10
04987	42mm	M10

School Board Clip - Brass Chrome Plated Pressed



STOCK NO.	SIZE
049371	15mm
049372	22mm

Back Plate - Brass Chrome Plated



STOCK NO.	DESCRIPTION	THREAD SIZE
04981	Female	M10
04982	Male	M10

MUNSEN & PIPE RINGS

Munsen Ring - Iron Galvanised



STOCK NO.	SIZE
04891	1/2"
04892	1"
04893	1 1/4"
04894	1 1/2"
04895	2"
04897	2 1/2"
04898	3"
04899	4"

Munsen Ring - Self Colour



STOCK NO.	PIPE SIZE	THREAD SIZE
04878	1/2"	M10
04879	3/4"	M10
04880	1"	M10
04881	1 1/4"	M10
04882	1 1/2"	M10
04883	2"	M10
04884	2 1/2"	M12
04885	3"	M12
04886	4"	M12
04888	6"	M12

Pipe Ring - Iron Self Colour



STOCK NO.	PIPE SIZE
04852	1/2"
04853	3/4"
04854	1"
04855	1 1/4"
04856	1 1/2"
04857	2"

Backplate - Iron



STOCK NO.	DESCRIPTION	THREAD SIZE
11731	H/D Self colour	M10
11732	H/D Galvanised	M10

Pipe Ring - Iron Galvanised



STOCK NO.	PIPE SIZE
04865	1/2"
04867	1"
04868	1 1/4"
04869	1 1/2"
04870	2"
04871	2 1/2"
04872	3"
04873	4"

PLASTIC PIPE CLIPS

Snap Over Clips



STOCK NO.	SIZE	PACK QTY
04425	10mm Single	100
04401	15mm Single	100
04323	16mm Single	100
04397	20mm Single	100
04402	22mm Single	100
04398	25-27mm Single	50
04403	28mm Single	50
04405	32-35mm Single	50
04404	Spacer	100
04406	15mm Double	50
04400	22mm Double	50

Nail-In Pipe Clip



STOCK NO.	SIZE	PACK QTY
04426	10-12mm	100
04407	15mm	100
04408	22mm	50
04409	28mm	50

Lock Clip



STOCK NO.	SIZE	PACK QTY
04260	15mm Single	100
04261	22mm Single	100
04262	28mm Double	100
04263	15mm Double	50
04289	15mm Spacer Posts	100
04290	22mm Spacer Posts	100

Pipe Surround Collar - White



STOCK NO.	SIZE
04336	15mm
04337	22mm
04338	28mm
04339	35mm
04340	42mm
04900	54mm
04330	110mm

Pipe Surround Collar - Chrome



STOCK NO.	SIZE
04328	10mm
04901	15mm
04902	22mm
04903	28mm
04904	35mm
04905	42mm

SADDLE CLAMPS



Pipe Saddle Clamp

STOCK NO.	SIZE	IMPERIAL N.B.	LUG SIZE
040296	27 x 25 x 3mm	3/4"	M6
040297	34 x 25 x 3mm	1"	M6
040298	42 x 30 x 3mm	1 1/4"	M10
040299	48 x 30 x 3mm	1 1/2"	M10
040300	60 x 30 x 3mm	2"	M10
040301	76 x 40 x 3mm	2 1/2"	M12
040302	89 x 40 x 3mm	3"	M12
040303	114 x 40 x 3mm	4"	M12
040304	140 x 40 x 5mm	5"	M12
040305	168 x 40 x 5mm	6"	M12
040307	219 x 50 x 5mm	8"	M16

U BOLTS



U-Bolt - Standard Leg

- Bright zinc plated pipe supports for general pipe applications
- c/w 2 hex nuts

STOCK NO.	STEEL PIPE	DIAMETER	HEIGHT	THREAD SIZE	THREAD LENGTH
04048	1"	34mm	60mm	M6	30mm
04049	1 1/4"	42mm	75mm	M10	40mm
04050	1 1/2"	48mm	75mm	M10	40mm
04052	2"	60mm	85mm	M10	40mm
04053	2 1/2"	77mm	100mm	M10	40mm
04054	3"	92mm	115mm	M12	40mm
04055	4"	116mm	1470mm	M12	40mm
04056	5"	142mm	165mm	M12	40mm
04057	6"	172mm	200mm	M12	40mm
04058	8"	220mm	276mm	M16	40mm
04059	10"	273mm	333mm	M16	40mm
04066	12"	324mm	383mm	M20	40mm

U-Bolt - Extended Leg

- Bright zinc plated pipe supports for general pipe applications
- c/w 4 hex nuts



STOCK NO.	STEEL PIPE	DIAMETER	HEIGHT	THREAD SIZE	THREAD LENGTH
04491	2 1/2"	77mm	152mm	M10	90mm
04492	3"	92mm	168mm	M12	90mm
04493	4"	116mm	193mm	M12	90mm
04494	5"	142mm	213mm	M12	90mm
04495	6"	172mm	240mm	M12	90mm
04496	8"	220mm	316mm	M16	90mm

PHENOLIC BLOCKS

Phenolic blocks are designed to deliver effective insulation for systems operating below ambient temperatures, while also offering significant energy and space-saving benefits for both heated and chilled systems. For pipe sizes above 2"NB, each block includes a metal spreader plate, with the plate's gauge increasing in proportion to the pipe's outer diameter.

Phenolic Block - 15mm Wall

- Euroclass Fire Class Bl-s1, d0
- Temperature resistance from -50°C to +110°C
- Foam Density 60kg/m³
- CE marked to BS EN 14314:2009 + A1:2013



STOCK NO.	PIPE DIAMETER	COPPER PIPE SIZE	STEEL PIPE SIZE	PIPE CLAMP	H/D PIPE CLAMP	SPLIT BAND	INCLUDES STEEL SPREADER
04233	15mm	15mm	3/8"	04004	04941	04118	No
04234	22mm	22mm	1/2"	04005	04996	040501	No
04235	28mm	28mm	3/4"	04006	04996	04120	No
04236	35mm	35mm	1"	04007	04943	040505	No
04237	42mm	42mm	1 1/4"	04008	04945	040630	No

PHENOLIC BLOCKS

Phenolic Block - 20mm Wall

- Euroclass Fire Class Bl-s1,d0
- Temperature resistance from -50°C to +110°C
- Foam Density 60kg/m³ for <111mm OD pipe, 80kg/m³ for 111-169mm OD pipe
- CE marked to BS EN 14314:2009 + A1:2013



STOCK NO.	PIPE DIAMETER	COPPER PIPE SIZE	STEEL PIPE SIZE	PIPE CLAMP	H/D PIPE CLAMP	SPLIT BAND	INCLUDES STEEL SPREADER
04370	15mm	15mm	3/8"	04006	04996	040501	No
04371	22mm	22mm	1/2"	04007	04943	04120	No
04372	28mm	28mm	3/4"	04008	04944	040505	No
04373	35mm	35mm	1"	04000	04945	04121	No
04374	42mm	42mm	1 1/4"	04000	04946	040509	No
04375	48mm	-	1 1/2"	04010	04947	040510	No
04376	54mm	54mm	-	04011	04947	040632	No
04377	60mm	-	2"	04011	04948	040635	Yes
04378	67mm	67mm	-	04013	04949	040636	Yes
04379	76mm	76mm	2 1/2"	04014	04949	040638	Yes
04380	89mm	-	3"	04017	04952	040641	Yes
04368	108mm	108mm	-	04019	04954	040646	Yes
04381	114mm	-	4"	04021	04954	040648	Yes

PHENOLIC BLOCKS

Phenolic Block - 25mm Wall

- › Euroclass Fire Class BL-s1,d0
- › Temperature resistance from -50°C to +110°C
- › Foam Density 60kg/m3 for <111mm OD pipe, 80kg/m3 for 111-169mm OD pipe, 120kg/m3 for >170mm OD pipe
- › CE marked to BS EN 14314:2009 + A1:2013



STOCK NO.	PIPE DIAMETER	COPPER PIPE SIZE	STEEL PIPE SIZE	PIPE CLAMP	H/D PIPE CLAMP	SPLIT BAND	INCLUDES STEEL SPREADER
04382	15mm	15mm	3/8"	04007	04944	040505	No
04383	22mm	22mm	1/2"	04008	04945	040630	No
04384	28mm	28mm	3/4"	04000	04945	040507	No
04385	35mm	35mm	1"	04010	04946	040509	No
04386	42mm	42mm	1 1/4"	04010	04947	040510	No
04387	48mm	-	1 1/2"	04011	04948	040632	No
04388	54mm	54mm	-	04013	04948	040635	No
04389	60mm	-	2"	04014	04949	040636	Yes
04390	67mm	67mm	-	04015	04997	040638	Yes
04391	76mm	76mm	2 1/2"	04015	04952	040641	Yes
04392	89mm	-	3"	04018	04953	040643	Yes
04369	108mm	108mm	-	04021	04955	040650	Yes
04393	114mm	-	4"	04022	04955	040650	Yes
04394	140mm	-	5"	-	04957	040658	Yes
04395	168mm	-	6"	-	04960	040665	Yes
04396	219mm	-	8"	-	04962	040679	Yes

PHENOLIC BLOCKS

Phenolic Block - 30mm Wall

- › Euroclass Fire Class BL-s1,d0
- › Temperature resistance from -50°C to +110°C
- › Foam Density 60kg/m3 for <111mm OD pipe, 80kg/m3 for 111-169mm OD pipe, 120kg/m3 for >170mm OD pipe
- › CE marked to BS EN 14314:2009 + A1:2013



STOCK NO.	PIPE DIAMETER	COPPER PIPE SIZE	STEEL PIPE SIZE	PIPE CLAMP	H/D PIPE CLAMP	SPLIT BAND	INCLUDES STEEL SPREADER
04410	15mm	15mm	3/8"	04000	04945	04121	No
04411	22mm	22mm	1/2"	04000	04946	040509	No
04412	28mm	28mm	3/4"	04010	04947	040510	No
04413	35mm	35mm	1"	04011	04948	040632	No
04414	42mm	42mm	1 1/4"	04013	04948	040635	No
04415	48mm	-	1 1/2"	04013	04949	040636	No
04416	54mm	54mm	-	04014	04949	040638	No
04417	60mm	-	2"	04015	04997	040639	Yes
04418	67mm	67mm	-	04017	04952	040641	Yes
04419	76mm	76mm	2 1/2"	04017	04953	040642	Yes
04420	89mm	-	3"	04019	04954	040646	Yes
04429	108mm	108mm	-	04022	04955	040652	Yes
04421	114mm	-	4"	-	04956	040653	Yes
04422	140mm	-	5"	-	04958	040663	Yes
04423	168mm	-	6"	-	04998	040668	Yes
04424	219mm	-	8"	-	04962	040682	Yes

PHENOLIC BLOCKS

Phenolic Block - 40mm Wall

- › Euroclass Fire Class BL-s1,d0
- › Temperature resistance from -50°C to +110°C
- › Foam Density 60kg/m³ for <111mm OD pipe, 80kg/m³ for 111-169mm OD pipe, 120kg/m³ for >170mm OD pipe
- › CE marked to BS EN 14314:2009 + A1:2013



STOCK NO.	PIPE DIAMETER	COPPER PIPE SIZE	STEEL PIPE SIZE	PIPE CLAMP	H/D PIPE CLAMP	SPLIT BAND	INCLUDES STEEL SPREADER
04430	15mm	15mm	3/8"	04011	04947	040632	No
04431	22mm	22mm	1/2"	04013	04948	040635	No
04432	28mm	28mm	3/4"	04013	04949	040636	No
04433	35mm	35mm	1"	04014	04949	040638	No
04434	42mm	42mm	1 1/4"	04015	04997	040639	No
04435	48mm	-	1 1/2"	04017	04952	040641	No
04436	54mm	54mm	-	04017	04953	040642	No
04437	60mm	-	2"	04018	04953	04124	Yes
04438	67mm	67mm	-	04019	04954	040646	Yes
04439	76mm	76mm	2 1/2"	04021	04955	040648	Yes
04440	89mm	-	3"	04022	04955	040652	Yes
04445	108mm	108mm	-	04024	04957	040658	Yes
04441	114mm	-	4"	-	04958	040659	Yes
04442	140mm	-	5"	-	04960	040665	Yes
04443	168mm	-	6"	-	04961	040674	Yes
04444	219mm	-	8"	-	04917	040687	Yes

PHENOLIC BLOCKS

Phenolic Block - 50mm Wall

- › Euroclass Fire Class BL-S1,d0
- › Temperature resistance from -50°C to +110°C
- › Foam Density 60kg/m³ for <111mm OD pipe, 80kg/m³ for 111-169mm OD pipe, 120kg/m³ for >170mm OD pipe
- › CE marked to BS EN 14314:2009 + A1:2013



STOCK NO.	PIPE DIAMETER	COPPER PIPE SIZE	STEEL PIPE SIZE	PIPE CLAMP	H/D PIPE CLAMP	SPLIT BAND	INCLUDES STEEL SPREADER
04451	22mm	22mm	1/2"	04015	04015	040639	No
04452	28mm	28mm	3/4"	04017	04952	040641	No
04453	35mm	35mm	1"	04017	04953	040642	No
04454	42mm	42mm	1 1/4"	04018	04953	040644	No
04455	48mm	-	1 1/2"	04019	04954	040646	No
04456	54mm	54mm	-	04021	04954	040648	No
04457	60mm	-	2"	04021	04955	040650	Yes
04458	67mm	67mm	-	04022	04955	04125	Yes
04459	76mm	76mm	2 1/2"	04023	04956	040654	Yes
04460	89mm	-	3"	04024	04957	040658	Yes
04465	108mm	108mm	-	04026	04959	040663	Yes
04461	114mm	-	4"	-	04959	040665	Yes
04462	140mm	-	5"	-	04980	040669	Yes
04463	168mm	-	6"	-	04962	040679	Yes
04464	219mm	-	8"	-	04964	040690	Yes

MINERAL WOOL BLOCKS



Mineral Wool Block - 20mm Wall

STOCK NO.	PIPE DIAMETER	COPPER PIPE SIZE	STEEL PIPE SIZE	PIPE CLAMP	H/D PIPE CLAMP	SPLIT BAND
04505	15mm	15mm	-	04006	04996	040501
04506	22mm	22mm	1/2"	04007	04943	04120
04507	28mm	28mm	3/4"	04008	04944	040505
04508	35mm	35mm	1"	04000	04945	04121
04509	42mm	42mm	1 1/4"	04000	04946	040509
04510	48mm	-	1 1/2"	04010	04947	040510
04511	54mm	54mm	-	04011	04947	040632
04512	60mm	60mm	2"	04011	04948	040635



Mineral Wool Block - 25mm Wall

STOCK NO.	PIPE DIAMETER	COPPER PIPE SIZE	STEEL PIPE SIZE	PIPE CLAMP	H/D PIPE CLAMP	SPLIT BAND
04513	15mm	15mm	-	04007	04944	040505
04514	22mm	22mm	1/2"	04008	04945	040630
04515	28mm	28mm	3/4"	04000	04945	040507
04516	35mm	35mm	1"	04010	04946	040509
04517	42mm	42mm	1 1/4"	04010	04947	040510
04518	48mm	-	1 1/2"	04011	04948	040632
04519	54mm	54mm	-	04013	04948	040635
04520	60mm	60mm	2"	04014	04949	040636
04521	67mm	67mm	-	04015	04997	040638
04522	76mm	76mm	2 1/2"	04015	04952	040641
04523	89mm	-	3"	04018	04953	040643
04524	108mm	108mm	-	04021	04955	040650
04525	114mm	-	4"	04022	04955	040650
04526	140mm	-	5"	-	04957	040658
04527	168mm	-	6"	-	04960	040665

MINERAL WOOL BLOCKS



Mineral Wool Block - 30mm Wall

STOCK NO.	PIPE DIAMETER	COPPER PIPE SIZE	STEEL PIPE SIZE	PIPE CLAMP	H/D PIPE CLAMP	SPLIT BAND
04528	15mm	15mm	-	04000	04945	04121
04529	22mm	22mm	1/2"	04000	04946	040509
04530	28mm	28mm	3/4"	04010	04947	040510
04531	35mm	35mm	1"	04011	04948	040632
04532	42mm	42mm	1 1/4"	04013	04948	040635
04533	48mm	-	1 1/2"	04013	04949	040636
04534	54mm	54mm	-	04014	04949	040638
04535	60mm	-	2"	04015	04997	040639
04536	67mm	67mm	-	04017	04952	040641
04537	76mm	76mm	2 1/2"	04017	04953	040642
04538	89mm	-	3"	04019	04954	040646
04539	108mm	108mm	-	04022	04955	040652
04540	114mm	-	4"	-	04956	040653
04541	140mm	-	5"	-	04958	040663
04542	168mm	-	6"	-	04998	040668

MINERAL WOOL BLOCKS



Mineral Wool Block - 40mm Wall

STOCK NO.	PIPE DIAMETER	COPPER PIPE SIZE	STEEL PIPE SIZE	PIPE CLAMP	H/D PIPE CLAMP	SPLIT BAND
04543	15mm	15mm	-	04011	04947	040632
04544	22mm	22mm	1/2"	04013	04948	040635
04545	28mm	28mm	3/4"	04013	04949	040636
04546	35mm	35mm	1"	04014	04949	040638
04547	42mm	42mm	1 1/4"	04015	04997	040639
04548	48mm	-	1 1/2"	04017	04952	040641
04549	54mm	54mm	-	04017	04953	040642
04550	60mm	60mm	2"	04018	04953	04124
04551	67mm	67mm	-	04019	04954	040646
04552	76mm	76mm	2 1/2"	04021	04955	040648
04553	89mm	-	3"	04022	04955	040652
04554	108mm	108mm	-	04024	04957	040658
04555	114mm	-	4"	-	04958	040659
04556	140mm	-	5"	-	04960	040665
04557	168mm	-	6"	-	04961	040674

MINERAL WOOL BLOCKS



Mineral Wool Block - 50mm Wall

STOCK NO.	PIPE DIAMETER	COPPER PIPE SIZE	STEEL PIPE SIZE	PIPE CLAMP	H/D PIPE CLAMP	SPLIT BAND
04558	15mm	15mm	-	04014	04949	040638
04559	22mm	22mm	1/2"	04015	04015	040639
04560	28mm	28mm	3/4"	04017	04952	040641
04561	35mm	35mm	1"	04017	04953	040642
04562	42mm	42mm	1 1/4"	04018	04953	040644
04563	48mm	-	1 1/2"	04019	04954	040646
04564	54mm	54mm	-	04021	04954	040648
04565	60mm	60mm	2"	04021	04955	040650
04566	67mm	67mm	-	04022	04955	04125
04567	76mm	76mm	2 1/2"	04023	04956	040654
04568	89mm	-	3"	04024	04957	040658
04569	108mm	108mm	-	04026	04959	040663
04570	114mm	-	4"	-	04959	040665
04571	140mm	-	5"	-	04980	040669
04572	168mm	-	6"	-	04962	040679

Aluminium Foil Duct Tape



STOCK NO.	SIZE
08457	48mm x 45m
08458	72mm x 45m
08461	96mm x 45m

HARDWOOD BLOCKS

High quality hardwood block for pipe supporting. Manufactured from responsibly sourced FSC® Certified timber. Suitable for use with LTHW + CHW Pipework.

FSC® Certified Hardwood Block - 15mm Wall Length 92-100mm



STOCK NO.	COPPER PIPE SIZE	STEEL PIPE SIZE	PIPE CLAMP	H/D PIPE CLAMP	SPLIT BAND
040700	15mm	3/8"	04004	04941	04118
040701	22mm	1/2"	04005	04942	040501
040702	28mm	3/4"	04006	04944	04120
040703	35mm	1"	04007	04943	040505
040704	42mm	1 1/4"	04008	04945	040630
040705	-	1 1/2"	04000	04945	040507
040706	54mm	-	04000	04946	040509
040707	-	2"	04010	04947	040510
040708	67mm	-	04011	04948	040632
040709	76mm	2 1/2"	04013	04948	040636
040710	89mm	3"	04015	04997	040639

HARDWOOD BLOCKS

FSC® Certified Hardwood Block - 20mm Wall Length 92-100mm



STOCK NO.	COPPER PIPE SIZE	STEEL PIPE SIZE	PIPE CLAMP	H/D PIPE CLAMP	SPLIT BAND
040711	15mm	3/8"	04006	04996	040501
040712	22mm	1/2"	04007	04949	04120
040713	28mm	3/4"	04008	04944	040505
040714	35mm	1"	04000	04945	040507
040715	42mm	1 1/4"	04000	04946	040509
040716	-	1 1/2"	04010	04947	040510
040717	54mm	-	04011	04947	040632
040718	-	2"	04011	04948	040635
040719	67mm	-	04013	04948	040636
040720	76mm	2 1/2"	04014	04997	040638
040721	89mm	3"	04017	04952	040641
040722	-	4"	04021	04954	040648

HARDWOOD BLOCKS

FSC® Certified Hardwood Block - 25mm Wall Length 92-100mm



STOCK NO.	COPPER PIPE SIZE	STEEL PIPE SIZE	PIPE CLAMP	H/D PIPE CLAMP	SPLIT BAND
040723	15mm	3/8"	04007	04943	040505
040724	22mm	1/2"	04008	04945	040505
040725	28mm	3/4"	04000	04945	040507
040726	35mm	1"	04010	04946	040509
040727	42mm	1 1/4"	04010	04947	040510
040728	-	1 1/2"	04011	04948	040632
040729	54mm	-	04013	04948	040635
040730	-	2"	04014	04949	040636
040731	67mm	-	04015	04997	040638
040732	76mm	2 1/2"	04015	04952	040641
040733	89mm	3"	04018	04953	040643
040734	-	4"	04022	04955	040652
040735	-	5"	-	04957	040658
040736	-	6"	-	04960	040665

HARDWOOD BLOCKS

FSC® Certified Hardwood Block - 30mm Wall Length 92-100mm



STOCK NO.	COPPER PIPE SIZE	STEEL PIPE SIZE	PIPE CLAMP	H/D PIPE CLAMP	SPLIT BAND
040737	15mm	3/8"	04000	04945	040507
040738	22mm	1/2"	04000	04946	040509
040739	28mm	3/4"	04010	04947	040510
040740	35mm	1"	04011	04948	040632
040741	42mm	1 1/4"	04013	04948	040635
040742	-	1 1/2"	04013	04949	040636
040743	54mm	-	04014	04949	040638
040744	-	2"	04015	04997	040639
040745	67mm	-	04017	04952	040641
040746	76mm	2 1/2"	04017	04953	040643
040747	89mm	3"	04019	04954	040646
040877	108mm	-	04022	04955	040652
040748	-	4"	04023	04956	040653
040878	133mm	-	04024	04958	040659
040749	-	5"	-	04958	040663
040879	159mm	-	-	04960	040665
040750	-	6"	-	04980	040668
040751	-	8"	-	04963	040682
040752	-	10"	-	-	040691

HARDWOOD BLOCKS

FSC® Certified Hardwood Block - 35mm Wall



STOCK NO.	COPPER PIPE SIZE	STEEL PIPE SIZE	PIPE CLAMP	H/D PIPE CLAMP	SPLIT BAND
040860	15mm	3/8"	04010	04946	040509
040861	22mm	1/2"	04010	04947	040510
040862	28mm	3/4"	04011	04948	040632
040863	35mm	1"	04013	04948	040635
040864	42mm	1 1/4"	04014	04949	040638
040865	-	1 1/2"	04015	04997	040638
040866	54mm	-	04015	04952	040641
040867	-	2"	04017	04952	040641
040868	67mm	-	04017	04953	040643
040869	76mm	2 1/2"	04015	04954	040646
040870	89mm	3"	04021	04955	040650
040871	-	4"	04024	04956	040654
040872	-	5"	-	04959	040663
040873	-	6"	-	04980	040669
040874	-	8"	-	04963	040687
040875	-	10"	-	-	040692
040876	-	12"	-	-	040695

HARDWOOD BLOCKS

FSC® Certified Hardwood Block - 40mm Wall



STOCK NO.	COPPER PIPE SIZE	STEEL PIPE SIZE	PIPE CLAMP	H/D PIPE CLAMP	SPLIT BAND
040753	15mm	3/8"	04011	04947	040632
040754	22mm	1/2"	04013	04948	040635
040755	28mm	3/4"	04013	04949	040636
040756	35mm	1"	04014	04949	040638
040757	42mm	1 1/4"	04015	04997	040639
040758	-	1 1/2"	04017	04952	040641
040759	54mm	-	04017	04953	040642
040760	-	2"	04018	04953	040643
040761	67mm	-	04019	04954	040646
040762	76mm	2 1/2"	04021	04954	040650
040763	89mm	3"	04022	04955	040652
040764	-	4"	04024	04958	040659
040765	-	5"	-	04960	040665
040766	-	6"	-	04961	040674
040767	-	8"	-	04917	040687
040768	-	10"	-	-	040693

HARDWOOD BLOCKS

FSC® Certified Hardwood Block - 50mm Wall



STOCK NO.	COPPER PIPE SIZE	STEEL PIPE SIZE	PIPE CLAMP	H/D PIPE CLAMP	SPLIT BAND
040769	15mm	3/8"	04014	04949	040638
040770	22mm	1/2"	04015	04997	040639
040771	28mm	3/4"	04017	04952	040641
040772	35mm	1"	04017	04953	040642
040773	42mm	1 1/4"	04018	04953	040643
040774	-	1 1/2"	04019	04954	040646
040775	54mm	-	04021	04954	040648
040776	-	2"	04021	04955	040650
040777	67mm	-	04022	04955	040652
040778	76mm	2 1/2"	04023	04956	040653
040779	89mm	3"	04024	04957	040658
040780	-	4"	04026	04959	04126
040781	-	5"	-	04980	040669
040782	-	6"	-	04962	040679
040783	-	8"	-	04964	040690
040784	-	10"	-	-	040694



Tools & Accessories

Our tools and accessories range includes everything you need to complement our products, and so much more.

From essential installation tools to handy extras that make the job easier, we've got you covered. Our comprehensive range is designed to help you work smarter and more efficiently on every project.



INTUMESCENT PIPE WRAPS



Intumescent Pipe Wrap	STOCK NO.	SIZE	RATING
	040511	32mm	4 Hour
	040530	40mm	4 Hour
	040512	55mm	4 Hour
	040514	75mm	4 Hour
	040517	110mm	4 Hour
	040519	125mm	4 Hour
	040520	160mm	4 Hour



Intumescent Pipe Collar - Low Profile (30mm)	STOCK NO.	SIZE	RATING
	040526	55mm	1 Hour
040531	110mm	1 Hour	



Intumescent Pipe Collar - Standard Height (40-75mm)	STOCK NO.	SIZE	RATING
	040582	40mm	4 Hour
	040539	55mm	4 Hour
	040540	63mm	4 Hour
	040542	82mm	4 Hour
	040544	110mm	4 Hour
	040546	125mm	4 Hour
	040547	160mm	4 Hour
	040535	200mm	2 Hour
040537	250mm	2 Hour	

FIRE STOP ACCESSORIES



Expanding Foam - 4 Hour Fire Rating	STOCK NO.	SIZE
	08063	750ml



Intumescent Putty	STOCK NO.	SIZE
	040573	1Kg

FIRE STOP ACCESSORIES



Intumescent Acrylic Sealant	STOCK NO.	SIZE
	08231	310ml



Fire Batt - 4 Hour Max Fire Rating	STOCK NO.	SIZE
	040591	1200 x 600 x 60mm



Fire Rated Silicone	STOCK NO.	SIZE
	08174	310ml

MASONRY DRILLING



SDS Plus Hammer Chisel Bit	STOCK NO.	SIZE
	14353	250mm x 40mm
14354	250mm x 20mm	



Diamond Core Body	STOCK NO.	SIZE
	05251	22mm x 300mm
	05252	28mm x 300mm
	05253	38mm x 150mm
	05250	48mm x 150mm
	05254	52mm x 150mm
	05255	65mm x 150mm
	05256	78mm x 150mm
	05260	127mm x 150mm
	05261	152mm x 150mm



Core Drilling Accessories	STOCK NO.	SIZE
	05264	200mm Extension Rod
	05265	225 x 10mm A Taper Pilot
	05266	300 x 10mm A Taper Pilot
	05268	Hex Arbor
	05269	SDS Arbor
	05270	Drift key

MASONRY DRILLING



SDS Plus Hammer Drill Bit

STOCK NO.	SIZE
05003	5.5 x 110mm
05004	5.5 x 160mm
05005	6 x 110mm
05006	6 x 160mm
05007	6.5 x 110mm
05008	6.5 x 160mm
05009	7 x 160mm
05041	7 x 210mm
05010	8 x 110mm
05011	8 x 160mm
05013	10 x 160mm
05014	10 x 210mm
05015	10 x 310mm
05016	10 x 450mm
05039	10 x 600mm
05049	10 x 1000mm
05017	12 x 160mm
05018	12 x 250mm
05019	12 x 450mm
05042	12 x 600mm
05022	14 x 150mm
05023	14 x 300mm
05024	15 x 250mm
05026	16 x 210mm
05027	16 x 300mm
05028	16 x 450mm
05029	18 x 250mm
05037	18 x 450mm
05030	20 x 200mm
05031	20 x 450mm
05032	22 x 250mm

MASONRY DRILLING



SDS Plus Hammer Drill Bit (cont.)

STOCK NO.	SIZE
05035	25 x 250mm
05036	25 x 450mm
05045	25 x 1000mm
05051	28 x 450mm
05052	30 x 450mm

METAL DRILLING & HOLESAWS



Conecut HSS Taper Drill

STOCK NO.	SIZE
06451	6.0-20.0mm
06452	16.0-30.0mm



Plumbers Cobalt Holesaw Kit

STOCK NO.	DESCRIPTION
06312	Plumbers Cobalt Holesaw Kit



SDS Holesaw Arbor

STOCK NO.	SIZE
06307	A1-1 SDS (for 14 - 30mm cutters)
06308	A2-1 SDS (for 32 - 210mm cutters)



Hex Shank Holesaw Arbor

STOCK NO.	SIZE
06301	A1 (for 14-30mm cutters)
06302	A2 (for 32-210mm cutters)



Spare Pilot Drill Bit

STOCK NO.	SIZE
06303	1/4" Spare pilot drill



Arbor Extension

STOCK NO.	SIZE
06304	12" extension for A1 arbor
06305	12" extension for A2 arbor

METAL DRILLING & HOLESAWS



HSS Bi-Metal
Holesaw

STOCK NO.	SIZE
06252	16mm
06253	19mm
06254	20mm
06256	22mm
06257	25mm
06258	27mm
06259	29mm
06260	30mm
06261	32mm
06263	35mm
06264	38mm
06265	40mm
06267	43mm
06268	44mm
06269	48mm
06270	51mm
06271	54mm
06272	57mm
06273	60mm
06274	64mm
06275	67mm
06276	70mm
06277	73mm
06278	76mm
06279	79mm
06284	83mm
06280	89mm
06281	102mm
06287	114mm
06288	121mm
06282	127mm

METAL DRILLING & HOLESAWS



HSS Bi-Metal
Holesaw (cont.)

STOCK NO.	SIZE
06292	133mm
06289	140mm
06283	152mm
06290	160mm
06293	177mm
06291	210mm

METAL DRILLING & HOLESAWS



Metric HSS Drill Bit

STOCK NO.	SIZE
06030	2.0mm
06031	2.5mm
06033	3.0mm
06036	3.5mm
06038	4.0mm
06044	5.0mm
06051	5.5mm
06045	6.0mm
06047	7.0mm
06048	8.0mm
06049	10.0mm
06055	10.5mm
06071	11.0mm
06050	12.0mm
06149	13.0mm

WOOD DRILLING



Flat Wood Bit	STOCK NO.	SIZE
	06505	16mm
	06500	18mm
	06507	20mm
	06508	22mm
	06509	25mm
	06514	28mm
	06510	32mm
	06511	38mm
	06513	300mm

TILE DRILLING



Glass & Tile Drill Bit	STOCK NO.	SIZE
	05151	5mm
	05152	6mm
	05153	7mm
	05154	8mm
	05155	10mm
	05156	12mm



Porcelain Drill Bit - Carbide Tipped	STOCK NO.	SIZE
	05161	5.0mm
	05162	6.0mm
	05163	6.5mm
	05164	7.0mm
05165	8.0mm	



TDD Diamond Crown Drill Bit	STOCK NO.	SIZE
	05186	6.0mm
	05188	7.0mm
05190	10.0mm	



TDD Diamond Crown Holesaw	STOCK NO.	SIZE
	05171	18mm
05172	25mm	

MULTI-TOOL BLADES



Multi-Tool Blade	STOCK NO.	SIZE	PACK QTY
	06660	19mm BIM for Metal	1
	06661	35mm TC Metal Max	1
	06662	32mm HCS for Wood	1
	06663	32mm - Wood & Nail	1
	06665	44mm - Wood&Nail	1
	06666	63mm - Wood&Nail	1
	06667	85mm - Wood&Nail	1

CUTTING DISKS & BLADES



Cutting Disc For Metal	STOCK NO.	SIZE	BORE SIZE	PACK QTY
	07459	14"	25.4mm	5
	07479	4 1/2" Ultra Thin	22.5mm	10
	07480	9" Ultra Thin	22.5mm	5



Zirconium Flap Disc Grinding / Sanding	STOCK NO.	SIZE	BORE
	07477	4 1/2"	22.5mm



General Purpose Diamond Blade	STOCK NO.	SIZE	BORE
	07481	4 1/2" / 115mm	22.5mm



Metal Grinding Disc	STOCK NO.	SIZE	BORE
	07472	4 1/2"	32.5mm



TCT Chop Saw Blade	STOCK NO.	SIZE	BORE SIZE	TEETH
	06704	136mm	20mm	32
	06705	165mm	20mm	40
	06780	305mm	25.4mm	60
06781	355mm	25.4mm	72	

RECIPROCATING & JIGSAW BLADES



Jigsaw Blade	STOCK NO.	SIZE	DESCRIPTION	PACK QTY
	06611	75mm	Wood/Plastics 30mm	5
	06612	75mm	Wood/Plastics 60mm	5
	06627	50mm T18AF Flexible	Sheet Metal 1-3mm (flexible)	5
	06626	50mm T118A Basic	Sheet Metal 1-3mm (rigid)	5
	06630	100mm	Medium/Thick Metal - 2.5-6mm ALu Max 65m	5
	06634	75mm	Metal 1.5-10mm ALu Max 30mm	5
	06631	132mm	Wood/Plastics Max 30mm	5



Reciprocating Saw Blade	STOCK NO.	SIZE	DESCRIPTION	PACK QTY
	06640	150mm / 6 TPI	Wood/Synthetic Max 100mm	5
	06645	150mm / 18 TPI	Metal & Pipe 1.5-4mm Up to 100mm profile	5
	06646	150mm / 24 TPI	Sheet Metal 1-3mm Up to 100mm profile	5
	06642	150mm / 10 TPI	Wood/Metal & GRP 3 - 10mm Up to 100m profile	5
	06647	225mm / 10 TPI	Wood/Metal - 3-12mm Up to 175mm profile	5
	06650	225mm	Cast Steel/Red Brick & GRP Up to 175mm TCT	2
	06631	132mm	Wood/Plastics Max 30mm	5

PLUMBING TOOLS



Test Bucket	STOCK NO.	DESCRIPTION
	14067	REMS Push Test Bucket



Gas Test Gauge Manometer	STOCK NO.	SIZE
	32155	12"/30mb

PLUMBING TOOLS



Drain Test Expanding Plug - Nylon	STOCK NO.	SIZE
	32170	1 1/4"
	32171	1 1/2"
32172	2" (Inc. test connection)	



Drain Test Expanding Plug - Steel	STOCK NO.	SIZE
	32175	1 1/2"
	32176	2"
	32177	3"
	32178	4"
	32179	6"



Drain Test PVC Inflatable Bag - Stopper	STOCK NO.	SIZE
	32185	1 1/2"
	32186	2"
	32187	3"
	32188	4"
	32189	6"
32180	8"-10"-12"	



Inflation Pump for PVC Test Bags	STOCK NO.	SIZE
	32192	1/4"



Accessories	STOCK NO.	SIZE	REF
	32193	1m 3/8" Black hose	BAI1988
	32194	3/8" Hose 'Y'	MON183
	32195	3/8" Hose to 1/2" Test nipple	MON180



Drain Test PVC Inflatable Bag - Test through type	STOCK NO.	SIZE
	32197	4"
	32198	6"



Drain Testing Pump & Manometer Kit	STOCK NO.	DESCRIPTION	REF
	32190	Air testing U gauge kit	MON174Z

GENERAL HAND TOOLS



	STOCK NO.	SIZE
Tape Measure	16102	5m
	16104	8m



	STOCK NO.	DESCRIPTION	PACK SIZE
Retractable Utility Knife & Blades	16231	Pro Retractable Knife	-
	16232	Pro Knife Blades H/Duty	10



	STOCK NO.	DESCRIPTION
12" Hacksaw & Blades	16309	Pro High Tension Hacksaw
	16306	18 TPI Bi-Metal Hacksaw Blades
	16307	24 TPI Bi-Metal Hacksaw Blades
	16308	32 TPI Bi-Metal Hacksaw Blades

SEALANTS & ADHESIVES



	STOCK NO.	COLOUR
Multi Purpose Silicone	08201	Clear
	08202	White
	08177	Black



	STOCK NO.	DESCRIPTION
Polymer Adhesive & Sealant	08180	Stixall Polymer Adhesive Sealant - Clear



	STOCK NO.	SIZE
Panel Grip No Nails Adhesive	08367	310ml



	STOCK NO.	SIZE
Hand Held Expanding Foam	08061	750ml (standard)

SEALANTS & ADHESIVES



	STOCK NO.	COLOUR
Bath & Sanitary Silicone	08191	Clear
	08192	White



	STOCK NO.	DESCRIPTION
Duct Sealant	08326	Solvent Free Duct Sealant - C3 - Grey



	STOCK NO.	SIZE
Heavy Duty Cartridge Gun	08273	400ml heavy duty
	03005	410ml (suits 03001)



	STOCK NO.	DESCRIPTION
Superglue & Activator Kit	08412	Superglue 50g and 200ml Activator

PAINTS & MARKERS



	STOCK NO.	SIZE
Permanent Marker Pens	08646	Fine Tip
	08647	Wide Tip



	STOCK NO.	SIZE	COLOUR
Survey Sitemark Aerosols	08632	700ml	Green
	08635	700ml	Red
	08637	700ml	Yellow
	08639	700ml	Blue
	08640	700ml	Black



	STOCK NO.	DESCRIPTION	PACK QTY
Yellow China Markers	08645	Marks plastic, metal, glass etc	12

ADHESIVE TAPES



Gaffer Cloth Tape	STOCK NO.	SIZE	COLOUR
	08451	50mm x 50m	Black
	08452	50mm x 50m	White
	08453	50mm x 50m	Grey



Low Tack Flame Retardant PVC Tape	STOCK NO.	SIZE	COLOUR
	08442	50mm x 33m	Black



BS1710:2014 Pipeline ID Tape - 270mm x 33m	STOCK NO.	DESCRIPTION
	31300	Drinking Water
	31301	Boosted CWS
	31302	Mains Water Supply
	31303	Cold Down Supply
	31304	HTG Flow
	31305	HTG Return
	31306	LTHW Flow
	31307	LTHW Return
	31308	Chilled Water Flow
	31309	Chilled Water Return
	31310	Condensate
	31311	Gas
	31312	Drainage SVP
	31313	Hot Water Flow
31314	Hot Water Return	



Aluminium Foil Duct Tape	STOCK NO.	SIZE
	08457	48mm x 45m
	08458	72mm x 45m
	08461	96mm x 45m



Masking Tape	STOCK NO.	SIZE
	08434	48mm

ADHESIVE TAPES



Domestic ID Tape - 38mm x 33m	STOCK NO.	DESCRIPTION
	32053	Cold Water
	32054	Hot Water
	32055	Gas



PVC Insulating Tape	STOCK NO	COLOUR
	04351	Red
	04352	Yellow
	04353	Green
	04354	Blue
	04355	White
	04356	Black
	04357	Green/Yellow
	04359	Brown
	04360	Grey

FIRST AID & FIRE PREVENTION



First Aid Kits	STOCK NO.	SIZE
	18090	1-10 man



Fire Extinguishers	STOCK NO.	DESCRIPTION	SIZE
	18091	Powder	1kg
	18092	Powder	2kg
	18096	Water	9ltr
	18098	CO2	2kg
	18101	Foam	2ltr

TEMPORARY PROTECTION

	Heavy Twill Cotton Dustsheet	STOCK NO. 18192	SIZE 3.6m x 2.7m
	Corrugated Temporary Sheeting	STOCK NO. 18131	SIZE 2.5m x 1.2m x 2mm
		18137	2.5m x 1.2m x 2mm Flame Retardant
	Floor Protection Film	STOCK NO. 18152	SIZE 600mm x 100m - Hard Surface
		18151	600mm x 100m - Carpet
	Stretch Film	STOCK NO. 18185	SIZE 500mm x 300m
	Tarpaulin	STOCK NO. 18186	SIZE 3.5m x 2.75m
	Clear Polythene Sheeting	STOCK NO. 18182	SIZE 4m x 25m
	Bubble Wrap	STOCK NO. 18184	SIZE 1500mm x 10m Small Bubble

SITE SECURITY

	Hardened Steel Chain Zinc Plated	STOCK NO. 18298	SIZE 8mm
	Padlocks	STOCK NO. 18303	DESCRIPTION 50mm Brass
		18309	Combination Padlock 50mm

SITE SAFETY

	Scaff Tags	STOCK NO. 18290	DESCRIPTION Scaff Tag - Holder & Record Card	
		18292	Scaff Tag - Record Card (each)	
		18293	Scaff Tag Kit - 10 Holders, 20 Record Cards and 1 Marker	
		18331	Laddertag - Holder & Record Card	
		18332	Laddertag - Record Card (each)	
	Comfort Plus Safety Helmet	STOCK NO. 18001	COLOUR White	
	Ear Muffs	STOCK NO. 18011	DESCRIPTION Ear Defenders	
		STOCK NO. 18021	DESCRIPTION Clear Goggles	
	Safety Glasses	STOCK NO. 18032	DESCRIPTION Safety Glasses (EN166 1.F)	
		STOCK NO. 18062	SIZE FFP2	
	18064	FFP3		
	Agile General Handling Glove	STOCK NO. 18048	SIZE Size 8	DESCRIPTION CUT 1/A
		18049	Size 9	CUT 1/A
		18050	Size 10	CUT 1/A
	Dynamic General Handling Glove	STOCK NO. 18525	SIZE Size 8	DESCRIPTION CUT 5/C
		18526	Size 9	CUT 5/C
		18527	Size 10	CUT 5/C
	Cut Protection Arm Sleeve	STOCK NO. 18045	DESCRIPTION Protective Sleeve - Each	
	Leather Welding Gauntlets	STOCK NO. 18010	DESCRIPTION Welding Gauntlets	

CABLE TIES



Stainless Steel Cable Ties	STOCK NO.	DESCRIPTION	PACK QTY
	04191	300mm x 4.6mm	100
04192	360mm x 4.6mm	100	



Nylon Cable Ties - Black	STOCK NO.	DESCRIPTION	PACK QTY
	04209	102mm x 2.5mm	100
	04213	200mm x 4.8mm	100
	04215	300mm x 4.8mm	100
	04217	370mm x 4.8mm	100
	04219	370mm x 7.6mm	100
04221	580mm x 12.7mm	100	



Cable Tie Mounts	STOCK NO.	DESCRIPTION	PACK QTY
	04206	Screw Mount 6.5mm	100
	04224	Self Adhesive Mounts - 4.8mm natural	100
	04228	8mm Knock In	100

OTHER CONSUMABLES



Disposable Gloves	STOCK NO.	DESCRIPTION	PACK QTY
	18040	Synthetic Disposable Gloves	100



Rubble Sacks	STOCK NO.	SIZE	PACK QTY
	18271	20" x 30"	100



Refuse Sacks	STOCK NO.	SIZE	COLOUR	PACK QTY
	18263	18" x 29" x 38"	Black	200



Batteries	STOCK NO.	DESCRIPTION	PACK QTY
	14801	AAA	4
14802	AA	4	

OTHER CONSUMABLES



Lubricating & Maintenance Spray Oil	STOCK NO.	SIZE
	08541	400ml



REMS Thread Cutting Oil	STOCK NO.	DESCRIPTION	SIZE
	14044	REMS Spezial Thread-Cutting Oil - Can	5ltr
	14045	REMS Spezial Thread-Cutting Oil - Spray	600ml
	14046	REMS Spezial Thread-Cutting Oil - Squirt Bottle	500ml

Not quite found what you're looking for?

Our extended range of tools and accessories can be found on our website, just scan the **QR code**.



INDEX

A

AAV's (Automatic Air Vents)	202
Abrasive Pad	69
Acoustic Pipe Clamps	306
Acoustic Waste & Drainage	230
Actuators	198
Adhesive Tapes	344
Adhesives	342
Aerosol Marking Paint	343
Anti Vac Air Admittance Valve	202
Air Admittance Valves	245
Air Vents	202
Alkathene (MDPE)	138
All Round Band (Fixing Band)	290
Alphawedge - Lindapter	296
Aluminium Foil Duct Tape	344
Anchor Fixings	291
Anchor Screws	291
Angle Brackets	275
Angle Cleats	275
Anti Corrosion Tape	39
Anti-Syphon Traps	259
Arbor Holesaws	336
Armaflex Insulation	144

B

Back Nuts	92
Back Plates	307
Back-to-Back Channel	272
Balancing Valves	197
Ball 'o' Fix Valve	188
Ball Valves	184
Bang-Ins (Wedge Anchors)	291
Base Plates	276
Basket Tray	300
Bath Traps	259
Batteries	348
Beam Clamps	298
Bellows Connector	167
Benders	69
Bib Taps	191
Binder Test Points	200
Black Paint	39
Blanking Discs	87

Blow Torch	83
Blue Poly	138
Bolt Wood Screw	287
Bolts	284
Bondloc Pipe Seal	38
Booster Sets	159
Boss White	38
Bottle Traps	259
Bottled Air Vents	202
Box Spanner	281
Brass Compression Fittings	83
Brass Olives	87
Brassware Accessories	91
Brazing Consumables	81
Brazing Equipment	82
Brazing Rods	81
Brazing Torches	83
Brollies	290
Brolly Anchors	290
Bronze End-Feed Fittings	77
Bronze Valves	192
Bubble Wrap	346
Butterfly Fixings	290
Butterfly Valves	182
Bypass Valves	196

C

Cable Basket	300
Cable Lock System	297
Cable Tie Accessories	348
Cable Ties	348
Cable Tray	298
Cable Tray Accessories	300
Cantilever Arms	278
Cartridge Gun	343
Cast Iron Drainage	208
Cast Iron Swing Check Valves	193
Cast Iron Valves	182
Chain	346
Channel	272
Channel Accessories	279
Channel Brackets	274
Channel Cover Strip	279
Channel Nuts	273

Channel Sockets	281
Channel Support System	270
Check Valves	192
Chilled Blocks	312
Chrome Compression Fittings	90
Chrome Plated Copper Tube	89
Circulation Pumps	159
Cleaning Fluid	261
Clima Flex Insulation	146
Coach Screws	287
Coiled Pipe	134
Collars	309
Commissioning Valves	197
Compression Fittings	83
Compression Waste	257
Consumables	348
Copper Coils	68
Copper End-Feed Fittings	70
Copper Olives	87
Copper Press Fittings	94
Copper Press Fittings Gas	104
Copper Solder Ring Fittings	78
Copper Tail Wallplates	75
Copper Tube	68
Copper Tube - Chrome	89
Correx	346
Corrugated Stainless Steel Tubing	140
Crimping Flanges - Copper Press	101
CSST System	140
Curly Wurlys	290
Cutting Discs & Blades	339
Cutting Grease / Oil	349

D

DCV's	192
Deburrers	69
Decking Fixings	295
Depth Gauge	102
Diamond Core Body	333
Disposable Gloves	348
Distribution Manifolds	130
Dosing Pots	163
Double Check Valves	192
Double Regulating Valves	198

DPCV Commissioning Valve	201
Drain Cleaner	261
Drain Off Cocks	202
Drain Test Plug	341
Drill Bits	334
DRV's	198
Drywall Screws	287
Duct Sealant	343
Ductile Iron Valves	182
Duraframe Roof Top Support System	264
Durgo Valve	245
Dust Masks	347
Dust Removal Pump	294
Dustsheets	346
DZR Compression Fittings	88

E

Ear Muffs	347
Electric Water Heaters	174
End-Feed Fittings - Capillary	78
ETA Anchor Fixings	293
Euroclips	304
Eurocone Outlet Adaptor	130
Expansion Bellows	167
Expansion Plugs	288
Expansion Vessel & Accessories	166
Exo Valve	255
Extended Handle Ball Valves	185
Eye Bolts	286

F

Felt Pipe Lagging	147
Fernox Water Hawk	82
Fibre Washers	93
Filling Loop	176
Filter Ball Valves	187
Fire Batt	333
Fire Collars	332
Fire Extinguishers	345
Fire Rated Silicone	333
Fire Stop Accessories	332
Fire Wraps	332
First Aid	345
Fix Foam	342

INDEX

Fix It Foot	267	Grooved Red Steel Fittings	61
Fixing Band	290	Grooved Red Steel Tube	60
Flame Tech Pro	82	Gutter Bolts	286
Flange Couplers - Grooved	63		
Flange Insert - Stainless Steel	63	H	
Flanged Gate Valves	190	Hacksaw	342
Flanges - Black Screwed	33	Hacksaw Blades	342
Flanges - Blanking Plate	53	Hand Tools	342
Flanges - Bossed Slip On	52	Hardwood Blocks	322
Flanges - Grooved Neck	63	HDPE Tools	229
Flanges - Slip On Plate	52	HDPE Waste & Drainage	220
Flanges - Threaded Iron Galvanised	36	Heavy Duty Bossed Pipe Clamps	303
Flanges - Weld Neck	51	Heavy Duty Steel Press	40
Flexible Connectors	167	Hemp	38
Flexible Gas Pipe	140	Hep20's (Waterless Self Seal Traps)	260
Flexible Pump Connectors	167	Hex Nuts	285
Flux & Jointing Compounds	81	Hex Set Bolts	284
Flux Brush	82	Holesaws	336
Foam Extinguisher	345	Hollow Wall Anchors	290
Foil Mineral Wool Block	318	HSS Drill Bits	337
Foil Mineral Wool Lagging	152		
Foil Phenolic Block	312	I	
Foil Phenolic Pipe Lagging	150	IBC Ring Gaskets	65
Foil Tape	344	In Line Filtration	164
Fusion Weld Drainage System	220	Insulation & Accessories	144
		Insulating Tape	147
		Intumescent Pipe Collars	332
		Intumescent Pipe Wraps	332
		Intumescent Putty	332
G		J	
G Clamps	298	Jigsaw Blades	340
Gaffer Tape	344	Joining Channels	276
Galvanised Iron Fittings	35		
Galvanised Steel Tube	34	K	
Gas ID Tape	345	Knife Blades	342
Gas Meter Union	93	Knives	342
Gas Press-Fit System Copper	104	Knock In's	291
Gas Press-Fit System Stainless Steel	121		
Gaskets	65	L	
Gate Valves	189	Lagging Glue	149
Gauge Cocks	169	Lagging Paint	149
Gauges	169	Lead Bearing Solder	82
Glass Drill Bits	338	Lead Free Solder	82
Gloves	347	Lever Ball Valves	185
Goggles	347		
Grinding Discs	339		
Grinnell Steel Pipe & Fittings	58		
Gripple (Wire Suspension)	297		

Light Duty Cable Tray	298
Lindapters	296
Lipped Wedge Anchors	291
Lock Clips	309
Lockshield Key	190
Lockshield Valves	189
Loose Bolt (Rawlbolts)	292
Low Loss Headers	162
Lubricants	349

M	
Manifold - Plastic	136
Manifold Tee	99
MAP Pro Gas	82
Masking Tape	344
Masonry Drilling	333
Mastic	342
MDPE Compression System	138
MDPE Fittings	138
MDPE Pipe	138
Medium Duty Cable Tray	298
Metal Cutting Discs	339
Metal Drilling	335
Metering Station	198
Mineral Wool Blocks	318
Mineral Wool Pipe Lagging	152
Mini Wedge Nuts	295
Miniball (ISO) Valves	188
MLCP	124
Motorised Valves	204
Multiport Coupler - Copper	97
Multiport Coupler - Stainless	113
Multi-Layer Press-Fit System	124
Multi-Tool Blades	339
Munsen Rings	307

N	
Nail-In Pipe Clips	309
Non Return Valves	193
Nova Box	160
Nuts	285
Nylon Cable Ties	348
Nylon Plugs	288

O	
Overflow Pipe	255
Oxygen for Turbo Kit	82
P	
Paints & Markers	39/343
Pallet Wrap	346
Pan Connectors	248
Permanent Markers	343
Phenolic Blocks	312
Phenolic Lagging	150
PICVs	200
Pigtail Syphons	169
Pipe Clamp Back Plates	307
Pipe Clamps	301
Pipe Clamps - Heavy Duty Bossed	303
Pipe Clamps - Insulated	304
Pipe Clamps - One Piece	306
Pipe Clamps - Unlined	302
Pipe Cows	80
Pipe Cutters - Copper	69
Pipe Cutters - Plastic	137
Pipe Cutters - Stainless Steel	112
Pipe Inserts - Copper	136
Pipe Inserts - Plastic	136
Pipe Insulation	144
Pipe Rings	307
Plain End Steel Tube	48
Plasterboard Fixings	290
Plastic Pipe Clips	309
Plastic Plugs	288
Plastic Push-Fit System	132
Plate Heat Exchangers	158
Plate Washers	274
Plumbing Consumables	81
Plumbing Sundries	81
Plumbing Tools	82
Polybutylene Push-Fit System	132
Powder Extinguishers	345
Pre-Insulated Multilayer Pipe	126
Press Fittings - Copper	94
Press System - Gas	104
Press-Fit Double Regulating Valve	199
Press-Fit Fittings - Multi-layer Plastic	124

INDEX

Press-Fit Fittings - Stainless Steel	110	Rubber Washers	93
Pressure Gauges	169	Rubble Sacks	348
Pressure Reducing Valves	195		
Protection Film	346	S	
Protection Sleeve	347	Safety Relief Valves	196
PRV	195	Safety Glasses	347
PTFE Tape	38	Scale Inhibitors & Chemicals	165
Pump Kit	341	School Board Clips	307
Pump Unions	160	Screw Gun Box Bracket	290
Pumps	160	Screwdriver Bits	289
Purlin Clips	297	Screwed Rod	280
PVC Channel End Caps	279	Screws & Plug	287
PVC Coated Copper Tube	68	SDS Drill Bits	334
PVC Tape	344	Sealant Guns	343
		Sealants	342
Q		Self Drilling Screws	289
Quad Key	202	Service Valves	188
		Set Bolts	284
R		Shots	291
Radiator Air Vents	202	Silent Waste & Drainage	230
Rags	69	Silicone	342
Rapidrail Mini Channel System	279	Silicone - Fire Rated	333
Rawbolt Shields	291	Silicone Lubricant	261
Rawbolts	292	Site Safety	347
Rawlnuts	292	Site Security	346
Recipro Blades	340	Slide Nuts	273
Reciprocating Blades	340	Slit Insulation	146
Red Oxide Paint	39	Slotted Channel	272
Redheads	291	Slotted Rail	272
Reducing Sets	87	Sludge Cock	93
REMS Pipe Cutters	69	Soil & Waste	238
REMS Thread Cutting Oil	349	Soil & Waste Accessories	245
Resin Anchor System	294	Solder Ring Fittings	78
Ring Pattern Syphons	169	Soldering Accessories	81
Ring Seal Soil & Vent	243	Soldering Consumables	81
Rivets	287	Solenoid Valve (WRAS)	204
Rize Clips	297	Solenoid Valves Gas	204
Rod	280	Solvent Cement	261
Rod Hanger	297	Solvent Waste Consumables	261
Roofing Nuts & Bolts	286	Solvent Waste	249
Rooftop Support Systems	264	Solvent Weld Overflow - Black	256
Rothenberger Tube Cutters	69	Solvent Weld Overflow - White	255
RPZ Valves	205	Solvent Weld Soil Pipe System	240
Rubber Rawlnuts	292	Split Band Clamps - Heavy Duty	301

Spring Toggles	290	TMV3	197
Square Plates	274	Toggles	290
Stainless Steel Pipe	112	Trac Pipe	140
Stainless Steel Press Fittings	113	Traffi-Gloves	347
Stainless Steel Press Fittings Gas	121	Tray Joiners	298
Stainless Steel Tube	112	Tube Cutters	69
Standpipe Support Brackets	210	Tube Deburrers	69
Stanley Blades	342	Tundishes	172
Stanley Knife	342	Turbo Kit	82
Steel Butt Weld Fittings	46	Twin Thread Woodscrews	288
Steel Press	40		
Steel Wool	69	U	
Stop Cocks	191	U-Bolts	311
Strainers	194	Ultra Blue Sealant	39
Studding	280	Ultra Tight Threadseal Cord	38
Studding Connectors	281	Umbrella Fixings	290
Studding Croppers	280	Unirail	272
Studding End Caps	281	Unirail Nuts	273
Studding Hangers	293	Unistrut Channel	272
Studding Reducers	281	Unlined Pipe Clamps	302
Support System Foot	267		
Swing Check Valves	192	V	
Syphon	169	Valve Insulation Jackets	173
		Valves	178
T		Vent Cowl	245
Talon Clips	309	Vibromats	267
Tap Connectors (end feed)	76	VOX Drainage	230
Tape Measure	342		
Tarpaulin	346	W	
T-Bolts	273	Washers	285
T-Bracket	275	Washing Machine Valves	188
TCT Saw Blades	339	Waste Traps	260
Temporary Protection	346	Water Conditioners	165
Test Bags	341	Water Extinguisher	345
Thermal Balancing Valves	197	Water Meters	171
Thermostatic Mixing Valves	197	Water Treatment & Chemicals	165
Thread Cutting Oil	349	Waterless Self Seal Traps (Hep20's)	260
Threaded Galvanised Tube	34	WD40 Lubricant	349
Threaded Iron Fittings	25	Wedge Anchors	291
Threaded Iron Fittings Galvanised	35	Weld On Shoes	50
Threaded Rod	280	Welded Steel Fittings	48
Threaded Steel Tube	24	Welded Steel Pipe	48
Through Bolts	292	Welding Gauntlets	347
Ties (Zip Ties, Tie Wraps)	348	Welding Rods	57
Tile Drilling	338	Wing Bracket	276

INDEX

Wire Balloon	246
Wirehangers	297
Wire Suspension System	297
Wire Brush	38
Wire Wool	69
Wood Blocks	322
Wood Drilling	338

Y

Y Pattern Strainers	194
Yellow China Markers	343
Yellow Paint	39

Z

Z Brackets	274
Zebedees	273
Zip Ties (Cable Ties)	348
Zone Heating Valves	204

1. BACKGROUND

1.1 These Terms apply to the Contract between Brymec and the Customer for the sale of Brymec Products. Any other terms, whether implied by custom or practice, or which the Customer may seek to include, are specifically excluded.

1.2 Capitalised words (such as 'Contract'), have a specific meaning which is set out in 12 below.

2. CONTRACT TO BUY PRODUCTS

2.1 The Products are described on Brymec's website and in its catalogue. Specifications for Products are subject to change, in which case, Brymec will endeavour to supply an equivalent or suitable alternative.

2.2 When the Customer wishes to place an order for Products, it will provide a purchase order to Brymec. If Brymec accepts such order, it will issue an Order Acceptance to the Customer, at which point the Contract shall come into existence.

2.3 The Customer is responsible for ensuring that the details in the Order Acceptance are complete and accurate

3. DELIVERY

3.1 Each delivery of the Products will be accompanied by a delivery note that shows the date of the Order Acceptance, the relevant Brymec reference number, and the type and quantity of the Products.

3.2 Brymec shall deliver the Products to

the Delivery Location at any time after Brymec notifies the Customer that the Products are ready.

3.3 Delivery is completed on the completion of unloading of the Products at the Delivery Location (and, if applicable, Signed For.)

3.4 Any dates quoted for delivery are approximate only, and the time of delivery is not of the essence. Brymec shall use all reasonable commercial efforts to meet any specific delivery dates. However, Brymec will not be liable for any delay in delivery of the Products.

3.5 If Brymec fails or is unable to deliver the Products for any reason (except for an Unforeseen Event), its liability shall be limited to the costs and expenses incurred by the Customer in obtaining replacement Products of similar description and quality in the cheapest market available, less the price of the Products. Brymec shall have no liability for any failure to deliver the Products to the extent that such failure is caused by an Unforeseen Event, or the Customer's failure to provide Brymec with adequate delivery instructions or any other instructions that are relevant to the supply of the Products.

3.6 Brymec may deliver the Products by instalments, which shall be invoiced and paid for separately. Any delay in delivery or defect in an instalment shall not entitle the Customer to cancel any other instalment.

4. QUALITY

4.1 Brymec warrants that, on delivery, the Products shall conform in all material respects with their description and any

applicable Specification. For products sold by weight, or in the manufacturer's packaging, Brymec may supply quantities of up to 5% more or less than the amount ordered.

4.2 Subject to 4.3 below, if i) the Customer gives notice in writing to Brymec within 2 business days of delivery that the Products do not comply with the Specification, and ii) Brymec is given a reasonable opportunity to examine such Products, and iii) the Customer returns such Products to Brymec's place of business at the Customer's cost, Brymec shall, at its option, replace the defective Products or refund the price of the defective Products in full.

4.3 Brymec shall not be liable for the Products' failure to comply with the warranty set out in clause 4.1 if: i) the Customer makes any further use of such Products after giving notice under 4.2 above; ii) the defect arises because the Customer failed to follow good trade practice or instructions as to the storage, commissioning, installation or use of the Products; or iii) the Customer alters or attempts to repair such Products.

4.4 Other than as set out above, Brymec shall have no liability to the Customer in respect of the Products' failure to comply with the warranty set out in clause 4.1.

5. TITLE AND RISK

5.1 The risk in the Products shall pass to the Customer on completion of delivery.

5.2 Title to the Products shall not pass to the Customer until the earlier of: i) Brymec receives payment in full for the

Products; and ii) the Customer resells the Products, in which case title to the Products shall pass to the Customer at the time specified in 5.4 below.

5.3 Until title to the Products has passed to the Customer, the Customer shall store the Products separately from all other products held by the Customer so that they remain readily identifiable as Brymec's property, maintain the Products in satisfactory condition, and keep them insured against all risks for their full price from the date of delivery.

5.4 The Customer may use or resell the Products before Brymec receives payment for the Products, in which case it does so as principal and not as Brymec's agent, and title to the Products shall pass from Brymec to the Customer immediately before the time at which such reuse or resale by the Customer occurs.

6. PRICE AND PAYMENT

6.1 The price of the Products shall be the price set out in the Order Acceptance issued by Brymec. Brymec may, by giving notice to the Customer at any time up to delivery, increase the price of the Products to reflect any increase in the cost of the Products that is due to i) any factor beyond Brymec's control (including foreign exchange fluctuations, increases in taxes and duties, and increases in labour, materials and other manufacturing costs), or ii) any request by the Customer to change the delivery date(s), quantities or types of Products ordered, or the Specification.

6.2 The price of the Products excludes amounts in respect of value added

Terms of Business – Sales

tax (VAT), which the Customer shall additionally be liable to pay.

- 6.3 Unless otherwise stated on the Order Acceptance, Brymec shall be responsible for the cost of insurance and transport of the Products to the Delivery Location.
- 6.4 Brymec may invoice the Customer for the Products on or at any time after the Products have been despatched.
- 6.5 Unless otherwise stated in the Order Acceptance, the Customer shall pay the invoice in full and in cleared funds by the end of the month following the month the invoice was dated to the bank account nominated by Brymec. Time for payment is of the essence.
- 6.6 If the Customer fails to make any payment due to Brymec under the Contract by the due date for payment, then Brymec shall be entitled to charge interest on the overdue amount at the rate of 4.0% per annum above the base rate from time to time of the Bank of England. Such interest shall accrue on a daily basis from the due date until actual payment of the overdue amount, whether before or after judgment. The Customer shall pay the interest together with the overdue amount.
- 6.7 The Customer shall pay all amounts due under the Contract in full without any set-off, counterclaim or deduction. Brymec may set off any amount owing to it by the Customer against any amount payable by Brymec to the Customer.

7. LIMITATION OF LIABILITY AND INSURANCE

- 7.1 Nothing in these Terms shall limit or exclude Brymec's liability for: (i) death or personal injury caused by

its negligence; ii) fraud or fraudulent misrepresentation; iii) breach of the terms implied by section 12 of the Sale of Products Act 1979; or defective products under the Consumer Protection Act 1987.

- 7.2 Subject to 7.1 above, Brymec shall under no circumstances whatsoever be liable to the Customer, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, for any loss of profit, or any indirect or consequential loss arising under or in connection with the Contract; and
- 7.3 Brymec has obtained insurance cover in respect of its own legal liability for individual claims not exceeding £1,000,000 per claim. Therefore, Brymec's total liability to the Customer in respect of all other losses arising under or in connection with the Contract, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall in no circumstances exceed £1,000,000, and the Customer is responsible for making its own arrangements for the insurance of any excess loss.

8. UNFORESEEN EVENTS

Neither party shall be in breach of this Contract nor liable for delay in performing, or failure to perform, any of its obligations under this Contract if such delay or failure results from an Unforeseen Event. If the period of delay or non-performance continues for three months, the party not affected may terminate this Contract by giving one month's written notice to the affected party.

9. GENERAL

- 9.1 Assignment. The Customer may not assign, transfer, mortgage, charge, subcontract or deal in any other manner with any or all of its rights or obligations under the Contract without Brymec's prior written consent.
- 9.2 Confidentiality. Each party undertakes that it shall not at any time during this agreement, and for a period of 5 years after termination of this agreement, disclose to any person any confidential information concerning the business, affairs, customers, clients or suppliers of the other party, except as permitted by this paragraph. Each party may disclose the other party's confidential information: (i) to its employees, officers, representatives or advisers who need to know such information for the purposes of carrying out its obligations under or in connection with the Contract; and (ii) as may be required by law. No party shall use any other party's confidential information for any purpose other than to exercise its rights and perform its obligations under or in connection with this agreement.
- 9.3 Entire agreement. This Contract constitutes the entire agreement between the parties and supersedes and extinguishes all previous agreements and understandings between them, whether written or oral, relating to its subject matter. Each party agrees that it shall have no remedies in respect of any statement, representation, assurance or warranty (whether made innocently or negligently) that is not set out in this agreement.
- 9.4 Variation. No variation of this Contract shall be effective unless it is in writing and signed by the parties (or their authorised representatives).
- 9.5 Third party rights. No one other than a party to this Contract shall have any right to enforce any of its terms.
- 9.6 Law and jurisdiction. The Contract, and any dispute or claim arising out of or in connection with it shall be governed by and construed in accordance with the law of England and Wales. Each party agrees that the courts of England and Wales shall have exclusive jurisdiction to settle any dispute or claim arising out of or in connection with this Contract.

10. DEFINITIONS:

- 10.1 Brymec: Brymec Limited, whose registered office is at Unit C, Redlands, Coulsdon, Surrey, CR5 2HT.
- 10.2 Terms: the terms set out in this document.
- 10.3 Contract: the contract between Brymec and the Customer for the sale and purchase of the products in accordance with these terms
- 10.4 Customer: the business or person who purchases the Products from Brymec.
- 10.5 Delivery Location: the location for delivery of the Products set out in the Order Acceptance, or such other location as the parties may agree.
- 10.6 Order Acceptance: a form issued by Brymec in response to a Customer's order for Products, specifying Product details, quantities, prices and costs of transportation.
- 10.7 Products: the products (or any part of them) set out in the Order Acceptance.

Terms of Business – Sales

- 10.8 Signed For: a Customer requirement stated in the Order Acceptance that a delivery of Product must be signed for at the Delivery Location.
- 10.9 Specification: any specification for the Products set out on Brymec's website or in its catalogue.
- 10.10 Unforeseen Event: an event or circumstance beyond a party's reasonable control.

Quality Policy

Brymec Ltd (the 'Organisation') aims to provide defect free products and services to its customer on time and within budget.

The Organisation operates a Quality Management System that has gained BS EN ISO 9001 : 2015 certification, including aspects specific to the stockholding and supply of mechanical, plumbing and air conditioning products and services.

This gives us a platform to guarantee a structured approach to our continuous improvement cycle, and ensures we continue to meet and exceed the following key goals:

- Excellence of service to our customers, delivering on site, in full, on time; in the relentless pursuit of total customer satisfaction.
- Offering quality products and systems. We work with worldwide manufacturing plants (in line with our social and ethical policy) to source the best products for the UK market. We ensure that the products are fit for purpose and comply with the relevant approvals and standards. We also research and develop innovative solutions which will add value to our customers, developers and end users.
- To motivate, engage and continuously develop our team by providing training, coaching, knowledge sharing and investment to ensure their absolute competence.

- To continue to invest in technology, working to understand customers' needs and streamline their buying processes to maximise efficiencies via modern technology.

This quality policy is endorsed and regularly reviewed by our Senior Management Team, and its scope is communicated to all Brymec employees via our website and other appropriate methods.

Our vision is to become an essential and indispensable supplier to the Building Services Contractor by providing excellence of service, quality products and continually investing in technology.

In order to achieve our vision, we ensure Brymec is an organisation where people love to work, upholding our core values of excellence, courage, integrity and collaboration to actively engage our team in contributing towards providing the highest level of customer satisfaction.

Luke Reiner
Managing Director

Quality Policy

At Brymec we recognise the importance of credibility, integrity and trustworthiness in our success as a business. We are committed to upholding high ethical standards in all our operations, everywhere in the world. We believe in the principles of honesty, fairness, and respect for individual and community freedoms. The ethics of our UK operations are demonstrated through responsible:

- › Business processes
- › Corporate governance
- › Custom and practice
- › Quality management
- › Safe working practices
- › Corporate social responsibility
- › Facility management
- › Equality & diversity
- › Anti-bribery & corruption
- › Employee care

The Ethical Trading Initiative Code forms the basis of this policy.

Additionally, as we expand our network of suppliers to source products globally, it is increasingly necessary to ensure that the organisations that we undertake business with also meet our expectations of standards of supply.

As a minimum Brymec Ltd expects its supply partners to comply with all local laws and regulations and to respect internationally recognised human and labour rights as well as international initiatives for climate change.

In particular we require that suppliers ensure:

- › Working hours and remuneration are reasonable and meet the required local

wage and working time laws

- › Working conditions are safe and hygienic
- › No discrimination is practised
- › Employment is freely chosen
- › Children are not employed, and local minimum age rules are in place
- › Freedom of Association and the right to collective bargaining are respected
- › No improper advantage, including the payment of bribes.
- › Packaging and waste are subject to recycling and safe disposal guidelines
- › That all sourcing of materials and manufacturing processes are subject to sustainability and renewability rules

Brymec carry out initial assessments and, on agreeing terms of business, provide the criteria against which the company has been measured by way of regulating ongoing requirements.

Brymec then carry out periodic on-site audits to ensure that compliance is maintained.

Brymec will work with its suppliers to guide and advise them in maintaining and improving required levels of environmental standards.

The Brymec Sourcing Director has responsibility for this policy and will report to the management meetings on any issues arising.

A copy of the full Ethical trading initiative can be found at www.ethicaltrade.org.

PURPOSE

This policy has been created to provide a framework and guidance on the company's approach to achieving and maintaining good business behaviour by means of sound ethical conduct. It serves to ensure that all employees are aware of their individual and collective responsibilities with regards to the company's ethics, and to emphasise our employees' and customers' expectations to be being treated fairly and in accordance with good business practices.

All employees are responsible for reading this document in its entirety and for ensuring that they comply with all the policy requirements as stated within this document.

All employees are responsible for complying with the company's Anti-Bribery Policy as stated within this document.

The purpose of this ethics policy is to maintain a culture of openness, trust and integrity in the company's business practices. Effective ethics is a 'team effort' involving the participation and support of every Brymec employee.

DEFINITION

It is important to Brymec that we treat all customers, suppliers and employees ethically. This means we have standards and values that are key to us – and these must be adhered to in all of our interactions.

Brymec will not tolerate any wrongdoing or impropriety at any time. The company will take the appropriate measures and act quickly where the 'ethical code' is broken.

OUR ETHICAL STANCE

Brymec's Board and Senior Management commitment to Ethics: that integrity is one of the company's core values

- › To set and lead by example
- › In any business practice, honesty and integrity are of the highest importance
- › To provide a fair and reasonable working environment for all employees relating to conditions and contracts
- › To have an open-door policy and welcome suggestions and concerns from all employees, creating an environment that will allow employees to feel comfortable discussing any issues and will serve to alert directors and smt to concerns within the company

BRYMEC EMPLOYEE'S COMMITMENT TO ETHICS:

- › To disclose any conflicts of interest regarding their position with the company
- › To engage in carrying out the company's mission in a professional manner and in line with the core values of the company which includes integrity
- › To recognise that the main function of the company is at all times to serve the best interests of our current and future customers, and to do this with respect, concern and courtesy
- › To treat everyone fairly, have mutual respect, promote a team environment and avoid the intent and appearance of unethical or compromising practices
- › To treat all persons with respect and consideration, regardless of race, religion, gender, sexual orientation, maternity, marital or family status, disability, age or national origin
- › To demonstrate the highest standards of

Quality Policy

COMPANY'S COMMITMENT TO ETHICS:

- To hold paramount the safety, health and welfare of the public in performance of the company's professional duties
- To keep the local communities informed about issues which may affect them
- To collaborate with and support partners in carrying out the company's mission in line with the company's ethics policy
- To build professional reputation on the merit of our capabilities and refrain from competing unfairly with others
- Not to engage in any business practice or process or with any entity, including potential customers or suppliers who do not match the company's ethical standards

ANTI-BRIBERY POLICY

Brymec values its reputation for ethical behaviour and for financial probity and reliability. It recognises that over and above the commission of any crime, any involvement in bribery will also reflect adversely on its image and reputation. Its aim therefore is to limit its exposure to bribery by:

- Setting out a clear anti-bribery policy;
- Establishing and implementing anti-bribery procedures as appropriate;
- Communicating this policy and any relevant procedures to employees and to others who will perform services for brymec limited;
- Undertaking appropriate due diligence measures before engaging others to represent brymec in its business dealings;
- Monitoring and reviewing the risks and the effectiveness of any anti-bribery procedures that are in place.

Brymec prohibits the offering, giving, solicitation or acceptance of any bribe (whether cash or other inducement):

to or from any person or company (wherever they are situated and whether they are a public official or body or private person or company)

- By any individual employee, agent or other person or body acting on behalf of brymec limited
 - In order to gain any commercial, contractual or regulatory advantage for brymec in a way that is unethical
 - In order to gain any personal advantage (pecuniary or otherwise) for the individual or anyone connected with the individual
- This policy prohibits any inducement that results in a personal gain or advantage to the recipient or any person or body associated with them, and which is intended to influence them to take action that may not be solely in the interests of Brymec or of the person or body employing them or whom they represent.

GOVERNANCE

Induction process

All employees must be introduced to the ethical stance and values of the organisation during the induction process. Line managers are responsible for ensuring that this has happened, and that employees have understood all aspects of the ethical stance.

Interactions with customers and suppliers

All interactions with customers and suppliers should follow the ethical stance of the organisation. Any deliberate non-adherence with the ethical stance might result in disciplinary action.

Product development

The development of all products and services within the organisation must be carried out within the guidelines set by the ethical stance.

Communication

All communications from the organisation must adhere to the ethical stance as set out in this policy.

Review

Should an employee be in any doubt about a relevant course of action, require clarification on a particular issue, or want to report a potential breach of Brymec's ethical code, they should report directly to their line manager or Senior manager. The topic/issue will then be dealt with as quickly and efficiently as possible, and by MD if appropriate.

This policy will be held by the Head of HR on behalf of Brymec's board and will be reviewed annually to ensure that it remains relevant, both internally with all employees and externally regarding changing social and moral attitudes and business best practice.

Want to experience our quality first-hand?

SCAN THE QR CODE BELOW TO REQUEST
A SAMPLE AND SEE FOR YOURSELF



Brymec 