

SAFETY DATA SHEET

Revision Number 2

A CSW Industrials Company

This SDS conforms to REACH SDS CLP regulation 2015/830.

Issuing Date 11-Nov-2011

Revision Date 21-Feb-2019



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is @ 2014 UL LLC. All rights reserved.

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

356 **Product Code(s)**

(M)SDS Number WPS-JLI-029

V-2® PLUS **Product Name**

Chemical name

V-2 Pipe Thread Sealant Fed Spec TT-S-1732 **Synonyms**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Lubricants, Greases and Release Products. Food Item Dispensed by Compressed

Gas - Cheese.

Uses advised against No information available.

1.3. Details of the supplier of the safety data sheet

Jet Lube LLC **Supplier Address**

930 Whitmore Drive

Rockwall, Texas USA 75087

US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108 **Supplier Phone Number**

Sales@jetlube.com **Supplier Email**

Importer Manufacturer Jet-Lube (UK) Ltd Jet Lube LLC City Park, Watchmead 930 Whitmore Drive

Welwyn Garden City, Hertfordshire Rockwall, Texas USA 75087

AL7 1LT

United Kingdom

For further information, please contact.

Responsible Persons Regulatory & Laboratory Team Member(s)

E-mail Address regulatory@whitmores.com



Non-Emergency Telephone +44-1628-631913 (JL UK Office) **Number** +1-972-771-1000 (USA Office)

1.4. Emergency telephone number

Emergency Telephone Number 44 1628-631913

Emergency telephone §45 - (EC)1272/2008						
Europe	Europe 112					
Austria	Poison Information Center (AT): +43-(0)1-406 43 43					
Belgium	Poison Center (BE): +32 70 245 245					
Denmark	Poison Control Hotline (DK): +45 82 12 12 12					
Finland	Poison Information Centre (FI): +358 9 471 977					
France	ORFILA (FR): + 01 45 42 59 59					
Germany	Poison Center Berlin (DE): +49 030 30686 790 (24 h service, Advice in German and English)					
Ireland	National Poisons Information Centre (IE): +353 1 8379964					
Italy	Poison Center, Milan (IT): +39 02 6610 1029					
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)					
Norway	Poisons Information (NO): + 47 22 591300					
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97					
Portugal	Poison Information Center (PT): +351 21 330 3284					
Spain	Poison Information Service (ES): +34 91 562 04 20					
Sweden	Poisons Information Center (SV): +46 8 33 12 31					
Switzerland	Poison Center (CH): Tel 145: +41 44 251 51 51					
United Kingdom	NHS Direct (UK): +44 0845 46 47					

Section 2: Hazards Identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)

2.2. Label elements



Signal word Warning

Hazard Statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation



EUH208 - Contains 1,3,4-Thiadiazole, 2,5-bis(octyldithio) - EUH208 - May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves and eye/face protection

P264 - Wash face, hands and any exposed skin thoroughly after handling

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

Additional information

This product requires tactile warnings if supplied to the general public

This product requires child resistant fastenings if supplied to the general public

2.3. Other hazards

No information available

Section 3: Composition/Information

3.1 Substances

Not applicable.

3.2 Mixtures

Chemical Name	EC No	CAS-No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Reg. No.
Talc	238-877-9	14807-96-6	15-20	No data available	01-2120140278- 58
Mica	310-127-6	12001-26-2	10-15	No data available	No data available
Hydroxyethyl cellulose	-	9004-62-0	10-15	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	No data available
Titanium dioxide	236-675-5	13463-67-7	1-5	No data available	01-2119489379- 17
p-Aramide	-	26125-61-1	<1	No data available	No data available
1,3,4-Thiadiazole, 2,5-bis(octyldithio)-	236-912-2	13539-13-4	<1	Eye Irrit. 2 (H319) Skin Irrit.2 (H315)	No data available
Cellulose	232-674-9	9004-34-6	<0.1	No data available	No data available

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: First aid measures

4.1. Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor



356 - V-2® PLUS Revision Date 21-Feb-2019

in attendance.

Inhalation If breathing has stopped, give artificial respiration. Get medical attention

immediately. Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Get medical attention

immediately if symptoms occur.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get

medical attention if irritation develops and persists.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and

persists. Do not rub affected area.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of

water. Never give anything by mouth to an unconscious person. Call a physician

or Poison Control Center immediately.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take

precautions to protect themselves and prevent spread of contamination. Do not breathe vapor or mist. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see

section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous Combustion Products

Carbon oxides.

5.3. Advice for firefighters



Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Do not

breathe vapor or mist. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering

drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid

contact with skin, eyes or clothing. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before

reuse.

General Hygiene Considerations Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Wear

suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the

workplace. Regular cleaning of equipment, work area and clothing is

recommended. Wash hands before breaks and immediately after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store

locked up. Keep out of the reach of children.



7.3. Specific end use(s)

Risk Management Methods (RMM)

The information required is contained in this Material Safety Data Sheet.

Section 8: Exposure control/personal protection equipment

8.1. Control parameters

Exposure Limits

Chemical Name	EU	United Kingdom	France	Spain	Germany
Talc	-	STEL: 3 mg/m ³	-	TWA: 2 mg/m ³	-
14807-96-6		TWA: 1 mg/m ³			
Mica	-	STEL: 2.4 mg/m ³	-	TWA: 3 mg/m ³	-
12001-26-2		STEL: 30 mg/m ³			
		TWA: 0.8 mg/m ³			
		TWA: 10 mg/m ³			
Titanium dioxide	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	-
13463-67-7		TWA: 4 mg/m ³			
		STEL: 30 mg/m ³			
		STEL: 12 mg/m ³	\/\\T_ 40 / 0	\// A ED 40	
p-Aramide	-	TWA: 0.5	VME: 10 mg/m ³	VLA-ED: 10	-
26125-61-1		fibre/cm3		mg/m³ VLA-ED	
		STEL: 1.5			
Callulana		fibre/cm3	T\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	TIMA: 40 / 3	
Cellulose 9004-34-6	-	STEL: 20 mg/m ³ STEL: 12 mg/m ³	TWA: 10 mg/m ³ TWA: 1 mg/m ³	TWA: 10 mg/m ³	-
9004-34-6		TWA: 10 mg/m ³	i ivvA. i mg/m²		
		TWA: 10 mg/m ³			
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
Talc	italy -	TWA: 2 mg/m ³	TWA: 0.25 mg/m ³	TWA: 0.5	TWA: 0.3
14807-96-6	-	1 VVA. 2 IIIg/III ^s	1 WA. 0.23 mg/m²	fiber/cm3	fiber/cm3
14007-30-0				STEL: 2 ppm	IIDei/Cilio
				STEL: 1 ppm	
Mica	TWA: 3 mg/m ³	TWA: 3 mg/m ³	-	- -	-
12001-26-2		' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '			
Titanium dioxide	TWA: 10 mg/m ³	TWA: 10 mg/m ³	-	-	TWA: 6 mg/m ³
13463-67-7	Carc*	Carc*			· · · · · · · · · · · · · · · · · · ·
Cellulose	-	TWA: 10 mg/m ³	-	-	-
9004-34-6					
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Talc	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 4.0 mg/m ³	TWA: 6 mg/m ³	TWA: 10 mg/m ³
14807-96-6	_		TWA: 1.0 mg/m ³	TWA: 2 mg/m ³	TWA: 0.8 mg/m ³
				STEL: 12 mg/m ³	STEL: 30 mg/m ³
				STEL: 4 mg/m ³	STEL: 2.4 mg/m ³
Mica	TWA: 10 mg/m ³	TWA: 3 mg/m ³	-	TWA: 6 mg/m ³	TWA: 10 mg/m ³
12001-26-2				TWA: 3 mg/m ³	TWA: 0.8 mg/m ³
				STEL: 6 mg/m ³	STEL: 30 mg/m ³
				STEL: 3 mg/m ³	STEL: 2.4 mg/m ³
Titanium dioxide	STEL: 10 mg/m ³	TWA: 3 mg/m ³	TWA: 10.0 mg/m ³	TWA: 5 mg/m ³	TWA: 10 mg/m ³
13463-67-7	TWA: 5 mg/m ³		STEL: 30 mg/m ³	STEL: 5 mg/m ³	TWA: 4 mg/m ³



					STEL: 30 mg/m ³
					STEL: 12 mg/m ³
p-Aramide	-	MAK: 3 mg/m ³	-	-	-
26125-61-1		MAK (respirable)			
Cellulose	-	TWA: 3 mg/m ³	-	-	TWA: 10 mg/m ³
9004-34-6		TWA: 2 mg/m ³			TWA: 4 mg/m ³
					STEL: 20 mg/m ³
					STEL: 12 mg/m ³
Chemical name	Romania	Ukraine TLVs	Sweden TLVs	Hungary	Turkey TLVs
Talc 14807-96-6	TWA: 2 mg/m ³		LLV: 2 mg/m ³	TWA: 2 mg/m ³	
			LLV: 1 mg/m ³		
Mica 12001-26-2	TWA: 3 mg/m ³				
Titanium dioxide	TWA: 10 mg/m ³		LLV: 5 mg/m ³		
13463-67-7	STEL: 15 mg/m ³				
Cellulose 9004-34-6	TWA: 10 mg/m ³		-	-	

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

8.2. Exposure controls

Personal protective equipment

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields. None

required for consumer use.

Hand Protection Wear suitable gloves. Impervious gloves. Nitrile rubber.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits

are exceeded or irritation is experienced, ventilation and evacuation may be

required.

Environmental exposure

controls

No information available.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Gel

Appearance Cream to Beige

Odor Slight Pungent
Color White Beige
Odor Threshold Not applicable

<u>Property</u> <u>Values</u> <u>Remarks Method</u>

pH Neutral

Melting / freezing point> 149 °C / 300 °FNone knownBoiling point / boiling rangeNo data availableNone known

Flash Point $> 113 \,^{\circ}\text{C} / 235 \,^{\circ}\text{F}$

Evaporation Rate No data available None known



Flammability (solid, gas)

No data available

None known
Flammability Limit in Air

None known

Upper flammability limit

No data available

No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 1.31
Water Solubility Insoluble

Solubility(ies) Completely soluble None known

Partition coefficient: n-octanol/water Not Applicable

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownViscosityNo data availableNone known

9.2. Other information

Softening PointNo information availableMolecular WeightNo information available

VOC Content (%) 130-207 g/L

Liquid DensityNo information availableBulk DensityNo information availableParticle SizeNo information availableParticle Size DistributionNo information available

Section 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous

Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

10.4. Conditions to avoid

Excessive heat.

10.5. Incompatible materials

Strong acids, Strong bases, Strong oxidizing agents.

10.6. Hazardous decomposition products

Carbon oxides.



Section 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Harmful if inhaled.

(based on components). May cause irritation of respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Irritating to eyes.

(based on components). May cause redness, itching, and pain. Causes serious

eye irritation.

Skin contact Specific test data for the substance or mixture is not available. Causes skin

irritation. (based on components). May cause irritation. Prolonged contact may

cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may

cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Information on toxicological effects

Symptoms Coughing and/ or wheezing. Difficulty in breathing. Redness. May cause redness

and tearing of the eyes.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix 0.46 mg/L

(inhalation-dust/mist)

Unknown acute toxicity

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	Inhalation LC50
Titanium dioxide	> 10000 mg/kg (Rat)		> 6820 mg/m ³
p-Aramide	>7500 mg/kg (rat)		
Cellulose	> 5 g/kg (Rat)	> 2 g/kg (Rabbit)> 2000	> 5800 mg/m³ (Rat) 4 h
		mg/kg(Rabbit)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye

irritation

Classification based on data available for ingredients. Irritating to eyes.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.



Carcinogenicity No information available.

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity . The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna
			Microorganisms	(Water Flea)
Talc	EC50 72 h: > 1000	96h LC50: > 1000	10-day LC50 = >	48h EC50: =
	mg/L (Skeletonema	mg/L (Turbot)	12194mg/kg	>1000mg/L (Acartia
	costatum)		(Corophium volutator)	tonsa)

12.2. Persistence and degradability

Persistence and Degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical Name	PBT and vPvB assessment
Talc	The substance is not PBT / vPvB
Titanium dioxide	PBT assessment does not apply

12.6. Other adverse effects

Other adverse effects No information available.

Section 13: Disposal considerations



13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance

with environmental legislation.

Contaminated packaging No information available.

Section 14: Transport information

IMDG Not regulated 14.1 UN Number Not regulated 14.2 Proper Shipping Name NOT REGULATED 14.3 Hazard Class Not regulated Not regulated 14.4 Packing Group 14.5 Marine Pollutant Not applicable

None 14.6 Special Provisions

No information available 14.7 Transport in bulk

according to Annex II of MARPOL and the IBC Code

NOT REGULATED RID 14.1 UN-No. NOT REGULATED 14.2 Proper Shipping Name **NOT REGULATED** 14.3 Hazard Class **NOT REGULATED** 14.4 Packing Group NOT REGULATED 14.5 Environmental hazard Not applicable 14.6 Special Provisions None

ADR NOT REGULATED 14.1 UN-No. **NOT REGULATED** 14.2 Proper Shipping Name NOT REGULATED 14.3 Hazard Class **NOT REGULATED** 14.4 Packing Group **NOT REGULATED** 14.5 Environmental hazard Not applicable

14.6 Special Provisions None

IATA Not regulated 14.1 UN Number Not regulated 14.2 Proper Shipping Name NON REGULATED 14.3 Hazard Class Not regulated 14.4 Packing Group Not regulated Not applicable 14.5 Environmental hazard 14.6 Special Provisions None

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Occupational Illnesses (R-463-3, France)



Chemical Name	French RG number	Title
Talc	RG 25	-
14807-96-6		
Mica	RG 25	-
12001-26-2		
Cellulose	RG 66 RG 47	-
9004-34-6		

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical Name	Restricted substance per REACH	Substance subject to authorization per
	Annex XVII	REACH Annex XIV
Cellulose - 9004-34-6	9[f].	

Persistent Organic Pollutants

Not applicable.

Dangerous substance category per Seveso Directive (2012/18/EU)

H2 - ACUTE TOXIC

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable.

International Inventories

TSCA Contact supplier for inventory compliance status.

DSL/NDSL Complies. **EINECS/ELINCS** Complies.

ENCSContact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

KECLComplies.PICCSComplies.AICSComplies.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment



No information available.

Section 16: Other Information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H317 - May cause an allergic skin reaction

Legend

SVHC: Substances of Very High Concern for Authorization:

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value - Skin designation

Key literature references and sources for data

www.ChemADVISOR.com/

Issuing Date 11-Nov-2011

Revision Date 21-Feb-2019

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

